Page 1 of 3 / V2 Date of Issue: January, 2004

# **MATERIAL SAFETY DATA SHEET**

## STATEMENT OF HAZARDOUS NATURE:

Hazardous according to the criteria of NOHSC

**COMPANY DETAILS:** 

Syngenta Crop Protection Pty Limited Telephone No.: (02) 9688 0444

ABN 33 002 933 717 **24 Hours Emergency No.: 1 800 033 111** 

140-150 Bungaree Rd., PENDLE HILL, NSW, 2145

# **IDENTIFICATION**

PRODUCT NAME: PROCLAIM® INSECTICIDE

Formulation Type: Water soluble granule Dangerous Goods Class/ 9

Active Ingredient: Emamectin Subsidiary Risk (ADG): None allocated

Product Code No.:A-10324AHazchem Code:2XChemical Type:Macrocyclic lactonePacking Group:IIIUN Number (ADG):3077Poisons Schedule:6

**USE:** Insecticide for the control of Diamondback Moth in Brassica Vegetables.

PHYSICAL DESCRIPTION/PROPERTIES

Appearance:White to off-white granuleFlash Point:Not applicableOdour:No odourFlammability:Non-flammable

 Vapour Pressure:
 Not available
 Behaviour in Water:
 Soluble

Specific Gravity: Not applicable

**OTHER PROPERTIES** 

pH: 5-9 Corrosivesness: None to HDPE

Combustibility: Combustible

**INGREDIENTS** 

CAS No. Content (%w/w)

Emamectin benzoate (technical grade) >5

to give **Emamectin benzoate** 137515-74-4 5
Other ingredients determined not to be hazardous to 100

## **HEALTH HAZARD INFORMATION**

## **HEALTH EFFECTS**

**ACUTE** 

Toxicity - This product is slightly hazardous (WHO Hazard Class III)

Swallowed: LOW TOXICITY

Tests indicate a low toxicity following single doses of undiluted product.

 $(LD_{50} = 1516 \text{ mg/kg})$ 

Dermal absorption: LOW TOXICITY

Tests indicate a low toxicity due to skin contact with undiluted product.

 $(LD_{50} > 2000 \text{ mg/kg})$ 

Inhaled: LOW TOXICITY

Tests indicate a low toxicity due to inhalation with undiluted product.

 $(LD_{50} (4hr) = 5 mg/L air)$ 

**Irritation** 

Eye: MILD IRRITANT
Skin: MILD IRRITANT

PROCLAIM INSECTICIDE Page 2 of 3 / V2

## **Sensitisation**

Skin: **NOT AVAILABLE** – unlikely to be a sensitising agent

### **Poisoning symptoms:**

No case of human poisoning due to this product is on record. The poisoning symptoms observed in laboratory studies include tremors, central and peripheral nerve lesions.

## **CHRONIC** (Active Ingredient)

Emamectin technical has been extensively tested in laboratory mammal and test ube systems. No evidence of mutagenic, carcinogenic, teratogenic or reproductive effects has been obtained.

## **FIRST AID**

In case of poisoning by any exposure route contact a doctor or Poisons Information Centre. Phone 131 126.

Swallowed: If swallowed, do not induce vomiting. Give large quantities of water and seek immediate

medical assistance.

Eye: If product gets in eyes immediately flush skin or eyes with running water for at least 15

minutes.

Skin: In case of contact with skin, immediately flush skin with running water for at least 15

minutes. Remove contaminated clothing and wash affected areas thoroughly with soap and

water. Wash contaminated clothing before re-use.

Inhaled: Move person to fresh air and keep at rest until recovered. If any signs or symptoms occur

or persist, get medical attention.

## **ADVICE TO DOCTOR**

No specific antidote exists. Treat symptomatically.

## PRECAUTIONS FOR USE

#### ALWAYS READ AND FOLLOW THE LABEL INSTRUCTIONS AND WARNINGS

#### **EXPOSURE STANDARDS**

No official exposure standards have been set for the ingredients of this product.

**Exposure Potential** - Swallowing is unlikely under normal conditions of usage. Significant skin uptake does not occur. Inhalation is a possible route of exposure. This product is diluted with water prior to use as a spray. This diluted form is less toxic by all routes of exposure.

**Re-entry Period** - Do not enter treated areas without protective clothing for 8 hours after application.

### **ENGINEERING CONTROLS**

No special requirements. Product is used outdoors.

## **PERSONAL PROTECTION**

Harmful if swallowed. Will irritate the eyes and skin. Avoid contact with eyes and skin. When opening the container and preparing the spray wear

- cotton overalls buttoned to the neck and wrist (or equivalent clothing) and
- elbow length PVC gloves.

Wash hands after use. After each day's use, wash gloves and contaminated clothing.

Only use protective equipment bearing the mark of the Standards Association of Australia.

## **FLAMMABILITY**

This product is NON-FLAMMABLE, however it is combustible.

PROCLAIM INSECTICIDE Page 3 of 3 / V2

## SAFE HANDLING INFORMATION

## STORAGE AND TRANSPORT

Store in tightly sealed original containers in a dry secure place away from fertilisers, seed, feed and food. Store out of direct sunlight. Keep out of reach of children, unauthorised persons and animals.

Transport Classification - Rail/Road (RID/ADR), Sea (IMDG), Air (ICAO/IATA):

UN No.: 3077 Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

Class: 9 SOLID, N.O.S. (CONTAINS EMAMECTIN)

Packing Group: III Additional Information: EMAMECTIN 5%, MARINE POLLUTANT

#### SPILLS AND DISPOSAL

In case of spillage it is important to take all steps necessary to:

- Avoid eye and skin contact.
- Avoid contamination of waterways.

#### Procedure for spill:

- (1) Keep all bystanders away.
- (2) Wear full length clothing and PVC gloves.
- (3) Re-position any leaking containers so as to minimise further leakage.
- (4) For a product spill: Sweep granule concentrate into a pile.
  - For a prepared spray spill: Dam and absorb spill with an absorbent material (e.g. sand or soil).
- (5) Shovel the absorbed material or granule concentrate into drums.
- (6) Disposal of the absorbed material will depend upon the extent of the spill.
  - For quantities up to 50kg of product bury in a secure landfill site.
  - For quantities greater than 50kg seek advice from the manufacturer (use emergency contact number below) before attempting disposal. Contain in a secure location until disposal method is established.
- (7) Decontaminate the spill area with detergent and water and rinse with water.

#### Dispose of empty, used containers by:

- (a) Single rinse outer pack before disposal. Add rinsings to the spray tank. DO NOT dispose of undiluted chemicals on-site.
- (b) Puncture and bury empty containers in a local authority landfill. If not available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose, clear of waterways, vegetation and roots. Empty containers and product should not be burnt.

#### FIRE/EXPLOSION HAZARD

This product is non-flammable, non-explosive and is combustible. Extinguish warehouse and factory fires using fine water-spray or foam. Do not allow fire-water to enter drains.

## **OTHER INFORMATION**

Emamectin technical is toxic to bees, fish and crustaceans.

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

Note: This product is a registered agricultural chemical and must therefore be used in accordance with the container label directions. A comprehensive package of toxicological and environmental data for the active ingredients of this product has been submitted to the Federal health and environment authorities and has been evaluated by expert toxicologists and environmental scientists.

**CONTACT POINT:** Regulatory Affairs Manager - Crop Protection - (02) 9688 0444

**24 HOURS EMERGENCY CONTACT:** 1 800 033 111

This Material Safety Data Sheet summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

® Registered Trade Mark of a Syngenta Group Company, Basel, Switzerland.