

READ SAFETY DIRECTIONS BEFORE OPENING OR USING**Crop Care****Colliss[®] Fungicide**

**ACTIVE CONSTITUENTS: 200 g/L BOSCALID
100 g/L KRESOXIM-METHYL**

GROUP	7	11	FUNGICIDES
--------------	----------	-----------	-------------------

For the control of powdery mildew in cucurbits.

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USING THIS PRODUCT

Crop Care Australasia Pty Ltd
ACN 061 362 347
Unit 15/16 Metroplex Avenue
Murarrie QLD 4172
Tel: (07) 3909 2000



APVMA Approval No.: 62695/1-10/0610

Contents: 1-10L

STORAGE AND DISPOSAL

KEEP OUT OF REACH OF CHILDREN.

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple, or preferably pressure, rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean empty containers to recycler or designated collection point. If not recycling, break, crush, or puncture and return empty packaging for appropriate disposal and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. DO NOT bury empty containers and product. DO NOT use empty containers for any other purpose.

SAFETY DIRECTIONS

May irritate the skin. Repeated exposure may cause allergic disorders. Avoid contact with skin. When opening the container, mixing and loading and preparing spray, wear cotton overalls buttoned to the neck and wrist, a washable hat and elbow-length chemical resistant gloves. If product on skin, immediately wash area with soap and water. Wash hands after use. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre Phone: Australia 13 11 26.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet.

Conditions of sale

Crop Care Australasia Pty Ltd will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Crop Care Australasia Pty Ltd is limited to the replacement of the goods or (at the option of Crop Care Australasia Pty Ltd) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Crop Care Australasia Pty Ltd within thirty days of delivery.

In a Transport Emergency Dial 000 Police or Fire Brigade	SPECIALIST ADVICE IN EMERGENCY ONLY 1800 033 498 ALL HOURS - AUSTRALIA WIDE
---	--

® Colliss is a registered trademark of BASF

BN / DOM / Barcode / Drummuster 1L, 5L, 10L

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Crop Care

Colliss[®] Fungicide

ACTIVE CONSTITUENTS: 200 g/L BOSCALID
100 g/L KRESOXIM-METHYL

GROUP 7 11 FUNGICIDES

For the control of powdery mildew in cucurbits.

READ COMPLETE DIRECTIONS FOR USE BEFORE USING THIS PRODUCT.

Crop Care Australasia Pty Ltd
ACN 061 362 347
Unit 15/16 Metroplex Avenue
Murarrie QLD 4172
Tel: (07) 3909 2000



APVMA Approval No.: 62695/0610

DIRECTIONS FOR USE:

RESTRAINTS:

DO NOT apply by aircraft.

For use in field grown cucurbits only. DO NOT apply to glasshouse/tunnel house grown cucurbit crops.

DO NOT apply more than 4 applications of COLLISS per paddock per year.

For resistance management, DO NOT apply more than 2 applications of COLLISS per crop.

MANDATORY NO-SPRAY ZONES

DO NOT apply if there are aquatic and wetland areas including aquacultural ponds, surface stream and rivers within 10 metres downwind from the application area.

CROP	DISEASE	RATE	WHP (DAYS)	CRITICAL COMMENTS
Cucurbits	Powdery mildew (<i>Podosphaera xanthii</i>)	250–500mL/ha	7	Apply two consecutive COLLISS spray applications 7 to 10 days apart commencing before powdery mildew becomes established. Use the higher rate and the shorter spray interval when weather conditions favour disease development. Applications beginning at early fruit formation are recommended. COLLISS fungicide should only be applied as a protectant spray. DO NOT apply to crops where powdery mildew is already present. This use is subject to a CropLife Australia fungicide resistance management strategy. For resistance management, DO NOT apply more than two applications of COLLISS per crop. Refer to the Application directions below for information on the use of Du-Wett® Low Volume Application Spreader with COLLISS fungicide.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD:

Cucurbits: DO NOT HARVEST FOR 7 DAYS AFTER APPLICATION.

GENERAL INSTRUCTIONS

MIXING

To ensure even mixing, half-fill the spray tank with clean water and add the required amount of product.

If required, add compatible products and agitate thoroughly, then add the remainder of the water. Agitate again before spraying commences.

APPLICATION

Apply by boom equipment using spray volumes between 250 to 500L/ha and nozzles designed to deliver droplets of MEDIUM spray quality according to the ASAE S572 definition for standard nozzles. Du-Wett® Low Volume Application Spreader may assist the performance of COLLISS at all spray volumes but is especially recommended when reduced water volumes are used.

EXPORT OF TREATED CROPS

Growers should note that MRLs or import tolerances DO NOT exist in all markets for crops treated with COLLISS Fungicide. If you are growing crops for export, please check with Crop Care Australasia Pty Ltd for the latest information on MRLs and import tolerances BEFORE using COLLISS.

COMPATIBILITY

For information on compatibility please contact your local supplier or industry representative.

FUNGICIDE RESISTANT WEEDS WARNING

GROUP	7	11	FUNGICIDES
--------------	----------	-----------	-------------------

COLLISS Fungicide is a combination of an Oxathiin and a Strobilurin fungicide. For fungicide resistance management COLLISS is both a Group 7 and a Group 11 fungicide. Some naturally occurring individual fungi resistant to COLLISS and other Group 7 and/or Group 11 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungi population if these fungicides are used repeatedly. These resistant fungi will not be controlled by COLLISS and other Group 7 and/or Group 11 fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Crop Care Australasia Pty Ltd accepts no liability for any losses that may result from the failure of COLLISS to control resistant fungi.

RE-ENTRY PERIOD

DO NOT allow entry into treated areas until the spray has dried. If prior entry is necessary, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

HIGHLY TOXIC TO AQUATIC ORGANISMS.

DO NOT apply if heavy rains are imminent.

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

DO NOT apply when there are aquatic and wetland areas including aquacultural ponds, surface streams and rivers within 10 metres downwind from the application area.

STORAGE AND DISPOSAL

KEEP OUT OF REACH OF CHILDREN.

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple, or preferably pressure, rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean empty containers to recycler or designated collection point. If not recycling, break, crush, or puncture and return empty packaging for appropriate disposal and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. DO NOT bury empty containers and product. DO NOT use empty containers for any other purpose.

SAFETY DIRECTIONS

May irritate the skin. Repeated exposure may cause allergic disorders. Avoid contact with skin. When opening the container, mixing and loading and preparing spray, wear cotton overalls buttoned to the neck and wrist, a washable hat and elbow-length chemical resistant gloves. If product on skin, immediately wash area with soap and water. Wash hands after use. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre Phone: Australia 13 11 26.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet.

Conditions of sale

Crop Care Australasia Pty Ltd will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Crop Care Australasia Pty Ltd is limited to the replacement of the goods or (at the option of Crop Care Australasia Pty Ltd) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Crop Care Australasia Pty Ltd within thirty days of delivery.

In a Transport Emergency Dial 000 Police or Fire Brigade	SPECIALIST ADVICE IN EMERGENCY ONLY 1800 033 498 ALL HOURS - AUSTRALIA WIDE
---	--

® Colliss is a registered trademark of BASF.

® Du-Wett is a registered trademark of Elliott Chemicals Limited used under licence by Nufarm Australia Limited.