

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Ospray Captan WG

FUNGICIDE

ACTIVE CONSTITUENT: 800 g/kg CAPTAN

GROUP **Y** FUNGICIDE

For the control of certain diseases in a range of fruit crops,
turf and ornamentals as shown under Directions for Use.

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USE.



0189wm



Ospray Pty Ltd ABN 23 110 199 169

50 Middleton Road
Cottonvale QLD 4375 AUSTRALIA

Phone: 1800 624 597

www.ospray.com.au

Part of the  CHEMINOVA Group

Contents 5kg

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers. Avoid preparation of excess spray, but if necessary, spray out excess mixed spray or dispose of in a soil pit which does not drain into waterways or ponds. Degradation of excess material may be hastened by making solutions alkaline with lime or washing soda. Shake empty bag into spray tank. Do not dispose of undiluted chemicals on site. Puncture or shred and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Harmful if inhaled or swallowed. Will damage eyes. Avoid contact with eyes and skin. Do not inhale dust or spray mist. Repeated exposure may cause allergic disorders. When preparing the spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow-length PVC gloves and goggles. If product on skin, immediately wash area with soap and water. If product or spray in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

MSDS

Additional information is listed in the material safety data sheet (MSDS). The MSDS is available from the supplier.



Notice:

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under off-label permits not endorsed by Ospray Pty Ltd or under abnormal conditions. Ospray Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.

APVMA Approval No.: 63320/5kg/0808

Batch No:

Date of Manufacture:

UN No. 3077	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS CAPTAN)	
PACKAGING GROUP III	In a Transport Emergency Dial 000 Police or Fire Brigade	
HAZCHEM CODE 2Z	MARINE POLLUTANT	



POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Ospray Captan WG

FUNGICIDE

ACTIVE CONSTITUENT: 800 g/kg CAPTAN

GROUP **Y** FUNGICIDE

For the control of certain diseases in a range of fruit crops, turf and ornamentals as shown under Directions for Use.

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USE.



0189wm



Ospray Pty Ltd ABN 23 110 199 169

50 Middleton Road

Cottonvale QLD 4375 AUSTRALIA

Phone: 1800 624 597

www.ospray.com.au

Part of the  CHEMINOVA Group

Contents 10Kg

Ospray **Captan WG**

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers. Avoid preparation of excess spray, but if necessary, spray out excess mixed spray or dispose of in a soil pit which does not drain into waterways or ponds. Degradation of excess material may be hastened by making solutions alkaline with lime or washing soda. Shake empty bag into spray tank. Do not dispose of undiluted chemicals on site. Puncture or shred and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Harmful if inhaled or swallowed. Will damage eyes. May irritate the skin, nose and throat. Avoid contact with eyes and skin. If product in eyes, wash out immediately with water. Do not inhale dust or spray mist. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow-length rubber gloves and face shield or goggles. Repeated exposure may cause allergic disorders. Sensitive workers should use protective clothing. Wash hands after use. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

MSDS

Additional information is listed in the material safety data sheet (MSDS). The MSDS is available from the supplier.

Notice:

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under off-label permits not endorsed by Ospray Pty Ltd or under abnormal conditions. Ospray Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.

† Other company trademarks

APVMA Approval No.: 63320/10kg/0808

Batch No:

Date of Manufacture:

UN No. 3077	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS CAPTAN)
PACKAGING GROUP III	In a Transport Emergency Dial 000 Police or Fire Brigade
HAZCHEM CODE 2Z	MARINE POLLUTANT



POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Ospray
Captan WG

FUNGICIDE

ACTIVE CONSTITUENT: 800 g/kg CAPTAN

GROUP **Y** FUNGICIDE

For the control of certain diseases in a range of fruit crops, turf and ornamentals as shown under Directions for Use.

IMPORTANT: READ THIS LEAFLET BEFORE USE.

APVMA Approval No. :
 63320/0808



Ospray Pty Ltd ABN 23 110 199 169
 50 Middleton Road
 Cottonvale QLD 4375 AUSTRALIA
 Phone: 1800 624 597
 www.ospray.com.au
 Part of the CHEMINOVA Group



0189wm

DIRECTIONS FOR USE

Tree and Vine Crops:

RATE					Critical Comments
CROP	DISEASE	STATE	RATE/100 L	WHP	
Apples	Black Spot (<i>Venturia inaequalis</i>)	All States	Dilute spraying 125 g/100L Concentrate spraying Refer to the Mixing/ Application section	7 days	For all uses in this table apply by dilute or concentrate spraying equipment. Apply the same total amount of product to the target crop whether applying this product by dilute or concentrate spraying methods. Do not use at concentrate rates greater than 250 g/100 L water. Apply from pink stage onwards following a copper spray at green tip, then at 7 day intervals until petal fall. After petal fall apply as a cover spray at 10-14 day intervals. The risk of russet may be increased in some varieties. Where this is of concern use alternative materials between full bloom and second cover. Apply to point of run-off. Apply no more than five applications per season. Apply at 50% bud-burst and repeat application 10-14 days later. Apply to point of run-off. Apply no more than five applications per season. Apply in a program of sprays applied at early flowering, 80-100% cap fall, pre-bunch closure, veraison and pre-harvest. Apply to point of run-off. Apply no more than five applications per season. Apply from flowering onwards, at intervals of 10-14 days. Apply to point of run-off. Apply no more than five applications per season. Apply at any of the following times as part of a spray program to control blossom blight and brown rot - pink bud, 10% blossom, full bloom, petal fall and shuck fall and pre-harvest sprays at 6, 3 and 1 week prior to harvest. Apply to point of run-off. Apply no more than five applications per season. Do not apply to apricots as damage to fruit and foliage may occur.
Pears	Black Spot (<i>Venturia pirina</i>)				
Grapes	Black Spot (<i>Elsinoe ampelina</i>)				
	Grey Mould (<i>Botrytis cinerea</i>)				
Stone Fruit (except Apricots)	Downy Mildew (<i>Plasmopara viticola</i>)				
	Blossom Blight and Brown Rot (<i>Sclerotinia laxa</i> , <i>S fructicola</i>)				

Non Tree and Vine Crops:

CROP	DISEASE	STATE	RATE/100 L	WHP	Critical Comments
Strawberries	Grey Mould (<i>Botrytis cinerea</i>), Gloeosporium Fruit Rot	All States	125g	1 day	Apply every 10 days commencing at blossom stage. Apply to point of run-off. Apply no more than five applications per season.
Strawberries	Phytophthora Fruit Rot (<i>Phytophthora nicotianae</i> var <i>parasitica</i>), Black Spot (Anthracnose), (<i>Colletotrichum acutatum</i>), Scorch (<i>Diplocarpon earlianum</i>), Leaf Blight (<i>Dendrophoma obscurans</i>)	All States	200 g	1 day	Apply every 10 days commencing at blossom stage. Apply to point of run-off. Apply no more than five applications per season.
Turf	Brown Patch (<i>Rhizoctonia solani</i>)		100-150 g in 25-50 L water/100 m ² turf	–	For preventative treatment from September to April, apply every 5-6 weeks. Apply no more than five applications per season.
Seedlings (Ornamentals and Tobacco)	Damping-off (<i>Pythium</i> spp.)		125 g		Use 3 L of solution per m ² of seedbed. Apply every 7-14 days when weather conditions favouring the disease persists, paying particular attention to bases of seedlings. When treating tobacco seedbeds, wait until seedlings are at least 5 cm high.
Roses	Black Spot (<i>Diplocarpon rosae</i>)				Apply to thoroughly wet both surfaces of foliage. Apply every 7-14 days. Use the shorter interval during showery weather. Apply no more than five applications per season.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.
THIS PRODUCT SHOULD NOT BE APPLIED BY AIRCRAFT.

WITHHOLDING PERIODS

Strawberries:

DO NOT HARVEST FOR 1 DAY AFTER APPLICATION.

Apples, Pears, Grapes, Stone Fruit:

DO NOT HARVEST FOR 7 DAYS AFTER APPLICATION.

DO NOT USE TREATED PRODUCE FOR STOCK FOOD WITHIN 7 DAYS OF TREATMENT.

FOR EXPORT CROPS: Consult with your exporter for advice about any residue restrictions that may apply to the intended importing country.

GENERAL INSTRUCTIONS

FUNGICIDE RESISTANCE WARNING

GROUP **Y** FUNGICIDE

For fungicide resistance management Ospray CAPTAN WG Fungicide is a Group Y fungicide. Some naturally occurring individual fungi resistant to CAPTAN WG and other Group Y fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by CAPTAN WG or other Group Y fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Ospray Pty. Ltd. accepts no liability for any losses that may result from the failure of CAPTAN WG to control resistant fungi.

MIXING

CAPTAN WG mixes readily with water and should not be pre-mixed. Slowly add the required amount of product to the water under agitation in the spray vat. Maintain agitation throughout spraying. After a stoppage, thoroughly re-mix before recommencing spraying.

COMPATIBILITY AND CROP SAFETY

Mixtures of CAPTAN WG with commonly used wettable powders and suspension concentrate insecticides and fungicides should not cause any problems. Apart from the products listed below mixtures with emulsifiable concentrates are not recommended. If tank mixes are to be used observe all directions, precautions and limitations on all products to be used. Caution should also be exercised when spraying any mixtures on varieties of fruit trees or vines where there has been no previous experience of mixtures with CAPTAN WG.

CAPTAN WG Fungicide is compatible with any one of the following products: Anvil†, Bayfidan†, Topaz†, PennCap-M†, Gusathion† 200SC with or without calcium nitrate, Bugmaster† Flowable, Confidor†, Hymal, Insegar†, Kumulus†, Lebacyd†, Cyren®, Mavrik† Aquaflo, Omite† 300WG (apples only), Pirimicarb† WG, Pyranica†, Danadim®, Sanmit†, Systhane†.

A mixture of CAPTAN WG with more than one of these products or with any other product may be ineffective or may cause serious damage. The use of such a mixture is not recommended without prior advice, and would therefore be entirely at the user's risk. If other mixtures or 3 way mixtures of any of these products are being considered consult your Ospray dealer or representative for advice.

Mixtures of CAPTAN WG with Cyren® 500EC or Nimrod† may leave an oily residue on the inside of spray vats which may be difficult to remove. CAPTAN WG should not be combined with Bordeaux mixture, spray lime, lime sulphur or oils. Do not apply CAPTAN WG in combination with or within 14 days before or after winter or summer oil sprays. Combinations of CAPTAN WG and sulphur should not be used on crops sensitive to sulphur.

CAPTAN WG mixed with Folido† M500 may be phytotoxic to many varieties of apples and pears. If it is necessary to use both CAPTAN WG and Parashoot 500 EC in a spray program, sprays of these products must be at least 7 days apart. On pears tank mixtures of CAPTAN WG plus Omite† 300WG and CAPTAN WG and Gusathion† (without calcium nitrate) plus Omite 300WG have been found to be phytotoxic. Do not tank mix these products, for use on pears.

Caution should be taken when applying chemical mixtures to all crops. Varieties within crop groups may react differently therefore a small area should be tested prior to application to crop.

APPLICATION

Ground application - these rates are for high volume spraying to point of run-off. DO NOT apply by aircraft.

Dilute Spraying

- Use a sprayer designed to apply high volumes of water up to the point of run-off and matched to the crop being sprayed.

- Set up and operate the sprayer to achieve even coverage throughout the crop canopy. Apply sufficient water to cover the crop to the point of run-off. Avoid excessive run-off.
- The required water volume may be determined by applying different test volumes, using different settings on the sprayer, from industry guidelines or expert advice.
- Add the amount of product specified in the Directions for Use table for each 100 L of water. Spray to the point of run-off.
- The required dilute spray volume will change and the sprayer set up and operation may also need to be changed, as the crop grows.

Concentrate Spraying

- Use a sprayer designed and set up for concentrate spraying (that is a sprayer which applies water volumes less than those required to reach the point of run-off) and matched to the crop being sprayed.
- Set up and operate the sprayer to achieve even coverage throughout the crop canopy using your chosen water volume.
- Determine an appropriate dilute spray volume (see Dilute Spraying above) for the crop canopy. This is needed to calculate the concentrate mixing rate.
- The mixing rate for concentrate spraying can then be calculated in the following way.

Example only

1. Dilute spray volume as determined above: For example 1000 L/ha
 2. Your chosen concentrate spray volume: For example 500L/ha
 3. The concentration factor in this example is : $2 \times$ (i.e. $1000 \text{ L} \div 500 \text{ L} = 2$)
 4. If the dilute label rate is 125 g/100 L, then the concentrate rate becomes 2×125 , that is 250 g/100 L of concentrate spray.
- The chosen spray volume, amount of product per 100 L of water, and the sprayer set up and operation may need to be changed as the crop grows.
 - Do not use at a concentration rate higher than that specified in the Critical Comments as crop safety has not been assessed.
 - For further information on concentrate spraying, users are advised to consult relevant industry guidelines, undertake appropriate competency training and follow industry Best Practices.

PRECAUTION

Re-Entry Periods:

Strawberries: Do not allow entry to treated areas for 24 hours. When prior entry is necessary wear cotton overall buttoned to the neck and wrist (or equivalent clothing), shoes, plus socks, protective eyewear and chemical resistant gloves. Clothing must be laundered after each day's use.

Apples, pears, stone fruit and grapes: Do not allow entry into treated areas for 7 days. When prior entry is necessary wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), shoes plus socks, protective eyewear and chemical resistant gloves. Clothes must be laundered after each day's use.

Turf, seedlings and roses: Do not allow entry to treated areas until spray has dried. When prior entry is necessary wear cotton overall buttoned to the neck and wrist (or equivalent clothing), shoes, plus socks, protective eyewear and chemical resistant gloves. Clothing must be laundered after each day's use.

PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish. DO NOT apply directly to water. DO NOT apply under meteorological conditions or from spraying equipment which could be expected to cause spray to drift onto water, or to areas where surface water is present. DO NOT contaminate surface water with the concentrated product, spray mix, rinsate, drainage water from glasshouses or the used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Store in a locked room or place away from children, animals,

food, feedstuffs, seed and fertilisers. Avoid preparation of excess spray, but if necessary, spray out excess mixed spray or dispose of in a soil pit which does not drain into waterways or ponds. Degradation of excess material may be hastened by making solutions alkaline with lime or washing soda. Shake empty bag into spray tank. Do not dispose of undiluted chemicals on site. Puncture or shred and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Harmful if inhaled or swallowed. Will damage eyes. May irritate the skin, nose and throat. Avoid contact with eyes and skin. If product in eyes, wash out immediately with water. Do not inhale dust or spray mist. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow-length rubber gloves and face shield or goggles. Repeated exposure may cause allergic disorders. Sensitive workers should use protective clothing. Wash hands after use. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

MSDS

Additional information is listed in the material safety data sheet (MSDS). The MSDS is available from the supplier.

Notice:

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under off-label permits not endorsed by Ospray Pty Ltd or under abnormal conditions. Ospray Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.

† Other company trademarks