

STORAGE AND DISPOSAL

Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilizers. Store in the closed, original container in a cool, well-ventilated area. **DO NOT** store for prolonged periods in direct sunlight. Triple rinse container for disposal. Dispose of rinsate by adding it to the spray tank. **DO NOT** dispose of undiluted chemical on site. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any container management program site. The cap should not be replaced but may be taken separately. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty containers and product.

WARNING: Contains Carbendazim which causes birth defects and irreversible male infertility in laboratory animals. Avoid contact with Carbendazim.

PROTECTION OF LIVESTOCK

Imtrade Carbendazim 500SC Fungicide is of low toxicity to bees.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Very toxic to aquatic life with long lasting effects.

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS

DO NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.

PRECAUTION

Keep away from foodstuffs.

Re-entry Period

DO NOT allow entry into treated areas until the spray has dried unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

SAFETY DIRECTIONS

Very dangerous, particularly the concentrate. Poisonous if absorbed by skin contact, inhaled or swallowed. May irritate the eyes and skin. Avoid contact with eyes and skin. **DO NOT** inhale vapour or spray mist. When opening the container and preparing spray wear elbow-length chemical resistant gloves and a face shield. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield and contaminated clothing.

DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING



IMTRADE CARBENDAZIM 500SC FUNGICIDE

ACTIVE CONSTITUENT: 500 g/L CARBENDAZIM

GROUP 1 FUNGICIDE

A broad spectrum, systemic fungicide for the control of certain fungal diseases of various crops as specified in the Directions for Use table

IMPORTANT: READ THIS LABEL AND THE ATTACHED LEAFLET BEFORE OPENING OR USING THIS PRODUCT

Imtrade Australia Pty Ltd
ABN 13 090 151 134
17 Ocean Street, Kwinana WA 6167
Tel: 1800 171 799 Fax: 1800 171 788
Web: www.imtrade.com.au

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26).

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from your supplier or Imtrade Australia Pty Ltd website at www.imtrade.com.au

CONDITIONS OF SALE

Imtrade Australia Pty Ltd warrants that this product conforms to the chemical description on the label. The use of Imtrade Carbendazim 500SC Fungicide being beyond the control of the manufacturer, Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions

NOT SUBJECT TO THE ADG CODE WHEN TRANSPORTED BY ROAD OR RAIL IN AUSTRALIA, IN PACKAGES 500L OR LESS; OR IBC'S, BUT CLASSED AS DANGEROUS BY IATA AND IMDG/IMSBS WHEN CARRIED BY AIR OR SEA TRANSPORT.

UN No. 3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID TOXIC, N.O.S. (CONTAINS CARBENDAZIM)
FOR SPECIALIST ADVISE IN AN EMERGENCY ONLY, CALL 1800 033 111 ALL HOURS, AUSTRALIA WIDE	
PG III	HAZCHEM *3Z

APVMA Approval No: 70435/63453

CONTENTS 1L

CONTENTS 5L

Batch No:

Date of Manufacture:



DIRECTIONS FOR USE:**RESTRAINTS:**

DO NOT apply to turf, grapes, cucurbits (including melons), citrus fruit, custard apple, mango, pome fruit (apples or pears) or stone fruit (including cherries).

1. TREE CROPS

RATE					CRITICAL COMMENTS
This table shows rates for dilute spraying. For concentrate spraying, refer to Mixing/Application section.					For all uses in this table. Apply by dilute or concentrate spraying application equipment. Apply the same total amount of product to the target crop whether applying this product by dilute or concentrate spraying methods.
CROP	PEST/DISEASE	STATE	RATE	WHP	CRITICAL COMMENTS
Macadamia Nuts	Macadamia Husk Spot (<i>Pseudocercospora macadamiae</i>)	All states	50 mL plus a wetting agent (at 100 mL/100L)	14 days (H) 4 weeks (G)	Apply at 5 and 8 weeks after main flowering – Stage 2 anthesis (white flowering stage). Remove any fallen nuts from under trees prior to spraying. DO NOT apply more than 2 applications of Imtrade Carbendazim 500SC Fungicide per season.

2. OTHER CROPS

CROP	PEST/DISEASE	STATE	RATE	WHP	CRITICAL COMMENTS
Chickpeas, Faba Beans, Lentils and Vetch	Chocolate Spot (<i>Botrytis fabae</i>), Grey Mould (<i>Botrytis cinerea</i>)	All states	500 mL/ha	4 weeks (H,G)	Apply a maximum of two consecutive applications at 14 day intervals. Apply in a minimum of 100L water per hectare.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD:**MACADAMIA NUTS:**

DO NOT HARVEST FOR 14 DAYS AFTER APPLICATION.

DO NOT ALLOW LIVESTOCK TO GRAZE VEGETATION IN TREATED PLANTATIONS FOR 4 WEEKS AFTER APPLICATION.

DO NOT CUT TREATED VEGETATION IN TREATED PLANTATIONS FOR STOCK FEED FOR 4 WEEKS AFTER APPLICATION.

CHICKPEAS, FABA BEANS, LENTILS AND VETCH:

DO NOT HARVEST FOR 4 WEEKS AFTER APPLICATION.

DO NOT GRAZE OR CUT FOR STOCKFEED FOR 4 WEEKS AFTER APPLICATION.

GENERAL INSTRUCTIONS**MIXING/APPLICATION**

SHAKE WELL BEFORE USE. Imtrade Carbendazim 500SC Fungicide is a liquid suspension to be mixed with water for application as a spray. Add the required quantity of Imtrade Carbendazim 500SC Fungicide to a partly filled spray tank and agitate. Complete filling while agitating. In the event of a stoppage during spraying, ensure the spray mixture is properly agitated before spraying recommences.

ADDITION OF WETTING AGENT

The addition of a wetting agent e.g. ChemAg Wetter 1000 to spray mixture improves the distribution of the spray on hard to wet plants.

FUNGICIDE RESISTANCE WARNING**GROUP 1 FUNGICIDE**

Imtrade Carbendazim 500SC Fungicide is a Group 1 Fungicide and a member of the bezimidazole group of fungicides. For fungicide resistance management, Imtrade Carbendazim 500SC Fungicide is a Group 1 Fungicide. Some naturally occurring individual fungi, resistant to Imtrade Carbendazim 500SC Fungicide and other Group 1 Fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungi population if these fungicides are used repeatedly. These resistant fungi will not be controlled by Imtrade Carbendazim 500SC Fungicide and other Group 1 Fungicides, thus resulting in efficacy and possible yield loss.

Since the occurrence of resistant fungi is difficult to detect prior to use, Imtrade Australia Pty Ltd accepts no liability for any losses that may result from the failure of Imtrade Carbendazim 500SC Fungicide to control resistant fungi.

EXPORT OF TREATED PRODUCE

Growers should note that suitable MRLs or import tolerances may not be established in all markets for produce treated with Imtrade Carbendazim 500SC Fungicide. If you are growing produce for export, please check with Imtrade Australia Pty Ltd for the latest information on MRLs and import tolerances BEFORE using Imtrade Carbendazim 500SC Fungicide.

PROTECTION OF LIVESTOCK

Imtrade Carbendazim 500SC Fungicide is of low toxicity to bees.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Very toxic to aquatic life with long lasting effects.

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS

DO NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.

PRECAUTION

Keep away from foodstuffs.

DANGEROUS POISON


KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING



IMTRADE CARBENDAZIM 500SC FUNGICIDE

ACTIVE CONSTITUENT: 500 g/L CARBENDAZIM



CONTENTS 20L

GROUP 1 FUNGICIDE

A broad spectrum, systemic fungicide for the control of certain fungal diseases of various crops as specified in the Directions for Use table.

IMPORTANT: READ THE LABEL BEFORE OPENING OR USING THIS PRODUCT

Imtrade Australia Pty Ltd
 ABN 13 090 151 134
 17 Ocean Street, Kwinana WA 6167
 Tel: 1800 171 799 Fax: 1800 171 788
 Web: www.imtrade.com.au

Re-entry Period

DO NOT allow entry into treated areas until the spray has dried unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

STORAGE AND DISPOSAL

Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilizers. Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple rinse container for disposal. Dispose of rinsate by adding it to the spray tank. DO NOT dispose of undiluted chemical on site. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any container management program site. The cap should not be replaced but may be taken separately. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers and product.

WARNING

Contains Carbendazim which causes birth defects and irreversible male infertility in laboratory animals. Avoid contact with Carbendazim.

SAFETY DIRECTIONS

Very dangerous, particularly the concentrate. Poisonous if absorbed by skin contact, inhaled or swallowed. May irritate the eyes and skin. Avoid contact with eyes and skin. DO NOT inhale vapour or spray mist. When opening the container and preparing spray wear elbow-length chemical resistant gloves and a face shield. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia. 13 11 26).

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from your supplier or Imtrade Australia Pty Ltd website at www.imtrade.com.au

CONDITIONS OF SALE

Imtrade Australia Pty Ltd warrants that this product conforms to the chemical description on the label. The use of Imtrade Carbendazim 500SC Fungicide being beyond the control of the manufacturer, Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

NOT SUBJECT TO THE ADG CODE WHEN TRANSPORTED BY ROAD OR RAIL IN AUSTRALIA, IN PACKAGES 500L OR LESS; OR IBC'S, BUT CLASSED AS DANGEROUS BY IATA AND IMDG/IMSB WHEN CARRIED BY AIR OR SEA TRANSPORT

UN No. 3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID TOXIC, N.O.S. (CONTAINS CARBENDAZIM)
FOR SPECIALIST ADVISE IN AN EMERGENCY ONLY, CALL 1800 033 111 ALL HOURS, AUSTRALIA WIDE	
PG III	HAZCHEM + 3Z

APVMA Approval No. 70435/63453



Batch No:

Date of Manufacture:

DANGEROUS POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



IMTRADE CARBENDAZIM 500SC FUNGICIDE

ACTIVE CONSTITUENT: 500 g/L CARBENDAZIM

GROUP 1 FUNGICIDE

A broad spectrum, systemic fungicide for the control of certain fungal diseases of various crops as specified in the Directions for Use table.

**IMPORTANT: READ THIS LEAFLET
BEFORE OPENING OR USING THIS PRODUCT**

APVMA APPROVAL No: 70435/63453

Imtrade Australia Pty Ltd
 ABN 13 090 151 134
 17 Ocean Street, Kwinana WA 6167
 Tel: 1800 171 799 Fax: 1800 171 788
 Web: www.imtrade.com.au

1

GENERAL INSTRUCTIONS

MIXING/APPLICATION

SHAKE WELL BEFORE USE. Imtrade Carbendazim 500SC Fungicide is a liquid suspension to be mixed with water for application as a spray. Add the required quantity of Imtrade Carbendazim 500SC Fungicide to a partly filled spray tank and agitate. Complete filling while agitating. In the event of a stoppage during spraying, ensure the spray mixture is properly agitated before spraying recommences.

ADDITION OF WETTING AGENT

The addition of a wetting agent e.g. ChemAg Wetter 1000 to spray mixture improves the distribution of the spray on hard to wet plants.

FUNGICIDE RESISTANCE WARNING

GROUP 1 FUNGICIDE

Imtrade Carbendazim 500SC Fungicide is a Group 1 Fungicide and a member of the bezimidazole group of fungicides. For fungicide resistance management, Imtrade Carbendazim 500SC Fungicide is a Group 1 Fungicide. Some naturally occurring individual fungi, resistant to Imtrade Carbendazim 500SC Fungicide and other Group 1 Fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungi population if these fungicides are used repeatedly. These resistant fungi will not be controlled by Imtrade Carbendazim 500SC Fungicide and other Group 1 Fungicides, thus resulting in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Imtrade Australia Pty Ltd accepts no liability for any losses that may result from the failure of Imtrade Carbendazim 500SC Fungicide to control resistant fungi.

EXPORT OF TREATED PRODUCE

Growers should note that suitable MRLs or import tolerances may not be established in all markets for produce treated with Imtrade Carbendazim 500SC Fungicide. If you are growing produce for export, please check with Imtrade Australia Pty Ltd for the latest information on MRLs and import tolerances BEFORE using Imtrade Carbendazim 500SC Fungicide.

PROTECTION OF LIVESTOCK

Imtrade Carbendazim 500SC Fungicide is of low toxicity to bees.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Very toxic to aquatic life with long lasting effects.
DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

4

DIRECTIONS FOR USE:
RESTRAINTS:
 DO NOT apply to turf, grapes, cucurbits (including melons), citrus fruit, custard apple, mango, pome fruit (apples or pears) or stone fruit (including cherries).

1. TREE CROPS

CROP	PEST/DISEASE	STATE	RATE	WHP	CRITICAL COMMENTS
					For all uses in this table. Apply by dilute or concentrate spraying application equipment. Apply the same total amount of product to the target crop whether applying this product by dilute or concentrate spraying methods.
Macadamia Nuts	Macadamia Husk Spot (<i>Pseudocercospora macadamiae</i>)	All States	50 mL plus a wetting agent (at 100 mL/100L)	14 days (H) 4 weeks (G)	Apply at 5 and 8 weeks after main flowering – Stage 2 anthesis (white flowering stage). Remove any fallen nuts from under trees prior to spraying. DO NOT apply more than 2 applications of Imtrade Carbendazim 500SC Fungicide per season.

2

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS

DO NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.

PRECAUTION

Keep away from foodstuffs.

Re-entry Period

DO NOT allow entry into treated areas until the spray has dried unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

STORAGE AND DISPOSAL

Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilizers. Store in the closed, original container in a cool, well-ventilated area. **DO NOT** store for prolonged periods in direct sunlight. Triple rinse container for disposal. Dispose of rinsate by adding it to the spray tank. **DO NOT** dispose of undiluted chemical on site. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any container management program site. The cap should not be replaced but may be taken separately. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty containers and product.

WARNING

Contains Carbendazim which causes birth defects and irreversible male infertility in laboratory animals. Avoid contact with Carbendazim.

SAFETY DIRECTIONS

Very dangerous, particularly the concentrate. Poisonous if absorbed by skin contact, inhaled or swallowed. May irritate the eyes and skin. Avoid contact with eyes and skin. **DO NOT** inhale vapour or spray mist. When opening the container and preparing spray wear elbow-length chemical resistant gloves and a face shield. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia. 13 11 26).

5

CROP	PEST/DISEASE	STATE	RATE	WHP	CRITICAL COMMENTS
					Apply a maximum of two consecutive applications at 14 day intervals. Apply in a minimum of 100L water per hectare.
Chickpeas, Faba Beans, Lentils and Vetch	Chocolate Spot (<i>Borytis fabae</i>), Grey Mould (<i>Botrytis cinerea</i>)	All states	500 mL/ha	4 weeks (H,G)	

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD:

MACADAMIA NUTS:

DO NOT HARVEST FOR 14 DAYS AFTER APPLICATION.

DO NOT ALLOW LIVESTOCK TO GRAZE VEGETATION IN TREATED PLANTATIONS FOR 4 WEEKS AFTER APPLICATION.

DO NOT CUT TREATED VEGETATION IN TREATED PLANTATIONS FOR STOCK FEED FOR 4 WEEKS AFTER APPLICATION.

CHICKPEAS, FABA BEANS, LENTILS AND VETCH:

DO NOT HARVEST FOR 4 WEEKS AFTER APPLICATION

DO NOT GRAZE OR CUT FOR STOCKFEED FOR 4 WEEKS AFTER APPLICATION.

3

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from your supplier or Imtrade Australia Pty Ltd website at www.imtrade.com.au

CONDITIONS OF SALE

Imtrade Australia Pty Ltd warrants that this product conforms to the chemical description on the label. The use of Imtrade Carbendazim 500SC Fungicide being beyond the control of the manufacturer, Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

NOT SUBJECT TO THE ADG CODE WHEN TRANSPORTED BY ROAD OR RAIL IN AUSTRALIA, IN PACKAGES 500L OR LESS; OR IBC's, BUT CLASSED AS DANGEROUS BY IATA AND IMDG/IMSBS WHEN CARRIED BY AIR OR SEA TRANSPORT.

UN No. 3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID TOXIC, N.O.S. (CONTAINS CARBENDAZIM)
FOR SPECIALIST ADVISE IN AN EMERGENCY ONLY, CALL 1800 033 111 ALL HOURS, AUSTRALIA WIDE	
PG III	HAZCHEM -3Z



APVMA Approval No: 70435/63453

6