

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



Reldan* plus

IGR Grain Protector

ACTIVE CONSTITUENTS: 500 g/L CHLORPYRIFOS-METHYL (an anticholinesterase compound)
30 g/L S-METHOPRENE
SOLVENT: 465 g/L HYDROCARBON LIQUID

GROUP 1B INSECTICIDE

GROUP 7A INSECTICIDE

For the control of insect pests in stored cereal grains (except for malting barley and rice) as specified in the Directions For Use.

Dow AgroSciences Australia Limited A.B.N. 24 003 771 659
20 Rodborough Road FRENCHS FOREST NSW 2086
www.dowagrosciences.com.au
CUSTOMER SERVICE TOLL FREE 1-800 700 096

* Trademark of Dow AgroSciences

DIRECTIONS FOR USE

In W.A. only - for use by Bulk Handling Authorities only.

DO NOT use on stored maize destined for export.

SITUATION	INSECT	RATE	CRITICAL COMMENTS
Stored cereal grains (except malting barley & rice)	Lesser grain borer, Rice weevil, Granary weevil, Rust-red flour beetle, Confused flour beetle, Saw-toothed grain beetle, Tropical Warehouse moth & Maize weevil	For 3-9 months' protection: 2 L/100 L water.	Apply 1 L of diluted spray per tonne of grain. Apply through standard grain spraying machinery. The output of spray through the nozzle must be regulated according to the flow of the grain.
Surface of buildings, bins and machinery used for grain storage (except for malting barley & rice storage)	Warehouse beetle, Rice weevil, Granary weevil, Rust-red flour beetle, Saw-toothed grain beetle, Tropical warehouse moth, Lesser grain borer (susceptible strains) Maize weevil	20 mL / 1 L water	Spray infested areas to point of run-off. 5 L of diluted spray will treat approximately 100 m ² . Repeat application at 6-week intervals when required.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD: NOT REQUIRED WHEN USED AS DIRECTED

GENERAL INSTRUCTIONS

INSECTICIDE RESISTANCE WARNING

GROUP 1B INSECTICIDE

GROUP 7A INSECTICIDE

For insecticide resistance management Reldan pluS IGR Grain Protector is both a Group 1B and Group 7A insecticide.

Some naturally occurring insect biotypes resistant to Reldan pluS IGR Grain Protector and other Group 1B and 7A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Reldan pluS IGR Grain Protector or other Group 1B & 7A insecticides are used repeatedly. The effectiveness of Reldan pluS IGR Grain Protector on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Dow AgroSciences Australia Limited accepts no liability for any losses that may result from the failure of Reldan pluS IGR Grain Protector to control resistant insects.

MIXING

Slowly add the required amount of Reldan pluS IGR Grain Protector to the water in the tank. Use clean water only. The special formulation ensures rapid mixing.

APPLICATION ON STORED CEREAL GRAIN

Uniform application through the grain is essential for maximum efficacy. It is essential to ensure that the grain is free from infestation and of sufficiently low moisture content at intake i.e. less than 12% moisture and a storage temperature below 27°C.

EXPORT OF TREATED PRODUCE

Users should note that suitable MRLs or import tolerances may not have been established in all markets for produce treated with Reldan pluS IGR Grain Protector. Before treating grain for export, please check with Dow AgroSciences for the latest information on MRLs and import tolerances.

PRECAUTION

DO NOT contaminate food, feed or domestic water supplies.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish and other aquatic organisms.

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

SMALL SPILL MANAGEMENT

Wear protective equipment (see SAFETY DIRECTIONS). Apply absorbent material such as earth, clay granules, and/or cat litter to the spill. Sweep up material for disposal when absorption is completed and contain in a refuse vessel for disposal in the same manner as for containers (see STORAGE AND DISPOSAL section). If spilled inside a building wash contaminated surfaces to deactivate the chlorpyrifos-methyl with a solution of bleach (sodium hypochlorite) prepared according to the bleach label instructions for normal cleaning purposes.

STORAGE AND DISPOSAL

Store in closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight.

This container can be recycled if it is clean, dry, free or visible residues and has the **drumMUSTER** logo visible. Triple or pressure rinse containers for disposal. Dispose of rinseate by adding it to the spray tank. Do not dispose of undiluted chemicals on site. Wash outside of the container and the cap. Store cleaned container in a sheltered place with the cap removed. It will then be acceptable for recycling at any **drumMUSTER** collection or similar container management program site. The cap should not be replaced but may be taken separately.

If not recycling break, crush or puncture and bury empty packaging in a local authority landfill.

If no landfill is available, bury the packaging below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty packaging and product should not be burnt.

SAFETY DIRECTIONS

- Product is poisonous if absorbed by skin contact or swallowed.
- Avoid contact with eyes and skin.
- Do not inhale spray mist.
- When opening the container, preparing the spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length PVC gloves and faceshield or goggles.
- If product on skin, immediately wash area with soap and water.
- After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.
- After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID

- If poisoning occurs contact a doctor or Poisons Information Centre. (Phone: Australia 13 11 26)
- If swallowed, give one atropine tablet every 5 minutes until dryness of the mouth occurs.
- If poisoned by skin absorption or through lungs, remove any contaminated clothing, wash skin thoroughly and give atropine tablets as above.
- Get to a doctor or hospital quickly.

MATERIAL SAFETY DATA SHEET

Additional information is listed on the Material Safety Data Sheet for Reldan Grain Protector which is available from Dow AgroSciences on request. Call Customer Service Toll Free on 1-800 700 096 or visit www.dowagrosciences.com.au

NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under off-label permits not endorsed by Dow AgroSciences, or under abnormal conditions.

APVMA Approval No: 58562/0206

* Trademark of Dow AgroSciences

IN A TRANSPORT
EMERGENCY ONLY
DIAL 000
FOR POLICE OR
FIRE BRIGADE

EMERGENCY RESPONSE
(ALL HOURS)
RING FROM ANYWHERE
IN AUSTRALIA
1-800 033 882
(LOCAL CALL FEE ONLY)



Specimen Label