

POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



FUNGICIDE

Active Constituent: 720 g/L CHLOROTHALONIL

Controls Dollar Spot, Brown Patch and Grey Leaf in Turf

GROUP	Y	FUNGICIDE
--------------	----------	------------------

NRA Approval No: 55324/0703

Pack size: 10 L

GENERAL INSTRUCTIONS

Fungicide Resistance Warning

For fungicide resistance management DAPONIL Weather Stik Fungicide is a Group Y fungicide. Some naturally occurring individual fungi resistant to DAPONIL Weather Stik and other Group Y fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungi population if these fungicides are used repeatedly. The resistant fungi will not be controlled by DAPONIL Weather Stik and other Group Y fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Syngenta Crop Protection Pty Ltd accepts no liability for any losses that may result from the failure of DAPONIL Weather Stik to control resistant fungi.

Mixing

Thoroughly shake or roll the container several times to ensure uniform mixture. Mix the required quantity of product with water in the spray tank with the agitator operating. Agitate while spraying.

Compatibility

This product is compatible with wettable powder formulations of the most commonly used fungicides, insecticides and miticides. DO NOT combine with oil-based emulsifiable or flowable pesticides, unless prior experience has shown the combination to be physically compatible and non-injurious to your turfgrass. This product should not be mixed with spraying oils or sprayed onto turf that has been sprayed with oil for at least 10 days after the oil spray. Oils should not be sprayed on turf treated with this product for at least 10 days after the last spray. Wetting agents have not improved performance. Under some conditions, certain surfactants may cause plant injury.

PROTECTION OF LIVESTOCK

DO NOT contaminate feed or foodstuffs with this product or empty containers. DO NOT graze treated turf or feed turf clippings from any treated area to poultry or livestock.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used container.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Attacks eyes and skin. Avoid contact with eyes and skin. **DO NOT inhale spray mist. Repeated exposure may cause allergic disorders. Sensitive workers should use protective clothing. When preparing spray and using the prepared spray wear:**

- cotton overalls buttoned to the neck and wrist,
- a washable hat,
- elbow-length PVC gloves,
- goggles and
- disposable mist mask.

If clothing becomes contaminated with product or wet with spray, remove clothing immediately. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water.

After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.

After each day's use, wash gloves and goggles and contaminated clothing.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. Phone 131 126. If swallowed, DO NOT induce vomiting. Give a glass of water.

MATERIAL SAFETY DATA SHEET

If additional hazard information is required, refer to the Material Safety Data Sheet. For a copy phone 1800 067 108 or visit our website at www.syngenta.com.au

MANUFACTURER'S WARRANTY AND EXCLUSION OF LIABILITY

Syngenta has no control over storage, handling and manner of use of this product. Where this material is not stored, handled or used correctly and in accordance with directions, no express or implied representations or warranties concerning this product (other than non-excludable statutory warranties) will apply. Syngenta accepts no liability for any loss or damage arising from incorrect storage, handling or use.

® Registered trademark of a Syngenta Group Company



DIRECTIONS FOR USE

Situation	Disease	State	Rate	Critical Comments
Turf, Lawns	Dollar Spot (<i>Sclerotinia homeocarpa</i>), Brown Patch (<i>Rhizoctonia</i> sp)	All States	130 to 200 mL/100 m ² in 5 to 20 L water	Use higher rate if disease is already established. Apply at 7 to 14 day intervals. Under severe conditions spray at 7 day intervals. DO NOT mow or water treated area until turf or lawn is thoroughly dry, ideally allow 24 hours.
	Grey Leaf Spot (<i>Pyricularia grisea</i>)	NSW, ACT only	240 mL/100 m ² in 5 to 20 L water	Apply to leaf as a curative application. DO NOT water treated area until turf or lawn is thoroughly dry, ideally allow 24 hours.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.