

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Nufarm Opus[®] 75 Fungicide

ACTIVE CONSTITUENT: 75 g/L EPOXICONAZOLE

GROUP  FUNGICIDE

For the control of leaf spot and leaf speckle in bananas as specified in the
DIRECTIONS FOR USE TABLE.

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USE.

Contents: 5 Litres

Nufarm Australia Limited
ACN 004 377 780
103-105 Pipe Road
Laverton North Victoria 3026
Tel: (03) 9282 1000
Fax: (03) 9282 1001



® = Registered trademark of BASF

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight.

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Will irritate the eyes and skin. Avoid contact with eyes and skin. If product in eyes, wash it out immediately with water. When opening the container and preparing the spray, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow length PVC gloves and a face shield or goggles. When using the spray by ground application only, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow length PVC gloves and a face shield or goggles. Wash hands after use. After each day's use wash gloves, face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia **13 11 26**.

MATERIAL SAFETY DATA SHEET

For further information refer to the Material Safety Data Sheet (MSDS).

CONDITIONS OF SALE

"Nufarm Australia Limited (Nufarm) shall not be liable for any loss injury damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Nufarm's skill or judgement in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Nufarm has any authority to add to or alter these conditions."

In case of emergency: Phone 1800 033 498

Ask for shift supervisor. Toll free 24 hours.
For Technical Enquires call 1800 639 899.

® = Registered trademark of BASF


APVMA Approval No.: 58887/5L/0905

Batch Number:

Date of Manufacture:

Barcode

Drummaster logo

<p>FLAMMABLE, LIQUID, N.O.S. (CONTAINS CYCLOHEXANONE)</p>	
<p>UN No: 1993</p>	
<p>PACKAGING GROUP: III</p>	
<p>HAZCHEM: 3 [Y]</p>	
<p>IN AN EMERGENCY DIAL: 000 POLICE OR FIRE BRIGADE</p>	<p>IN AN EMERGENCY, SPECIALIST ADVICE NUFARM AUSTRALIA LIMITED 1800 033 498</p>

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Nufarm Opus[®] 75 Fungicide

ACTIVE CONSTITUENT: 75 g/L EPOXICONAZOLE

GROUP **C** FUNGICIDE

For the control of leaf spot and leaf speckle in bananas as specified in the
DIRECTIONS FOR USE TABLE.

IMPORTANT: READ THIS LEAFLET BEFORE USE.

Nufarm Australia Limited
ACN 004 377 780
103-105 Pipe Road
Laverton North Victoria 3026
Tel: (03) 9282 1000
Fax: (03) 9282 1001



APVMA Approval No.: 58887/0905

DIRECTIONS FOR USE:

RESTRAINTS:

DO NOT apply by ground application if waterbodies, watercourses or wetlands are within 20 metres downwind of the application area.

DO NOT apply by aerial application if waterbodies, watercourses or wetlands are within 100 metres downwind of the application area.

CROP	DISEASE	RATE /ha	WHP	CRITICAL COMMENTS
Bananas (bagged) (including bananas interplanted with avocados)	Leaf spot (yellow sigatoka) (<i>Mycosphaerella musicola</i>), Leaf speckle (<i>Mycosphaerella musae</i>)	1 L + 3 – 5 L of a water miscible spraying oil	1 day	DO NOT use on bananas unless bunch covers are in place. Tropical areas: (north Qld, NT, WA) Apply a regular protectant program. When conditions favour disease development, apply a maximum of 2 consecutive sprays of OPUS 75 at 14 to 21 day intervals, before switching to a fungicide from an alternative activity group. DO NOT apply more than 6 sprays of Group C Fungicides in any 12-month period. DO NOT Apply OPUS 75 during the months of July, August or September. Sub-tropical areas: (south Qld, NSW) Commence spraying with OPUS 75 at the onset of wet/humid conditions. Apply a maximum of 2 consecutive sprays at 21 to 28 day intervals before changing to a fungicide from an alternative activity group. DO NOT apply more than 5 sprays of Group C Fungicides in any 12-month period.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD:

BANANAS (BAGGED) AND AVOCADOES: DO NOT HARVEST FOR 1 DAY AFTER APPLICATION

GENERAL INSTRUCTIONS

DO NOT allow prepared mixtures of OPUS 75 to stand overnight.

FUNGICIDE RESISTANCE WARNING



OPUS 75 Fungicide is a member of the DMI group of fungicides. For fungicide resistance management the product is a Group C Fungicide. Some naturally occurring individual fungi resistant to OPUS 75 and other Group C fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungi population if these fungicides are used repeatedly. These resistant fungi will not be controlled by OPUS 75 and other Group C fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Nufarm Australia Ltd accepts no liability for any losses that may result from the failure of this product to control resistant fungi.

APPLICATION

Ground application: Apply by misting machine, in a minimum application volume of 200 L/ha.

Aerial application: Apply in a minimum application volume of 30 L/ha.

PRECAUTIONS

DO NOT use human flaggers/markers unless they are protected by engineering controls such as controlled cabs.

Re-entry period: DO NOT allow entry into treated areas until the spray has dried. When prior entry is necessary, wear cotton overalls buttoned to the neck and wrist and a washable hat and chemical resistant gloves. Clothing must be laundered after each day's use.

MIXING

Pre-fill the spray tank with the required volume of water. With the agitation running, add the required volume of OPUS 75, followed by the oil and mix thoroughly. Maintain agitation throughout application.

EXPORT OF TREATED PRODUCE

MRLs or import tolerances for epoxiconazole may not be established in all markets. If you are using this product on bananas and avocados for export, please check with Nufarm Australia Ltd for the latest information.

**PROTECTION OF CROPS, NATIVE AND OTHER
NON-TARGET CROPS**

DO NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.

**PROTECTION OF WILDLIFE, FISH,
CRUSTACEANS AND ENVIRONMENT**

Highly Toxic to Aquatic organisms.

DO NOT apply OPUS 75 by ground application if waterbodies, watercourses or wetlands are within 20 metres downwind of the application area.

DO NOT apply OPUS 75 by aerial application if waterbodies, watercourses or wetlands are within 100 metres downwind of the application area.

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight.

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for the this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Will irritate the eyes and skin. Avoid contact with eyes and skin. If product in eyes, wash it out immediately with water. When opening the container and preparing the spray, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow length PVC gloves and a face shield or goggles. When using the spray by ground application only, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow length PVC gloves and a face shield or goggles. Wash hands after use. After each day's use wash gloves, face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia **13 11 26**.

MATERIAL SAFETY DATA SHEET

For further information refer to the Material Safety Data Sheet (MSDS).

CONDITIONS OF SALE

"Nufarm Australia Limited (Nufarm) shall not be liable for any loss injury damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on

Nufarm's skill or judgement in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Nufarm has any authority to add to or alter these conditions."

In case of emergency: Phone 1800 033 498

Ask for shift supervisor. Toll free 24 hours.

For Technical Enquires call 1800 639 899.

® = Registered trademark of BASF

APVMA Approval No.: 58887/0905