

Main panel

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

 Chipco[®] Signature[™]
SYSTEMIC FUNGICIDE
ACTIVE CONSTITUENT: 800 g/kg FOSETYL-ALUMINIUM

GROUP	33	FUNGICIDE
--------------	-----------	------------------

**Net
contents**

For the prevention and control of *Phytophthora* rots in ornamentals and *Pythium* in Turf as specified in the DIRECTIONS FOR USE table.

* 2.25 kg to 2.5 kg

Rear panel

DIRECTIONS FOR USE**RESTRAINT**

DO NOT use as an alternative to steam sterilisation of potting soils used in nurseries.

SITUATION	DISEASE	RATE	CRITICAL COMMENTS
Ornamentals	Crown and Root Rot (<i>Phytophthora</i> spp.)	90 g/ 100 L water (10 g/m ²)	Apply as a soil drench at intervals of 6 weeks. <u>Container grown plants:</u> Drench volume depends on size. For 150 mm container apply 200 mL.
Turf (golf and bowling greens and other intensely managed turf)	<i>Pythium</i> spp.	125 g/ 100 m ²	Begin preventative applications when conditions first favour disease and continue as long as conditions are favourable for disease at approximately 21 day intervals. Apply as a foliar spray. DO NOT mow or water treated area until foliage is completely dry.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS**FUNGICIDE RESISTANCE WARNING**

GROUP	33	FUNGICIDE
-------	-----------	-----------

Chipco Signature Systemic Fungicide is a member of the Multi-site activity group of fungicides. For fungicide resistance management the product is a Group 33 fungicide.

Some naturally occurring individual fungi resistant to **Chipco Signature Systemic Fungicide** and other Group 33 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by **Chipco Signature Systemic Fungicide** or other Group 33 fungicides, thus resulting in a reduction in efficacy and possible yield loss.

Since the occurrence of resistant fungi is difficult to detect prior to use, Bayer CropScience accepts no liability for any losses that may result from the failure of **Chipco Signature Systemic Fungicide** to control resistant fungi.

Mixing:

Fill the spray tank to at least half the desired amount with clean water and commence agitation. Add the required quantity of **Chipco Signature** directly to the water and complete filling to the final volume. Continue agitation. DO NOT make a slurry or paste prior to adding to the tank.

Application: Turf only - Apply 5 L to 20 L of water per 100 m².

Note on ornamentals;

Chipco Signature has been used on a wide range of ornamental plant species without damage. However, some species and varieties are particularly sensitive to chemical products. It is advisable to treat only a small number of plants first, in order to determine their reaction to the product, before large scale use.

Compatibility:

Chipco Signature is compatible with a number of fungicides. If unsure, it is recommended that a Jar test be conducted to determine compatibility. Always add **Chipco Signature** to the mixture last.

With any mixture, constantly agitate prior to and during application. It is not recommended to mix this product with more than one additional pesticide in the tank. Always test mixtures on a small number of plants before large scale use. As formulations of other manufacturers products are beyond the control of Bayer Environmental Science, all mixtures should be tested prior to mixing commercial quantities.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish. Do not contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Keep out of reach of children.

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site.

HDPE jug

If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

HDPE lined paper bag

Shake bag contents into spray tank until the bag is empty. Do not dispose of undiluted chemicals on site. Puncture or shred and bury empty bags in local authority landfill. If no land is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty bags and product should not be burnt.

SAFETY DIRECTIONS

May irritate the eyes. Avoid contact with eyes and skin. Avoid inhaling dust or spray mist. Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26).

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet which may be found at www.bayeres.com.au.

Exclusion of Liability

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, Bayer CropScience Pty. Ltd. accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

APVMA Approval No.: 56565/53583

Chipco® is a Registered Trademark of the Bayer Group.
Signature™ is a Trademark of the Bayer Group.

Bayer CropScience Pty. Ltd.
A.B.N. 87 000 226 022
391-393 Tooronga Rd
Hawthorn East VIC 3123
Phone: (03) 9248 6888
Fax: (03) 9248 6800
Technical enquiries: 1800 804 479
Website: www.bayer.com.au

For 24 hour specialist advice in an emergency only phone 1800 033 111

Batch Number:

DOM:

Barcode