

STORAGE AND DISPOSAL

The method of disposal of the container depends on the container type. Read the Storage and Disposal instructions on the label that is attached to the container.

Keep out of reach of children. Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. **DO NOT** store for prolonged periods in direct sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers.

For containers 1kg:

Rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemicals on-site. Break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Empty containers and product should not be burnt.

For containers above 1kg:

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Empty containers and product should **not** be burnt.

SAFETY DIRECTIONS

Harmful if swallowed. Will irritate the eyes and skin. Avoid contact with eyes and skin. **DO NOT** inhale dust or spray mist. When opening the container, preparing spray, wear cotton overalls, over normal clothing, buttoned to the neck and wrist (or equivalent clothing) and chemical-resistant gloves and a half face respirator. If applying by low pressure hand wand and high pressure hand wand, wear cotton overalls, over normal clothing, buttoned to the neck and wrist (or equivalent clothing) and chemical-resistant gloves and a half face respirator. If product on skin, immediately wash area with soap and water. Wash hands after use. After each day's use wash gloves, respirator and if rubber wash with detergent and warm water and contaminated clothing.

READ SAFETY DIRECTIONS BEFORE OPENING OR USING



For the selective weed control in Carrots, Coriander, Parsnips, Cereals, Onions, Potatoes, Soybeans, Sweet Corn and Maize as specified in the **DIRECTIONS FOR USE** table.

IMPORTANT: READ THIS LABEL AND THE ATTACHED LEAFLET THOROUGHLY BEFORE OPENING OR USING THIS PRODUCT

**NET CONTENTS:
1kg-20kg**



Imtrade Australia Pty Ltd
ABN 13 090 151 134
17 Ocean Street, Kwinana WA 6167
Tel: 1800 171 799 Fax: 1800 171 788
Web: www.imtrade.com.au

FIRST AID

If poisoning occurs, contact a Doctor or Poisons Information Centre (Phone Australia 13 11 26).

Additional GHS Hazard & Precautionary Statements

•Suspected of causing cancer; •May damage fertility or the unborn child; •May cause damage to organs through prolonged or repeated exposure; •Very toxic to aquatic life with long-lasting effects; •**DO NOT** get on clothing; •**DO NOT** eat, drink or smoke when using this product; •Rinse mouth; •If eye irritation persists: Get medical advice; •**IF SWALLOWED:** Rinse mouth. **DO NOT** induce vomiting; •If exposed or concerned: Get medical advice; •In case of fire, use carbon dioxide, dry chemical, foam, water fog; •Store locked up.

SAFETY DATA SHEET

For further information refer to the Safety Data Sheet, which can be obtained from your supplier or Imtrade Australia Pty Ltd website at www.imtrade.com.au

CONDITIONS OF SALE

Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

**IN A TRANSPORT EMERGENCY
DIAL 000
POLICE OR FIRE BRIGADE**

APVMA Approval No: 81574/103385

Batch Number:

Date of Manufacture:

READ SAFETY DIRECTIONS BEFORE OPENING OR USING



IMTRADE LINURON 800 WG HERBICIDE

ACTIVE CONSTITUENT: 800g/kg LINURON

GROUP **G HERBICIDE**

For the selective weed control in Carrots, Coriander, Parsnips, Cereals, Onions, Potatoes, Soybeans, Sweet Corn and Maize as specified in the Directions for Use table.

**IMPORTANT: READ THIS LEAFLET THOROUGHLY
BEFORE OPENING OR USING THIS PRODUCT**

APVMA Approval No: 81574/103385

Imtrade Australia Pty Ltd
ACN 13 090 151 134
17 Ocean Street, Kwinana, Western Australia 6167
Tel: 1800 171 799 Fax: 1800 171 788
Web: www.imtrade.com.au

DIRECTIONS FOR USE**RESTRAINTS:**

Sufficient moisture, either by irrigation or rainfall is required within 3 – 4 days of application to carry the product into the soil profile.

DO NOT apply using low pressure hand wand application, except for application to coriander seed crops and onions.

DO NOT apply using spraying equipment carried on the back of the user.

DO NOT apply by air, except for application to wheat, oats and barley.

Crop	Weeds Controlled	State	Rate/ha		Critical Comments	
			Light Soils	Heavy Soils		
Carrots & Parsnips	Annual Broadleaved Weeds and Grasses such as: Amaranth, Blackberry Nightshade, Capeweed, Chickweed, Common Sowthistle, Corn Spurry, Deadnettle,	All States	1.4kg	2.8kg	Pre-emergence: Apply immediately after planting but before crop emerges. DO NOT use on light sandy soils, low in clay or organic matter.	Carrots and Parsnips: Heavy rains after application may cause crop damage.
Carrots	Doublegee/Three-cornered Jack (Spiny Emex), Fat-hen, Hedge Mustards, Heliotrope, Marsh Mallow, Paterson's Curse, Pigweed, Potato Weed, Redshank, Scarlet Pimpernel, Staggerweed, Stinging Nettle, Summer Grass (Summer Grass not controlled in Qld or November to February in other states), Swinecress, Variegated Thistle, Wild Mustard, Wild Radish, Wild Turnip, Winter Grass		690g	1.4kg	Post-emergence: DO NOT apply before carrots have reached the 4 true leaf stage, weeds no more than 7cm tall, or within 5 days of any application of any emulsifiable pesticide or wetting agent as damage to crop may result. On soils high in organic matter, use post-emergence rather than pre-emergence.	

Crop	Weeds Controlled	State	Rate/ha		Critical Comments
			Light Soils	Heavy Soils	
Coriander Seed Crops	Amsinckia, Capeweed, Charlock, Corn Gromwell (Sheepweed, White Ironweed), Deadnettle, Doublegee/Three-cornered Jack (Spiny Emex), Fat-hen, Hedge Mustards, Indian Hedge Mustard, Saffron Thistle, Stinging Nettle, Wild Radish, Wild Turnip	SA, VIC, NSW, Tas only	470g	625g	<p>DO NOT use Imtrade Linuron 800 WG Herbicide on fresh coriander production.</p> <p>Use lower rate quoted on light soils and increase up to the higher rate for heavy clay soils or soils high in organic matter.</p> <p>Pre-emergence: Apply immediately after sowing.</p> <p>Post-emergence: Apply from 2-leaf onwards. Higher rates give longer residual control. Wet soil and/or rain is a benefit soon after application.</p>
Onions	<p>Annual Broadleaved Weeds and Grasses such as:</p> <p>Black Bindweed, Capeweed, Charlock, Chickweed, Clover, Common Sowthistle, Corn Spurry, Deadnettle, Fat-hen, Field Cress, Hedge Mustards, Lesser Swinecress, Medics, Prickly Sowthistle, Shepherd's Purse, Spear Thistle, Stinging Nettle, Wild Mustard, Wild Radish, Wild Turnip</p>	QLD, NSW, VIC, SA, WA only	190g	345g	<p>Post-emergence only: Apply when onions are 15cm or more in height. Re-treat when necessary.</p>
		Tas only	440g to 625g		<p>Post-emergence only: Apply lowest rate when onion plants are 2-3 leaf stage and high rate from 3-leaf stage onwards. Up to three applications may be used.</p>

Crop	Weeds Controlled	State	Rate/ha		Critical Comments
			Light Soils	Heavy Soils	
Potatoes	<p>Annual Broadleaved Weeds and Grasses such as: Amaranth, Apple-of-Peru, Blackberry Nightshade, Capeweed, Chickweed, Clover, Common Sowthistle, Corn Spurry, Deadnettle, Doublegee/ Three-cornered Jack (Spiny Emex), Fat-hen, Hedge Mustards, Pigweed, Potato Weed, Redshank, Shepherd's Purse, Staggerweed, Stinging Nettle, Wild Mustard, Wild Radish, Wild Turnip, Winter Grass, Winter Weed, Wireweed</p>	All States	1.4kg	2.8kg	<p>Pre-emergence: Apply after planting but before emergence of crop. Incorporate by irrigation or rainfall as soon as possible after application. DO NOT cultivate after application. Use higher rate during summer months.</p>
Soybeans	<p>Annual Broadleaved Weeds and Grasses such as: Amaranth, Apple-of-Peru, Barnyard Grass, Bathurst Burr, Black Bindweed, Blackberry Nightshade, Common Sowthistle, Fat-hen, Hedge Mustards, Noogoora Burr, Pigweed, Potato Weed, Redshank, Stinking Roger, Summer Grass, Turnip Weed, Wild Radish</p>	QLD, NSW, VIC, WA only	1.4kg	3.4kg	<p>Pre-emergence: Apply within 2 – 3 days after sowing. Sow beans to a depth of at least 2.5cm. Heavy rains after application may cause crop damage. DO NOT replant treated area to other crops within 3 months of application.</p>

Crop	Weeds Controlled	State	Rate/ha		Critical Comments
			Light Soils	Heavy Soils	
Sweetcorn & Maize	Refer to weeds under Soybeans plus Stinging Nettle, Wild Mustard, Wild Turnip. Apply where grasses are not a problem.	All States	-	1.4kg to 2.2kg	Pre-emergence: Apply as a band of broadcast treatment immediately after planting. DO NOT use on light sandy soils low in clay or organic matter. Heavy rains after application may cause crop damage.
	Refer to weeds above. Apply where Barnyard Grass or Summer Grass are a problem.			2.8kg to 3.4kg	
	Refer to weeds under Soybeans plus Stinging Nettle, Wild Mustard, Wild Turnip. Apply where grasses are not a problem.		690g to 1.4kg	1.4kg to 2.8kg	Post-emergence: Apply as directed band spray to each side row when crop is 30 – 40cm high. DO NOT use misting machines. Avoid spray contact with crop foliage as injury may result. DO NOT replant treated areas to other crops within 3 months of application. If weeds are present add a wetting agent at the use rate on its label.
	Refer to weeds above. Apply where Barnyard Grass or Summer Grass are a problem.		690g to 2.2kg	1.4kg to 3.4kg	

Crop	Weeds Controlled	State	Rate/ha		Critical Comments
			Light Soils	Heavy Soils	
Wheat, Oats & Barley	Capeweed, Charlock, Corn Gromwell (Sheepweed, White Ironweed), Deadnettle, Doublegee/Three-cornered Jack (Spiny Emex), Fat-hen, Hedge Mustards, Indian Hedge Mustard, Stinging Nettle, Wild Radish, Wild Turnip	All States	315g		All Weeds: For best results apply early. DO NOT apply Imtrade Linuron 800 WG Herbicide if weeds are greater than 15cm in height or diameter, or crop is beyond early tillering or crop and weeds are under drought stress. Apply when weeds are less than 5cm in height or diameter, crop is in 2-4 leaf stage and soil is moist enough for good growth of crop and weed seedlings.
	As above plus Amsinckia and Saffron Thistle.		530g		Apply if weeds are 5-15cm in height or diameter and crop is in 4-leaf to early tillering stage.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD

***Coriander and Carrots* - DO NOT HARVEST FOR 10 WEEKS AFTER APPLICATION.**

***Onions, Parsnips, Potatoes, Wheat, Barley, Oats, Maize, Sweetcorn, Soybeans* - NOT REQUIRED WHEN USED AS DIRECTED.**

GENERAL INSTRUCTIONS

Imtrade Linuron 800 WG Herbicide is a foliar absorbed and residual herbicide i.e. it controls weeds present at application by absorption through the foliage and subsequent germination of weeds through root absorption. For best results, apply to well cultivated, weed-free surface which is free of trash and clods. **DO NOT** cultivate after application of Imtrade Linuron 800 WG Herbicide as weed control may be reduced and/or crop injury may result.

RESISTANT WEEDS WARNING

GROUP	C	HERBICIDE
-------	----------	-----------

Imtrade Linuron 800 WG Herbicide is a member of the Urea-group of herbicides. Imtrade Linuron 800 WG Herbicide has the inhibitors of photosynthesis at photosystem II mode of action. For weed resistance management Imtrade Linuron 800 WG Herbicide is a Group **C** Herbicide. Some naturally occurring weed biotypes resistant to Imtrade Linuron 800 WG Herbicide and other inhibitors of photosynthesis at photosystem II Herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Imtrade Linuron 800 WG Herbicide or other inhibitors of photosynthesis at photosystem II Herbicides.

Since the occurrence of resistant weeds is difficult to detect prior to use, Imtrade Australia Pty Ltd accepts no liability for any losses that may result from the failure of Imtrade Linuron 800 WG Herbicide to control resistant weeds.

Strategies to minimise the risk of herbicide resistance are available. Consult your farm chemical supplier, consultants, local Department of Agriculture or Primary Industries or local Imtrade Australia Pty Ltd representative.

EQUIPMENT & MIXING INSTRUCTIONS

Imtrade Linuron 800 WG Herbicide is a WDG formulation to be mixed with water and applied as a spray. Partially fill the spray tank with water. Measure the amount of Imtrade Linuron 800 WG Herbicide required as indicated in the Directions for Use table. Add this to the spray tank with the agitation system engaged. Top up tank to the correct water volume. To prevent nozzle blockage, strainer and nozzle screens should be 50 mesh or coarser.

THE MATERIAL MUST BE KEPT IN SUSPENSION AT ALL TIMES BY CONTINUOUS AGITATION.

Water Volume & Spray Pressure

- **Pre-emergence:** 300 – 500L/ha and 200 – 300 kPa pressure.
- **Post-emergence:** Use minimum of 300L/ha and 140 – 170 kPa pressure.
- **Band Treatments:** Use proportionately less.
- **Wheat, Barley, Oats only:**
 - **Aerial Application:** Use a minimum of 20L/ha spray under optimum conditions otherwise a minimum of 30L/ha.
 - **Ground Application:** Apply in a minimum of 90L/ha (spray).

SPRAY EQUIPMENT HYGIENE

Before and after spraying Imtrade Linuron 800 WG Herbicide, spray equipment including tanks, nozzles, filters and spraylines should be cleaned thoroughly with a commercially available tank and equipment cleaner such as All Clear®.

RE-ENTRY

DO NOT enter treated areas until the spray has dried, unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Imtrade Linuron 800 WG Herbicide is slightly toxic to fish. **DO NOT** contaminate streams, rivers or waterways with this product or the used containers.

STORAGE AND DISPOSAL

The method of disposal of the container depends on the container type. Read the Storage and Disposal instructions on the label that is attached to the container.

Keep out of reach of children. Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. **DO NOT** store for prolonged periods in direct sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers.

For containers 1kg:

Rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemicals on-site. Break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Empty containers and product should **not** be burnt.

For containers above 1kg:

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Empty containers and product should **not** be burnt.

SAFETY DIRECTIONS

Harmful if swallowed. Will irritate the eyes and skin. Avoid contact with eyes and skin. **DO NOT** inhale dust or spray mist. When opening the container, preparing spray, wear cotton overalls, over normal clothing, buttoned to the neck and wrist (or equivalent clothing) and chemical-resistant gloves and a half face respirator. If applying by low pressure hand wand and high pressure hand wand, wear cotton overalls, over normal clothing, buttoned to the neck and wrist (or equivalent clothing) and chemical-resistant gloves and a half face respirator. If product on skin, immediately wash area with soap and water. Wash hands after use. After each day's use wash gloves, respirator and if rubber wash with detergent and warm water and contaminated clothing.

FIRST AID

If poisoning occurs, contact a Doctor or Poisons Information Centre (Phone Australia 13 11 26).

Additional GHS Hazard & Precautionary Statements

●Suspected of causing cancer; ●May damage fertility or the unborn child; ●May cause damage to organs through prolonged or repeated exposure; ●Very toxic to aquatic life with long-lasting effects; ●**DO NOT** get on clothing; ●**DO NOT** eat, drink or smoke when using this product; ●Rinse mouth; ●If eye irritation persists: Get medical advice; ●**IF SWALLOWED**: Rinse mouth. **DO NOT** induce vomiting; ●If exposed or concerned: Get medical advice; ●In case of fire, use carbon dioxide, dry chemical, foam, water fog; ●Store locked up.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet which can be obtained from your supplier or Imtrade Australia Pty Ltd website www.imtrade.com.au

CONDITIONS OF SALE

Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever, or howsoever arising through negligence or otherwise in connection with the sale, supply, use or application of this product. The supply of this product is on the express conditions that the purchaser does not rely on Imtrade Australia's skill or judgement in purchasing or using the same and every person dealing with this product does so at his/her own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to alter these conditions.

IN A TRANSPORT EMERGENCY

DIAL 000
POLICE OR FIRE BRIGADE

APVMA Approval No: 81574/103385