

100% on A3

**CAUTION**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



**Tordon**<sup>TM</sup>  
242



**Cereal Herbicide**

ACTIVE CONSTITUENTS: 420 g/L MCPA present as the potassium salt  
26 g/L PICLORAM present as the potassium salt

**GROUP I HERBICIDE**



For the control of climbing buckwheat, common sowthistle, skeleton weed, capeweed, doublegee and other broadleaf weeds in winter cereals and linseed crops.

**IMPORTANT: READ THE ATTACHED BOOKLET BEFORE USE.**

Dow AgroSciences Australia Limited ABN 24 003 771 659  
20 Rodborough Road FRENCHS FOREST NSW 2086  
www.dowagrosciences.com.au

**CUSTOMER SERVICE TOLL FREE 1-800 700 096**

™Trademark of Dow AgroSciences

**Contents: 20 Litres**

GMID: 79045 08/09

▲ LIFT FOR FULL INSTRUCTIONS

190mm deep

**YOUR PROOF**

job#: 168117  
name: 05 Tordon 242 20L Top  
client: Dow AgroSciences  
date: 7/09/2009

This proof is **NOT** a true representation of the final colours that will be printed

OK to proceed  
 Further proof required  
sign: \_\_\_\_\_  
date: \_\_\_\_\_

**NO** responsibility will be taken for errors not noted on this signed proof.  
PLEASE EXAMINE THIS PROOF VERY CAREFULLY AND RETURN SIGNED PROOF TO US FOR JOB TO PROCEED

**PHILSTIC**® Philstic Labels Ltd  
Phone +64 9 630 5822  
Fax +64 9 630 0957

Dieline

Black

PMS 167

PMS 155

200mm wide

**STORAGE AND DISPOSAL**

- Store in the closed, original container in a cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight.
- DO NOT store near food, feedstuffs, fertilisers or seed.

This container can be recycled if it is clean, dry, free of visible residues and has the **drumMUSTER** logo visible. Triple or pressure rinse container for disposal. Dispose of rinsate by adding to the spray tank. Do not dispose of undiluted chemicals on site. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any **drumMUSTER** collection or similar container management site. The cap should not be replaced but may be taken separately.

If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

**SMALL SPILL MANAGEMENT**

Wear protective equipment (See SAFETY DIRECTIONS). Apply absorbent material such as earth, sand, clay granules or cat litter to the spill. Sweep up material for disposal when absorption is completed and contain in a refuse vessel for disposal (see STORAGE AND DISPOSAL section). If necessary wash the spill area with an alkali detergent and water and absorb as above the wash liquid for disposal as described above.

**SAFETY DIRECTIONS**

- Harmful if swallowed.
- Attacks eyes.
- Will irritate the skin.
- Avoid contact with eyes and skin.
- If product in eyes, wash it out immediately with water.
- DO NOT inhale spray mist.
- When preparing the spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow length PVC gloves and goggles.
- After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.
- After each day's use, wash gloves, goggles and contaminated clothing.



**FIRST AID**

- If poisoning occurs contact a doctor or Poisons Information Centre. Phone: *Australia* 13 11 26.

**MATERIAL SAFETY DATA SHEET**

- Additional information is listed in the Material Safety Data Sheet for **TORDON 242 CEREAL HERBICIDE** which is available from Dow AgroSciences on request. Call Customer Service Toll Free on 1-800 700 096 or visit [www.dowagrosciences.com.au](http://www.dowagrosciences.com.au)

**NOTICE**

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by Dow AgroSciences, or under abnormal conditions.

**APVMA Approval No: 41258/20/0809**  
GMID: 79044

**EMERGENCY RESPONSE (ALL HOURS)**  
RING FROM ANYWHERE IN AUSTRALIA  
**1800 033 882**  
(LOCAL CALL FEE ONLY)

**IN A TRANSPORT EMERGENCY ONLY DIAL 000**  
FOR POLICE OR FIRE BRIGADE

DOM/Batch No.:



190mm deep

200mm wide

**YOUR PROOF**

job#: 168117  
name: 06 Tordon 242 20L Back  
client: Dow AgroSciences  
date: 8/09/2009

This proof is **NOT** a true representation of the final colours that will be printed

- OK to proceed
  - Further proof required
- sign: \_\_\_\_\_  
date: \_\_\_\_\_

**NO** responsibility will be taken for errors not noted on this signed proof.  
**PLEASE EXAMINE THIS PROOF VERY CAREFULLY AND RETURN SIGNED PROOF TO US FOR JOB TO PROCEED**


**PHIL STIC** Philstic Labels Ltd  
Phone +64 9 630 5822  
Fax +64 9 630 0957

- Dieline
- Black

100% on A3


PHILSTIC MULTIFOLD®

**CAUTION**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



# Tordon<sup>TM</sup>

## 242



**Cereal Herbicide**

**ACTIVE CONSTITUENTS: 420 g/L MCPA present as the potassium salt  
26 g/L PICLORAM present as the potassium salt**

**GROUP I HERBICIDE**

For the control of climbing buckwheat, common sowthistle, skeleton weed, capeweed, doublegee and other broadleaf weeds in winter cereals and linseed crops.

**IMPORTANT: READ THE ATTACHED BOOKLET BEFORE USE.**

Dow AgroSciences Australia Limited ABN 24 003 771 659  
20 Rodborough Road FRENCHS FOREST NSW 2086  
www.dowagrosciences.com.au

**CUSTOMER SERVICE TOLL FREE 1-800 700 096**

™Trademark of Dow AgroSciences

## Contents: 20 Litres

GMID: 79045 08/09

188mm deep

198mm wide

**YOUR PROOF**

job#: 168117  
 name: 05 Tordon 242 20L Base  
 client: Dow AgroSciences  
 date: 7/09/2009

This proof is **NOT** a true representation of the final colours that will be printed

OK to proceed  
 Further proof required

sign: \_\_\_\_\_  
 date: \_\_\_\_\_

NO responsibility will be taken for errors not noted on this signed proof.  
 PLEASE EXAMINE THIS PROOF VERY CAREFULLY AND RETURN SIGNED PROOF TO US FOR JOB TO PROCEED

**PHILSTIC** Philstic Labels Ltd  
 Phone +64 9 630 5822  
 Fax +64 9 630 0957

- Dieline
- Book area (188x160)
- Silicone
- Black

**CAUTION**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



### Cereal Herbicide

ACTIVE CONSTITUENTS: 420 g/L MCPA present as the potassium salt  
26 g/L PICLORAM present as the potassium salt

**GROUP I HERBICIDE**

For the control of climbing buckwheat, common sowthistle, skeleton weed, capeweed, doublegee and other broadleaf weeds in winter cereals and linseed crops.

**IMPORTANT: READ THE ATTACHED BOOKLET BEFORE USE.**

Dow AgroSciences Australia Limited ABN 24 003 771 659  
20 Rodborough Road FRENCHS FOREST NSW 2086  
www.dowagrosciences.com.au

**CUSTOMER SERVICE TOLL FREE 1-800 700 096**

™Trademark of Dow AgroSciences

**Contents: 100 Litres**

▲ LIFT FOR FULL INSTRUCTIONS

190mm deep

100% on A3

#### YOUR PROOF

job#: 160426  
name: 10 Tordon 242 100L Top  
client: Dow AgroSciences  
date: 7/09/2009

This proof is **NOT** a true representation of the final colours that will be printed

OK to proceed  
 Further proof required  
sign: \_\_\_\_\_  
date: \_\_\_\_\_

**NO** responsibility will be taken for errors not noted on this signed proof.

**PLEASE EXAMINE THIS PROOF VERY CAREFULLY AND RETURN SIGNED PROOF TO US FOR JOB TO PROCEED**

**PHILSTIC** Philstic Labels Ltd  
Phone +64 9 630 5822  
Fax +64 9 630 0957

Dieline

PMS 155

PMS 167

Black

200mm wide

### STORAGE AND DISPOSAL

- Store in the closed, original container in a cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight.
- DO NOT store near food, feedstuffs, fertilisers or seed. Do not tamper with the dry valves or security seal. Do not contaminate the drum with water or any other foreign matter. After each use of the product ensure that the dry valve coupler, delivery system and hoses are disconnected, triple rinsed with clean water and drained. Add the rinsings to the spray tank. When the drum is empty close all valves and return to the point of purchase. **The drum remains the property of Dow AgroSciences and must be returned.**

### SMALL SPILL MANAGEMENT

Wear protective equipment (See SAFETY DIRECTIONS). Apply absorbent material such as earth, sand, clay granules or cat litter to the spill. Sweep up material for disposal when absorption is completed and contain in a refuse vessel for disposal (see STORAGE AND DISPOSAL section). If necessary wash the spill area with an alkali detergent and water and absorb as above the wash liquid for disposal as described above.

### SAFETY DIRECTIONS

- Harmful if swallowed.
- Attacks eyes.
- Will irritate the skin.
- Avoid contact with eyes and skin.
- If product in eyes, wash it out immediately with water.
- DO NOT inhale spray mist.
- When preparing the spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow length PVC gloves and goggles.
- After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.
- After each day's use, wash gloves, goggles and contaminated clothing.

### FIRST AID

- If poisoning occurs contact a doctor or Poisons Information Centre. Phone: *Australia* 13 11 26.

### MATERIAL SAFETY DATA SHEET

- Additional information is listed in the Material Safety Data Sheet for **TORDON 242 CEREAL HERBICIDE** which is available from Dow AgroSciences on request. Call Customer Service Toll Free on 1-800 700 096 or visit [www.dowagrosciences.com.au](http://www.dowagrosciences.com.au)

### NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by Dow AgroSciences, or under abnormal conditions.

APVMA Approval No: 41258/100/0809

**EMERGENCY RESPONSE  
(ALL HOURS)**  
RING FROM ANYWHERE IN  
AUSTRALIA  
**1800 033 882**  
(LOCAL CALL FEE ONLY)

IN A TRANSPORT  
EMERGENCY ONLY  
**DIAL 000**  
FOR POLICE OR  
FIRE BRIGADE

D.O.M./Batch No:



190mm deep

200mm wide

100% on A3

### YOUR PROOF

job#: 160426  
name: 11 Tordon 242 100L Back  
client: Dow AgroSciences  
date: 7/09/2009

This proof is **NOT** a true representation of the final colours that will be printed

OK to proceed  
 Further proof required  
sign: \_\_\_\_\_  
date: \_\_\_\_\_

**NO** responsibility will be taken for errors not noted on this signed proof.  
PLEASE EXAMINE THIS PROOF VERY CAREFULLY AND RETURN SIGNED PROOF TO US FOR JOB TO PROCEED

**PHIL STIC**® *Philstic Labels Ltd*  
Phone +64 9 630 5822  
Fax +64 9 630 0957

 Dieline

 Black

**CAUTION**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



**Cereal Herbicide**

ACTIVE CONSTITUENTS: 420 g/L MCPA present as the potassium salt  
26 g/L PICLORAM present as the potassium salt

**GROUP I HERBICIDE**

For the control of climbing buckwheat, common sowthistle, skeleton weed, capeweed, doublegee and other broadleaf weeds in winter cereals and linseed crops.

**IMPORTANT: READ THE ATTACHED BOOKLET BEFORE USE.**

Dow AgroSciences Australia Limited ABN 24 003 771 659  
20 Rodborough Road FRENCHS FOREST NSW 2086  
www.dowagrosciences.com.au

**CUSTOMER SERVICE TOLL FREE 1-800 700 096**

™Trademark of Dow AgroSciences

**Contents: 100 Litres**

PHIL STIC MULTIFOLD®

188mm deep

100% on A3

**YOUR PROOF**

job#: 160426  
name: 10 Tordon 242 100L Base  
client: Dow Agrosciences  
date: 7/09/2009

This proof is **NOT** a true representation of the final colours that will be printed

OK to proceed  
 Further proof required  
sign: \_\_\_\_\_  
date: \_\_\_\_\_

**NO** responsibility will be taken for errors not noted on this signed proof.  
PLEASE EXAMINE THIS PROOF VERY CAREFULLY AND RETURN SIGNED PROOF TO US FOR JOB TO PROCEED

**PHIL STIC** Philstic Labels Ltd  
Phone +64 9 630 5822  
Fax +64 9 630 0957

Book area (188x160)

Dieline

Black

Silicone

198mm wide

100% on A3

**CAUTION**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



Tordon<sup>TM</sup>



242

Cereal Herbicide

**ACTIVE CONSTITUENTS:** 420 g/L MCPA present as the potassium salt  
26 g/L PICLORAM present as the potassium salt

GROUP I HERBICIDE

For the control of climbing buckwheat, common sowthistle, skeleton weed, capeweed, doublegee and other broadleaf weeds in winter cereals and linseed crops.  
**IMPORTANT: READ THE ATTACHED BOOKLET BEFORE USE.**

**Contents: 110 Litres**

Dow AgroSciences Australia Limited ABN 24 003 771 659  
20 Rodborough Road FRENCHS FOREST NSW 2086  
www.dowagrosciences.com.au  
CUSTOMER SERVICE TOLL FREE 1-800 700 096  
<sup>TM</sup>Trademark of Dow AgroSciences

GMID: 163802 10/08

LIFT FOR FULL INSTRUCTIONS

190mm deep

200mm wide

YOUR PROOF


job#: 160741  
name: 06 Tordon 242 110L Top  
client: Dow AgroSciences  
date: 4/09/2009

This proof is **NOT** a true representation of the final colours that will be printed

OK to proceed  
 Further proof required

sign: \_\_\_\_\_  
date: \_\_\_\_\_

NO responsibility will be taken for errors not noted on this signed proof.  
PLEASE EXAMINE THIS PROOF VERY CAREFULLY AND RETURN SIGNED PROOF TO US FOR JOB TO PROCEED


**Philstic Labels Ltd**  
 Phone +64 9 630 5822  
 Fax +64 9 630 0957

- Dieline
- PMS 155
- PMS 167
- Black

#### STORAGE AND DISPOSAL

- Store in the closed, original container in a cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight.
- DO NOT store near food, feedstuffs, fertilisers or seed.

Do not tamper with the dry valves or security seal. Do not contaminate the drum with water or any other foreign matter. After each use of the product ensure that the dry valve coupler, delivery system and hoses are disconnected, triple rinsed with clean water and drained. Add the rinsings to the spray tank. When the drum is empty close all valves and return to the point of purchase. **The drum remains the property of Dow AgroSciences and must be returned.**

#### SMALL SPILL MANAGEMENT

Wear protective equipment (See SAFETY DIRECTIONS). Apply absorbent material such as earth, sand, clay granules or cat litter to the spill. Sweep up material for disposal when absorption is completed and contain in a refuse vessel for disposal (see STORAGE AND DISPOSAL section). If necessary wash the spill area with an alkali detergent and water and absorb as above the wash liquid for disposal as described above.

#### SAFETY DIRECTIONS

- Harmful if swallowed.
- Attacks eyes.
- Will irritate the skin.
- Avoid contact with eyes and skin.
- If product in eyes, wash it out immediately with water.
- DO NOT inhale spray mist.
- When preparing the spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow length PVC gloves and goggles.
- After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.
- After each day's use, wash gloves, goggles and contaminated clothing.

#### FIRST AID

- If poisoning occurs contact a doctor or Poisons Information Centre. Phone: *Australia* 13 11 26.

#### MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet for **TORDON 242 CEREAL HERBICIDE** which is available from Dow AgroSciences on request. Call Customer Service Toll Free on 1-800 700 096 or visit [www.dowagrosciences.com.au](http://www.dowagrosciences.com.au)

#### NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by Dow AgroSciences, or under abnormal conditions.

**APVMA Approval No: 41258/110/0809**

GMID: 319664 10/08

**EMERGENCY RESPONSE  
(ALL HOURS)**  
RING FROM ANYWHERE IN  
AUSTRALIA  
**1800 033 882**  
(LOCAL CALL FEE ONLY)

**IN A TRANSPORT  
EMERGENCY ONLY  
DIAL 000**  
FOR POLICE OR  
FIRE BRIGADE

D.O.M./Batch No:



190mm deep

200mm wide

100% on A3

#### YOUR PROOF

job#: 160741

name: 07 Tordon 242 110L Back

client: Dow AgroSciences

date: 8/09/2009

This proof is **NOT** a true representation of the final colours that will be printed

OK to proceed

Further proof required

sign: \_\_\_\_\_

date: \_\_\_\_\_

**NO** responsibility will be taken for errors not noted on this signed proof.

**PLEASE EXAMINE THIS PROOF VERY CAREFULLY AND RETURN SIGNED PROOF TO US FOR JOB TO PROCEED**

**PHIL STIC**® *Philstic Labels Ltd*  
Phone +64 9 630 5822  
Fax +64 9 630 0957

 Dieline

 Black

**CAUTION**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



**Cereal Herbicide**

ACTIVE CONSTITUENTS: 420 g/L MCPA present as the potassium salt  
26 g/L PICLORAM present as the potassium salt

**GROUP I HERBICIDE**

For the control of climbing buckwheat, common sowthistle, skeleton weed, capeweed, doublegee and other broadleaf weeds in winter cereals and linseed crops.

IMPORTANT: READ THE ATTACHED BOOKLET BEFORE USE.

Dow AgroSciences Australia Limited ABN 24 003 771 659  
20 Rodborough Road FRENCHS FOREST NSW 2086  
www.dowagrosciences.com.au

**Contents: 110 Litres**

CUSTOMER SERVICE TOLL FREE 1-800 700 096

GMID: 163802 10/08

™Trademark of Dow AgroSciences

PHIL STIC MULTIFOLD®

188mm deep

100% on A3

**YOUR PROOF**

job#: 160741  
name: 06 Tordon 242 110L Base  
client: Dow Agrosciences  
date: 4/09/2009

This proof is **NOT** a true representation of the final colours that will be printed

OK to proceed  
 Further proof required  
sign: \_\_\_\_\_  
date: \_\_\_\_\_

**NO** responsibility will be taken for errors not noted on this signed proof.  
PLEASE EXAMINE THIS PROOF VERY CAREFULLY AND RETURN SIGNED PROOF TO US FOR JOB TO PROCEED

**PHIL STIC**® Philstic Labels Ltd  
Phone +64 9 630 5822  
Fax +64 9 630 0957

Book area (188x160)


Dieline

Black

Silicone


198mm wide

**CAUTION**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

 **Dow AgroSciences**

**Tordon**<sup>TM</sup>

242



**Cereal Herbicide**

**ACTIVE CONSTITUENTS:** 420 g/L MCPA present as the potassium salt  
26 g/L PICLORAM present as the potassium salt

GROUP I HERBICIDE

For the control of climbing buckwheat, common sowthistle, skeleton weed, capeweed, doublegee and other broadleaf weeds in winter cereals and linseed crops.  
**IMPORTANT: READ THE ATTACHED BOOKLET BEFORE USE.**

**Contents: 1000 Litres**

Dow AgroSciences Australia Limited ABN 24 003 771 659  
20 Rodborough Road FRENCHS FOREST NSW 2086  
www.dowagrosciences.com.au  
CUSTOMER SERVICE TOLL FREE 1-800 700 096

<sup>TM</sup>Trademark of Dow AgroSciences

LIFT FOR FULL INSTRUCTIONS

190mm deep

200mm wide

100% on A3

**YOUR PROOF**

job#: 167045  
name: 05 Tordon 242 1000L Top  
client: Dow AgroSciences  
date: 7/09/2009

This proof is **NOT** a true representation of the final colours that will be printed

OK to proceed  
 Further proof required

sign: \_\_\_\_\_  
date: \_\_\_\_\_

**NO** responsibility will be taken for errors not noted on this signed proof.  
PLEASE EXAMINE THIS PROOF VERY CAREFULLY AND RETURN SIGNED PROOF TO US FOR JOB TO PROCEED

**PHIL STIC**® Philstic Labels Ltd  
Phone +64 9 630 5822  
Fax +64 9 630 0957

- Dieline
- PMS 155
- PMS 167
- Black

### STORAGE AND DISPOSAL

- Store in the closed, original container in a cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight.
- DO NOT store near food, feedstuffs, fertilisers or seed. For 1000 L refillable containers empty contents fully into application equipment. **Close all valves and return to point of supply for refill or storage.**

### SMALL SPILL MANAGEMENT

Wear protective equipment (See SAFETY DIRECTIONS). Apply absorbent material such as earth, sand, clay granules or cat litter to the spill. Sweep up material for disposal when absorption is completed and contain in a refuse vessel for disposal (see STORAGE AND DISPOSAL section). If necessary wash the spill area with an alkali detergent and water and absorb as above the wash liquid for disposal as described above.

### SAFETY DIRECTIONS

- Harmful if swallowed.
- Attacks eyes.
- Will irritate the skin.
- Avoid contact with eyes and skin.
- If product in eyes, wash it out immediately with water.
- DO NOT inhale spray mist.
- When preparing the spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow length PVC gloves and goggles.
- After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.
- After each day's use, wash gloves, goggles and contaminated clothing.

### FIRST AID

- If poisoning occurs contact a doctor or Poisons Information Centre. Phone: *Australia* 13 11 26.

### MATERIAL SAFETY DATA SHEET

- Additional information is listed in the Material Safety Data Sheet for **TORDON 242 CEREAL HERBICIDE** which is available from Dow AgroSciences on request. Call Customer Service Toll Free on 1-800 700 096 or visit [www.dowagrosciences.com.au](http://www.dowagrosciences.com.au)

### NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to

**APVMA Approval No: 41258/1000/0809**

GMID:

**EMERGENCY RESPONSE  
(ALL HOURS)  
RING FROM ANYWHERE IN  
AUSTRALIA  
1800 033 882  
(LOCAL CALL FEE ONLY)**

**IN A TRANSPORT  
EMERGENCY ONLY  
DIAL 000  
FOR POLICE OR  
FIRE BRIGADE**

D.O.M./Batch No:



190mm deep

200mm wide

100% on A3

### YOUR PROOF

job#: 167045  
name: 07 Tordon 242 1000L Back  
client: Dow AgroSciences  
date: 7/09/2009

This proof is **NOT** a true representation of the final colours that will be printed

OK to proceed  
 Further proof required  
sign: \_\_\_\_\_  
date: \_\_\_\_\_

**NO** responsibility will be taken for errors not noted on this signed proof.

**PLEASE EXAMINE THIS PROOF VERY CAREFULLY AND RETURN SIGNED PROOF TO US FOR JOB TO PROCEED**

**PHIL STIC**® *Philstic Labels Ltd*  
Phone +64 9 630 5822  
Fax +64 9 630 0957

 **Dieline**

 **Black**

100% on A3

**CAUTION**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



**Cereal Herbicide**

ACTIVE CONSTITUENTS: 420 g/L MCPA present as the potassium salt  
26 g/L PICLORAM present as the potassium salt

**GROUP I HERBICIDE**

For the control of climbing buckwheat, common sowthistle, skeleton weed, capeweed, doublegee and other broadleaf weeds in winter cereals and linseed crops.

IMPORTANT: READ THE ATTACHED BOOKLET BEFORE USE.

Dow AgroSciences Australia Limited ABN 24 003 771 659  
20 Rodborough Road FRENCHS FOREST NSW 2086  
www.dowagrosciences.com.au

**Contents: 1000 Litres**

CUSTOMER SERVICE TOLL FREE 1-800 700 096

™Trademark of Dow AgroSciences

PHIL STIC MULTIFOLD®

188mm deep

198mm wide

**YOUR PROOF**

job#: 167045  
name: 05 Tordon 242 1000L Base  
client: Dow Agrosciences  
date: 7/09/2009

This proof is **NOT** a true representation of the final colours that will be printed

OK to proceed  
 Further proof required  
sign: \_\_\_\_\_  
date: \_\_\_\_\_

**NO** responsibility will be taken for errors not noted on this signed proof.  
PLEASE EXAMINE THIS PROOF VERY CAREFULLY AND RETURN SIGNED PROOF TO US FOR JOB TO PROCEED

**PHIL STIC**® Philstic Labels Ltd  
Phone +64 9 630 5822  
Fax +64 9 630 0957

Book area (188x160)

Dieline

Black

Silicone

**CAUTION**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



# Tordon™ 242

## Cereal Herbicide

**ACTIVE CONSTITUENTS:** 420 g/L MCPA present as potassium salt  
26 g/L PICLORAM present as potassium salt

**GROUP | HERBICIDE**

For the control of climbing buckwheat, common sowthistle, skeleton weed, capeweed, doublegee and other broadleaf weeds in winter cereals and linseed crops.

**IMPORTANT: READ THIS BOOKLET BEFORE USE**

Dow AgroSciences Australia Limited ABN 24 003 771 659  
20 Rodborough Road FRENCHS FOREST NSW 2086  
[www.dowagrosciences.com.au](http://www.dowagrosciences.com.au)

**CUSTOMER SERVICE TOLL FREE 1-800 700 096**

™Trademark of Dow AgroSciences

**DIRECTIONS FOR USE**

**RESTRAINTS:**

**DO NOT** apply to crops or weeds which are not actively growing or to plants which may be stressed (not actively growing) due to prolonged periods of extreme cold, moisture stress (water-logged or drought affected) or previous herbicide treatment, as crop damage or reduced levels of control may result.

**DO NOT** use in high winds.

**DO NOT** spray if rain is likely to occur within four hours.

**DO NOT** apply close to, or on areas, containing roots of desirable vegetation, where treated soil may be washed into areas growing, or to be planted to, desirable plants, or on sites where surface water from heavy rain can be expected to run off to areas containing, or to be planted to, susceptible crops or plants.

**DO NOT** move soil which may have been sprayed to areas where desirable plants are to be grown.

**Table 1: NEW SOUTH WALES and QUEENSLAND only**

CROP	CROP GROWTH STAGE	WEEDS CONTROLLED	WEED GROWTH STAGE	RATE /ha	CRITICAL COMMENTS
Barley, Canary grass, Oats, Triticale, Wheat	Apply from early tillering (when the main shoot has 4-5 leaves and 2 or more new tillers have formed) to start of jointing (first node (Z30)).	Climbing buckwheat (black bindweed) Common sowthistle Doublegee (spiny emex) Mustard Saffron thistle Skeleton weed Turnip weed Variegated thistle Wild radish Wild turnip	Up to 6 leaf  Young rosette or seedling plants up to 8 true leaves.	1 L	For best control of climbing buckwheat apply at early tillering as this weed becomes increasingly difficult to control as it becomes larger. To avoid possible crop damage, <b>DO NOT</b> spray outside the early tillering to early jointing stage.
		N.Z. spinach <sup>①</sup> Wireweed <sup>①</sup>	Up to 4 leaf.		
Barley, Triticale, Wheat		Common sowthistle N.Z. spinach Wireweed	Apply up to 4 leaf stage.	800 mL + 5 g Ally®	Add a 100% concentrate non-ionic surfactant (e.g. BS-1000®) at the rate of 100 mL/100 L water.
Linseed Linola	Apply when crop is 8-20 cm high.	Climbing buckwheat (black bindweed) Doublegee (spiny emex) Mustard Saffron thistle Skeleton weed Variegated thistle Wild radish Wild turnip	Young rosette or seedling plants up to 4 true leaves.	670 to 840 mL	Use the higher rate when climbing buckwheat is present or weed growth is advanced.
		N.Z. spinach <sup>①</sup> Wireweed <sup>①</sup>	Up to 2 leaf		

**Table 2: WESTERN AUSTRALIA only**

CROP	CROP GROWTH STAGE	WEEDS CONTROLLED	WEED GROWTH STAGE	RATE /ha	CRITICAL COMMENTS
Barley, Canary grass, Oats, Triticale, Wheat	Apply from 3 leaf to early tillering (when the main shoot has 4-5 leaves and 2 or more new tillers have formed) to start of jointing (first node (Z30)).	Capeweed Doublegee Saffron thistle Turnip weed Wild mustard Wild turnip	Young rosette or seedling plants up to 4 true leaves.	600 mL	To avoid possible crop damage <b>DO NOT</b> spray outside the early tillering to early jointing stage. <b>Caution: DO NOT</b> use this product where the land to be treated will be sown to lupins or peas the following year or where a volunteer medic or subclover pasture is required in the following season. Only use when a cereal crop will follow the cereal crop to be treated.
		Capeweed Doublegee Saffron thistle Turnip weed Wild mustard Wild turnip	Young rosette or seedling plants up to 6 true leaves.	750 mL	
		Wireweed <sup>①</sup>	Up to 4 leaf		
	Apply from early to mid-tillering.	Docks Sorrel	Active growth	1 L	

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

® Registered Trademark

**WITHHOLDING PERIOD**

- **DO NOT GRAZE OR CUT CROPS OR PASTURES FOR STOCK FOOD FOR 7 DAYS AFTER APPLICATION.**
- **HARVEST: NOT REQUIRED WHEN USED AS DIRECTED.**

**MINIMUM RECROPPING PERIODS**

- Picloram, one of the active constituents in this product, remains active in the soil for extended periods depending on rate of application, soil type, rainfall, temperature, humidity, soil moisture and soil organic matter.

**Northern New South Wales and Queensland**

Plantback periods for rotational crops following application of Tordon™ 242 at 1 L/ha on black cracking clay soils (Table below). These plantback periods are based on a normal rainfall pattern. During drought conditions (or when rainfall is less than 100 mm for a period of 4 months after application) the plantback period may be significantly longer.

Winter Crop	Plantback Period (Months)	Summer Crop	Plantback Period (Months)
Wheat	2	Sorghum	2
Barley	2	Cotton	12
Canola	4	Mung bean	12
Chickpea	6	Soybean	12
Faba bean	4		
Lucerne	9		

### Western Australia and other soil types not mentioned above

- DO NOT plant susceptible broadleaf crops within 12 months of applying the product. Cereal crops and grasses can be sown safely after using Tordon 242 for in crop weed control.

### GENERAL INSTRUCTIONS

#### MIXING

- Tordon 242 can be mixed with water only.
- Mix only sufficient chemical for each days use and avoid storing mix.
- Half fill the spray tank with water and add the required quantity of Tordon 242 and complete filling. Agitate continuously to ensure thorough mixing before and during application.
- Tank mixtures: Wettable powder or dry flowable formulations (e.g. water dispersible granules) should be added to the spray tank first, followed by suspension concentrates (flowables), water soluble salts and then emulsifiable concentrate formulations (e.g. Starane™ Advanced). Add spraying oils and surfactants (wettors) last, if required.

#### COMPATIBILITY

Tordon 242 is compatible with the following:

(Read and follow all label directions, restraints, plant-back periods, withholding periods and safety directions on the partner label as well as those on the Tordon 242 label).

#### Broadleaf Herbicides

Eclipse® Herbicide	Lontrel™ Herbicide	MCPA amine	MCPA LVE
metsulfuron-methyl	Starane™ Advanced Herbicide	2,4-D amine	

#### Grass Herbicides

Hoegrass® (annual ryegrass only)

Topik® 240EC (wild oats and phalaris only)

#### Adjuvants

BS1000® (when mixed with metsulfuron-methyl)

Uptake™ Spraying Oil (when mixed with Topik® 240 EC)

Insecticides

Lemat® Rogor®

Tordon 242 is **not** compatible with zinc products (such as Zinc dextrase and Zinc heptahydrate), copper salts (such as sulphate) and manganese sulphate. Do not use with hard water or water clarified with alum.

™ Trademark Dow AgroSciences © Other Registered Trademarks

### APPLICATION METHODS

#### A. Ground Application (Boom)

- Apply Tordon 242 with an accurately calibrated boom sprayer, in at least 50 L/ha water.
- Do not apply with smaller than medium to coarse spray droplets according to the ASABE S572 definition for standard nozzles.
- Set the boom at a height to ensure a double overlap of the nozzle pattern.

#### B. Aerial Application

- Apply in a minimum volume of 35 L/ha water
- Use calibrated equipment. Do not apply with smaller than medium to coarse spray droplets according to the ASABE S572 definition for standard nozzles.
- **DO NOT** apply Tordon 242 by aircraft unless wind speed is more than 3 kilometres per hour and less than 15 km/hr as measured at the application site and/or the air temperature is above 30 °C, or when the wind is blowing towards susceptible crops.

### CLEANING SPRAY EQUIPMENT

**Rinse water should be discharged onto a designated disposal area or, if this is unavailable, onto wasteland away from desirable plants and water courses.**

- **Rinsing:** After using Tordon 242 Cereal Herbicide, empty the tank completely and drain the whole system. Thoroughly wash inside the spray unit using a pressure hose. Drain, and clean any filters in the tank, pump, lines, hoses and nozzles.
- After cleaning the tank as above, quarter fill with clean water and circulate through the pump, lines, hoses and nozzles. Drain and repeat the rinsing procedure twice.
- **Decontamination (before spraying cotton and other sensitive crops; see PROTECTION OF CROPS):** Wash the tank and rinse the system as above. Then quarter fill the tank and add an alkali detergent ( e.g. liquid SURF®, OMO® or DRIVE® ) at 500 mL/100 L of water or the powder equivalent at 500 g/100 L and circulate throughout the system for at least 15 minutes.
- Drain the whole system. Remove filters and nozzles and clean them separately. Finally flush the system with clean water and allow to drain.

### RESISTANT WEEDS WARNING

**GROUP I HERBICIDE**

Tordon 242 Herbicide contains members of the pyridine and phenoxy groups of herbicides. The product has the disrupters of plant cell growth mode of action. For weed resistance management, the product is a Group I Herbicide. Some naturally-occurring weed biotypes resistant to the product and other disrupters of plant cell growth herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by this product or other disrupters of plant cell growth herbicides.

Since the occurrence of resistant weeds is difficult to detect prior to use, Dow AgroSciences Australia Limited accepts no liability for any losses that may result from the failure of this product to control resistant weeds. Strategies to minimise the risk of herbicide resistance are available. Contact your farm chemical supplier, consultant, local Department of Agriculture, or local Dow AgroSciences representative.

### PROTECTION OF CROPS, NATIVES AND OTHER NON-TARGET PLANTS

- **DO NOT** apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible crops and plants, cropping lands or pastures.
- Crops and plants susceptible to Tordon 242 include, but are not limited to clovers, medics, lupins, peas and other legumes, cotton, flowers, hops, grape and kiwi fruit vines, ornamentals, potatoes, safflower, shade trees, sugar beet, tobacco, tomatoes, tree fruits, and vegetables.
- **DO NOT** use on land to be cultivated for growing susceptible crops within 12 months of applying Tordon 242. Susceptible crops and plants can be damaged by soil residues during both growing and dormant periods. In the season following application of this product the regeneration or establishment of sensitive legumes (clover, medics, peas, lupins) may be adversely affected by soil residues. Cereal crops and grasses can be sown safely after using Tordon 242.
- This product will kill legumes (clovers, medics) present in the crop at the time of spraying.
- **DO NOT** apply close to or on areas containing roots of desirable vegetation, where treated soil may be washed to areas growing, or to be planted to desirable plants, or on sites where surface water from heavy rain can be expected to run off to areas containing or to be planted to susceptible crops or plants.
- **DO NOT** move soil, which may have been sprayed, to areas where susceptible crops or plants are to be grown.
- Cereal crops may be reduced in height following use of this product. This height reduction is a normal response and does not represent any yield loss.

- Do not apply Tordon 242 Cereal Herbicide to crops or pastures, which are to be used for the production of compost or mulches for use with susceptible crops or plants. The use of straw, hay or other plant material treated with **Tordon 242** for composting or mulching susceptible crops may damage these crops.

#### **PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT**

- **DO NOT** contaminate streams, rivers or waterways with the chemical or used containers.

#### **STORAGE AND DISPOSAL**

- Store in the closed, original container in a cool, well ventilated area. **DO NOT** store for prolonged periods in direct sunlight.
- **DO NOT** store near food, feedstuffs, fertilisers or seed.

The method of disposal of the container depends on the container type. Read the STORAGE AND DISPOSAL instructions on the label that is attached to the container.

#### **SMALL SPILL MANAGEMENT**

Wear protective equipment (See SAFETY DIRECTIONS). Apply absorbent material such as earth, sand, clay granules or cat litter to the spill. Sweep up material for disposal when absorption is completed and contain in a refuse vessel for disposal (see STORAGE AND DISPOSAL section). If necessary wash the spill area with an alkali detergent and water and absorb as above the wash liquid for disposal as described above.

#### **SAFETY DIRECTIONS**

- Harmful if swallowed.
- Attacks eyes.
- Will irritate the skin.
- Avoid contact with eyes and skin.
- If product in eyes, wash it out immediately with water.
- **DO NOT** inhale spray mist.
- When preparing the spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow length PVC gloves and goggles.
- After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.
- After each day's use, wash gloves, goggles and contaminated clothing.

#### **FIRST AID**

- If poisoning occurs, contact a doctor or Poisons Information Centre. Phone: *Australia* 13 11 26.

#### **MATERIAL SAFETY DATA SHEET**

- Additional information is listed in the Material Safety Data Sheet for **TORDON 242 CEREAL HERBICIDE** which is available from Dow AgroSciences on request. Call Customer Service Toll Free on 1-800 700 096 or visit [www.dowagrosciences.com.au](http://www.dowagrosciences.com.au)

APVMA Approval No: 41258/0809

**100% scale on A3**

**Pages 188mm deep x 160mm wide**