

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



ACTIVE CONSTITUENT: 300 g/kg PROPARGITE

GROUP 14A INSECTICIDE

For the control of mites in crops as per the Directions of Use table

Net Contents 10 kg

Crompton

Crompton Agribusiness Pty Ltd 3 Opala Street Regency Park SA 5010
Telephone: (08) 8268 5700 Facsimile: (08) 8268 7555

DIRECTIONS FOR USE:**RESTRAINTS:**

DO NOT add wetting agents or crop oils to spray solution.

Crop	Pest Controlled	States	Rate		Withholding Period	Critical Comments
			per 100L	per ha		
Stone fruit	Two spotted mite	All States	200 g	5.5 kg	7 days	Apply as a high volume spray as soon as mites appear. Further applications may be necessary later in the season. Whatever volume is applied a minimum of 5.5 kg/ha is essential.
	European red mite	Qld & WA only				
Apples	Two spotted mite	All States	200 g	5.5 kg		Apply as necessary as a high volume spray from pink onwards. Whatever spray volume is applied a minimum of 8.5 kg/ha is essential (except in Tasmania).
	European red mite	Vic, NSW, ACT, SA, WA & Qld only		8.5 kg		
		Tas only	-	5.5 kg		
Apples and Stonefruit	Biological control of mites	All States	100 g	-		Apply where biological control is being practised. Complete spray coverage is essential for adequate control.
Pears	Two spotted mite	All States	200 g	-		Post-harvest spray only: Apply as high volume spray to achieve a minimum of 5.5 kg/ha. This product may cause leaf spilling and possible defoliation, this effect is more likely in hot conditions.
Strawberries	Two spotted mite (<i>Tetranychus urticae</i>)	Vic, Tas, NSW, ACT, WA & Qld only	100 g		3 days	May be phytotoxic on some varieties when used at higher concentrations. Spray when pests first appear. A maximum of 3 sprays applied over a period of 3 to 4 weeks may be necessary depending on the level of infestation. Complete spray coverage is essential for adequate control. Do NOT use higher concentration or low volume high concentrate spray application. Do NOT mix with other pesticides or foliar nutrients. DO NOT spray when temperature exceeds 27°C.
	Biological control of mites					Apply where biological control is being practised. Complete spray coverage is essential for adequate control. DO NOT mix with other pesticides or foliar nutrients. DO NOT spray when temperature exceeds 27°C.
Bananas	Two spotted mite (red spider)	Qld, NSW, ACT & WA only	100 g	1.25 kg	7 days	Spray when bunches covered and when pests appear and repeat as necessary. Avoid spraying under hot-humid-slow drying conditions when young bananas may be susceptible to insecticide damage.
Passionfruit	Passionvine mite (<i>Brevipalpus phoenicis</i>)	Qld & WA only	100 g	-		Apply as pest populations indicate. Do NOT apply more than twice per season.
Beans, Tomatoes, other vegetables	Two spotted mite	All States	100 g	-		Apply when pests appear and repeat as necessary. Good spray cover is necessary.
	Spider mites (<i>Tetranychus</i> spp.)	Qld & WA only				
Hops	Two spotted mite	Vic, WA & Tas only	200 g	-		Apply as a high volume spray on first appearance of mites. e.g. when growth is 2-3 metres high. Thoroughly spray all foliage with special attention to base of plants, repeat as necessary.
Ornamental plants	Two spotted mite European red mite	All States	100 g	-	-	Spray when mites appear and repeat when necessary.
	False spider mites (<i>Brevipalpus</i> spp.)	Qld & WA only				Note: (1) This product may be quite phytotoxic to some ornamentals. (2) May be used in integrated mite control with the Chilean predatory mite <i>Phytoseiulus persimilis</i> for control of two spotted mite.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**WITHHOLDING PERIOD:****STRAWBERRIES: DO NOT HARVEST FOR 3 DAYS AFTER APPLICATION. APPLES, BANANAS, HOPS, PASSIONFRUIT, PEARS, STONEFRUIT AND VEGETABLES: DO NOT HARVEST FOR 7 DAYS AFTER APPLICATION.****GENERAL INSTRUCTIONS:****Mixing**

Slowly add the required amount of product to the water under agitation in the spray vat.

Application

This product is not an ovicide. For fruit trees, two sprays 10 - 14 days apart are desirable for long term results. If lower volume sprays are applied, the 2 spray programme is essential. Early applications are recommended. These should be made before the mite population is sufficient to cause serious damage. This product is non-systemic in action and high volume sprays and complete coverage are recommended.

Compatibility

A mixture of this product with any other product or more than one product may be ineffective or may cause serious damage. The use of such a mixture is, therefore, entirely at the user's risk. DO NOT add wetting agents or crop oils to spray solution as phytotoxicity may occur.

GROUP 14A INSECTICIDE**INSECTICIDE RESISTANT WARNING**

For insecticide resistance management Omite® 300W is a Group 14A insecticide. Some naturally occurring insect biotypes resistant to Omite® 300W and other Group 14A insecticides may exist through normal-genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Omite® 300W or other Group 14A insecticides are used repeatedly. The effectiveness of Omite® 300W on resistant individuals can be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Crompton Agribusiness Pty Ltd accepts no liability for any losses that may result from the failure of Omite® 300W to control resistant insects. Omite® 300W may be subject to specific resistance management strategies. For further information contact your local supplier, Crompton Agribusiness Pty Ltd representative or local agricultural department agronomist.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the product or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, well-ventilated area, as cool as possible out of direct sunlight.

Triple, or preferably pressure, rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush or puncture and bury containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Product is harmful if absorbed by skin contact, inhaled or swallowed. Will irritate the eyes, nose and throat and skin. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. Do not inhale spray mist.

When preparing spray, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length PVC gloves, face shield and goggles. When using the prepared spray, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length PVC gloves and goggles. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield, goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (131126). If swallowed, do not induce vomiting. Give a glass of water.

MATERIAL SAFETY DATA SHEET:

Additional information is listed in MSDS No. A312007A.

CONDITIONS OF SALE:

Crompton Agribusiness Pty Ltd will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Crompton Agribusiness Pty Ltd is limited to the replacement of the goods or (at the option of Crompton Agribusiness Pty Ltd) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Crompton Agribusiness Pty Ltd within thirty days of delivery.



UN NO. 3077	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. (CONTAINS PROPARGITE) MARINE POLLUTANT
In a Transport Emergency Dial 000 Police or Fire Brigade	SPECIALIST ADVICE IN EMERGENCY ONLY 1800 033 111 ALL HOURS - AUSTRALIA WIDE
P.G. III	HAZCHEM 2Z

® Omite is a registered trademark of Crompton Corporation, USA.

NRA Approval No. 48086/0702

BN
DOM