

DIRECTIONS FOR USE – NSW, ACT, QLD, WA & NT only:**RESTRAINTS:**

DO NOT use after 20% of the bolls are open.
DO NOT mix and apply with ULV insecticides.
DO NOT apply if rain is expected within 6 hours.

Crop	Pest Controlled	Rate per ha	Critical Comments
Cotton	Cotton mites (<i>Tetranychus spp.</i>)	2.5 L	Thorough spray coverage is essential. Apply before mite infestations reach damaging levels, according to the specific stage and condition of the crop and the present level and rate of increase of mite infestation. It is recommended that a maximum of 2 non-consecutive applications of Comite be applied to any one crop each season as recommended by the Cotton Resistance Management Strategy. Maximum efficacy is not reached until about 2 weeks after spraying, so premature re-spraying should be avoided. <i>Mixing with Synthetic Pyrethroids:</i> When Comite is tank mixed with emulsifiable concentrate formulations of synthetic pyrethroids used for Heliothis control, improvement in control (synergism) of <i>Helicoverpa armigera</i> resistant to synthetic pyrethroids may be achieved.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORIZED, UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD:

DO NOT HARVEST FOR 4 WEEKS AFTER APPLICATION.

DO NOT FEED COTTON TRASH, STUBBLE OR FAILED CROPS TREATED WITH COMITE TO LIVESTOCK.

GENERAL INSTRUCTIONS:**Insecticide Resistance Warning**

For insecticide resistance management Comite® Miticide is a Group 12C insecticide.

Some naturally occurring insect biotypes resistant Comite and other Group 12C insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Comite or other Group 12C insecticides are used repeatedly. The effectiveness of Comite on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Chemtura Australia Pty Ltd accepts no liability for any losses that may result from the failure of Comite to control resistant insects.

Comite may be subject to specific resistance management strategies. For further information contact your local supplier, Chemtura Australia Pty Ltd representative or local agricultural department agronomist.

Application:

Ground-Rig: Thorough coverage is essential. Nozzles to be mounted on boom droppers hung between the rows with 2 or more upper nozzles at 12–15 cm below the plant terminal, angled slightly upwards, and 2 or more nozzles about 25 cm lower and angled to spray on the undersides of leaves throughout the plant. Apply in a minimum of 100 L/ha spray volume.

Aerial Application: Thorough coverage is essential. Apply in at least 20 litres of water per hectare. Use nozzles configured to produce spray with a droplet size of 150–200 microns. Spray volume and droplet size should be adjusted upwards under conditions of low humidity and high temperatures.

The product may cause leaf reddening and spotting but without any adverse effect to the crop. This may be minimized by spraying in the late afternoon or evening, and when the crop is not under stress.

Compatibility:

This product is compatible with the following products: Dominex® EC and Endosan® EC insecticides.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:

Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

COMITE[®]

MITICIDE

ACTIVE CONSTITUENT: 600 g/L PROPARGITE


GROUP **12C** INSECTICIDE

For the control of cotton mites (*Tetranychus spp.*) in cotton

CONTENTS: 200 L

Chemtura Australia Pty Ltd
Level 7, 435 King William Street Adelaide SA 5000
Tel: 08 8112 0900 Fax: 08 8112 0999

 Chemtura
AGROSOLUTIONS™

**STORAGE AND DISPOSAL:**

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight.

Triple, or preferably pressure, rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush or puncture and bury containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Product is harmful if absorbed by skin contact, inhaled or swallowed. Will irritate the eyes, nose, throat and skin. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. Do not inhale vapor or spray mist. When preparing spray, wear cotton overalls buttoned to the neck and wrist and washable hat, elbow-length PVC gloves, face shield and goggles. When using the prepared spray, wear cotton overalls buttoned to the neck and wrist and washable hat, elbow-length PVC gloves and goggles.

If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield, goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre *Phone Australia 131 126*. If swallowed, DO NOT induce vomiting. Give a glass of water.

MATERIAL SAFETY DATA SHEET:

For additional information, refer to the Material Safety Data Sheet.

CONDITIONS OF SALE:

Chemtura Australia Pty Ltd will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply or use of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Chemtura Australia Pty Ltd is limited to the replacement of the goods or (at the option of Chemtura Australia Pty Ltd) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Chemtura Australia Pty Ltd within thirty days of delivery.

* Comite is a Registered Trademark of a subsidiary of Chemtura Corporation.

* Endosan is a Registered Trademark.

* Dominex is a Registered Trademark.

UN No. 3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains propargite) MARINE POLLUTANT
In an Emergency Dial 000 Police or Fire Brigade	SPECIALIST ADVICE IN EMERGENCY ONLY 1800 033 111 ALL HOURS – AUSTRALIA WIDE
P.G. III	HAZCHEM 3[Z]

BN
DOM

APVMA Approval No. 51293/0703