

Date: 04/12/08
20L_front_MPL_
260 mm wide
170 mm high
100% A4

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Targabolt[®]

200 Herbicide

ACTIVE CONSTITUENT: 200 g/L QUIZALOFOP-P-ETHYL

SOLVENTS: 585 g/L HYDROCARBON LIQUID 150 g/L N-METHYL-PYRROLIDONE

GROUP **A** HERBICIDE



For the control of certain grass weeds in broadleaf crops
as per Directions for Use table.

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USE

20L



Targabolt[®]

200 Herbicide

PRECAUTION: RE-ENTRY

DO NOT allow entry into treated areas until the spray has dried. When prior entry is necessary, wear chemical resistant gloves. Clothing must be laundered after each day's use.

STORAGE AND DISPOSAL

DO NOT store tank-mixes of Targabolt 200 Herbicide with other materials. Store in the closed original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. When storing, keep from contact with fertilisers, fungicides and seeds. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean container to recycler or designated collection point.

If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the container below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Will irritate the eyes and skin. Avoid contact with eyes. When opening the container, preparing the spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist and a washable hat, and elbow-length PVC gloves. If product on skin immediately wash area with soap and water. Wash hands after use. After each day's use wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (PH: 13 11 26). If swallowed do NOT induce vomiting. Give a glass of water. If in eyes hold open, flood with water for at least 15 minutes and see a doctor.

Date: 04/12/08
20L_rear_MPL_
260 mm wide
170 mm high
100% A4

MATERIAL SAFETY DATA SHEET

For further information refer to Material Safety Data Sheet which is available from the supplier or from our web-site, www.sipcam.com.au.

NOTICE TO BUYER

Sipcam Pacific Australia Pty Ltd (Sipcam) shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence, use under abnormal conditions or otherwise in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Sipcam's skill or judgement in purchasing or using the product and every person dealing with this product does so at their own risk.

APVMA Approval Number: 61862/20L/1208

Date of Manufacture:

Batch No:

This product IS a Dangerous Good under the Australian Code for the transport of Dangerous Goods by road and rail.

For specialist advice in emergency only, call 1800 033 111 all hours, Australia wide

UN NO: 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID
N.O.S (CONTAINS QUIZALOFOP-P-ETHYL)

PG III

HAZCHEM 2X



Sipcam Pacific Australia Pty Ltd Level 1, 191 Malop Street Geelong VICTORIA 3220

© Registered trademark of Nissan Chemical Industries.

