

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Nufarm
ARAMO[®]

Herbicide

ACTIVE CONSTITUENT: 200 g/L TEPRALOXYDIM
SOLVENT: 719 g/L LIQUID HYDROCARBONS

GROUP **A** HERBICIDE

For the control of certain grass weeds in canola, chickpeas, faba beans, field peas, lentils, lupins, subclover and vetch, as per the DIRECTIONS FOR USE table.

Contents: 5 Litres
20 Litres

Nufarm Australia Limited
ACN 004 377 780
103-105 Pipe Road
Laverton North, Victoria 3026
Tel: (03) 9282 1000
Fax: (03) 9282 1001



® Registered trademark of BASF

DIRECTIONS FOR USE

RESTRAINTS: DO NOT apply without the addition of an adjuvant.
 DO NOT apply to crops or weeds stressed by factors such as root or foliar diseases, water-logging, nutrient deficiencies, or extremes of temperature and moisture.
 DO NOT apply if rain is expected within one hour of application.
 DO NOT apply ARAMO Herbicide more than once to any one crop.

CROP	WEEDS CONTROLLED	STAGE OF WEED GROWTH	RATE (mL/ha)	CRITICAL COMMENTS
Canola, chickpeas, faba beans, field peas, lentils, lupins, subclover, vetch	Annual ryegrass (<i>Lolium rigidum</i>)	2 leaf to fully tillered	175 to 300	Always apply with Hasten ⁺ or Kwickin ⁺ at 1L/100L, or Uptake ⁺ at 500mL/100L spray volume, or similar adjuvant at the label rate (See COMPATIBILITY section). The lower doses will provide effective control if applied under ideal conditions to susceptible weeds that are smaller, actively growing and free from temperature or water stress. Very advanced ryegrass will require excellent coverage to achieve an acceptable level of control. Apply ARAMO in canola only up to the 8-leaf stage, or the commencement of stem elongation, whichever is the earliest. See CROP SAFETY.
	Barley grass (<i>Hordeum leporinum</i>), brome grass (<i>Bromus spp.</i>), paradoxa grass (<i>Phalaris paradoxa</i>), wild oats (<i>Avena spp.</i>), volunteer barley, (<i>Hordeum vulgare</i>), volunteer oats, (<i>Avena sativa</i>), volunteer triticale (<i>Triticale sp.</i>), volunteer wheat (<i>Triticum aestivum</i>).		175 to 250	

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PENOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIODS**HARVEST:**

CANOLA: NOT REQUIRED WHEN USED AS DIRECTED.

CHICKPEAS, FABO BEANS, FIELD PEAS, LENTILS, LUPINS: DO NOT HARVEST FOR 12 WEEKS AFTER APPLICATION.

GRAZING:

CANOLA, CHICKPEAS, FABO BEANS, FIELD PEAS, LENTILS, LUPINS, SUBCLOVER, VETCH: DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 4 WEEKS AFTER APPLICATION.

GENERAL INSTRUCTIONS

RESISTANT WEEDS WARNING

GROUP **A** HERBICIDE

Nufarm ARAMO Herbicide is a member of the cyclohexanedione group of herbicides. The product has the inhibition of acetyl coA carboxylase mode of action. For weed resistance management, the product is a Group A herbicide. Some naturally-occurring weed biotypes resistant to the product and other Group A herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by this product or other Group A herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, Nufarm Australia Limited accepts no liability for any losses that may result from the failure of this product to control resistant weeds.

MIXING

To ensure even mixing, half-fill the spray tank with clean water and add the required amount of product. Add spray additive and agitate thoroughly, then add the remainder of the water. Agitate again before spraying commences.

APPLICATION

Apply ARAMO by ground application only. ARAMO should be applied with calibrated spray equipment producing a median droplet range of 200 to 300 microns VMD. Apply in a minimum of 50 litres of water per hectare. Use 150 L/ha when spraying dense populations. Excellent coverage is required for control of advanced weeds.

COMPATIBILITY

ARAMO is compatible with the following grass herbicides: Verdict⁺/Asset^{*}, Shogun⁺, Targa⁺ and Fusion⁺. ARAMO is also compatible with Lontrel⁺/Archer^{*}. ARAMO may also be applied in tank mixtures with any one of the following products: Fastac[®] Duo, omethoate, Talstar⁺, deltamethrin, chlorpyrifos. ARAMO may also be mixed with dimethoate but only at the higher rates of ARAMO. The following adjuvants are compatible with ARAMO: Hasten, D-C Trate⁺, Kwickin, Uptake⁺, Enhance⁺ and Swift⁺. Do NOT mix ARAMO with Basagran[®].

CLEANING SPRAY EQUIPMENT

Spray tanks, pumps, lines and nozzles should be thoroughly rinsed several times with clean water after application. Use of a household detergent will aid in cleaning of equipment. Add detergent to the spray tank and thoroughly circulate through pumps, hoses and nozzles. Thoroughly rinse several times with clean water.

CROP SAFETY

Apply ARAMO in canola only up to the 8-leaf stage, or the commencement of stem elongation, which ever is the earliest. DO NOT allow spray overlapping as crop injury may occur.

RE-ENTRY PERIOD

DO NOT allow entry into treated areas until the spray has dried. If prior entry is necessary, wear cotton overalls buttoned to the neck and wrist and chemical resistant gloves. Clothing must be laundered after each day's use.

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS

DO NOT apply under weather conditions or from spraying equipment that may cause spray to drift onto nearby susceptible plants/crops, cropping lands, pastures or non-target plants.

DO NOT apply within 5 m upwind of sensitive native grasslands.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should NOT be burnt.

SAFETY DIRECTIONS

Will irritate the eyes and skin. Avoid contact with eyes and skin. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. Wash hands after use. When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length nitrile gloves and face shield or goggles. When using the prepared spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow-length PVC or nitrile gloves. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 131126

MATERIAL SAFETY DATA SHEET

For further information refer to the Material Safety Data Sheet (MSDS).

CONDITIONS OF SALE:

Nufarm Australia Limited ('Nufarm') shall not be liable for any loss injury damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Nufarm's skill or judgement in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Nufarm has any authority to add to or alter these conditions.

® Registered trademark of BASF

* Registered trademark of Nufarm Australia Limited

+ Other Trademarks

Nufarm Australia Limited
ACN 004 377 780
103-105 Pipe Road
Laverton North
Victoria 3026
Tel: (03) 9282 1000
Fax: (03) 9282 1001

In case of emergency: Phone 1800 033 498

Ask for shift supervisor. Toll free 24 hours.

For Technical Enquiries call 1800 639 899

Batch No:

Date of Manufacture:

Barcode



APVMA Approval No.: 58895/5L/0504

APVMA Approval No.: 58895/20L/0504