

WARNING

**KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING**

Bayleton[®]

Garden Fungicide

Active Constituent: 50 g/kg TRIADIMEFON



MEASURING SPOON INCLUDED

Controls

- Azalea petal blight
- Powdery mildew on apples, cucurbits and grapevines
- Dollar spot on lawns

Bayleton®

Garden Fungicide

Packaging: 150 g NET

HOW TO USE

Plants	Disease	Rate	How to apply
Apples	Powdery mildew	Mix 2 level spoons per 7 L of water	Apply thoroughly from early flowering in a series of no more than 5 applications at 10 to 14 day intervals.
Azalea	Azalea petal blight	Mix 3 level spoons per 1 L of water	Apply thoroughly every 2 weeks from the expanded bud stage (before buds colour) until the end of flowering.
Cucurbit vegetables (eg pumpkin, cucumbers, melons)	Powdery mildew	Mix 3 level spoons per 5 L of water	Apply thoroughly at the first sign of infection and repeat at weekly intervals.
Grapevines	Powdery mildew	Mix 1 level spoon per 2 L of water	Apply thoroughly in the following program: 1. When shoots are 10 cm long 2. Pre-flowering 3. Flowering 4. After fruit set 5. Before bunches close.
Lawn	Dollar spot (not Tasmania)	Mix 6 level spoons per 7 L of water	Apply with watering can to infected lawn. Do not treat if about to rain. Do not water until treatment has dried. Covers 3 square metres.

NOT TO USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED
DO NOT PICK APPLES AND GRAPES FOR 14 DAYS AFTER SPRAYING
DO NOT PICK CUCURBITS FOR 1 DAY AFTER SPRAYING

How to prepare

Mixing

Use measuring spoon provided. Mix the required quantity of Bayleton in a small quantity of water to make a smooth cream. Add the cream to the required quantity of water in the sprayer and mix thoroughly. Do not mix more than can be used on the day of mixing. (1 level spoon contains 1.7 g of Bayleton Garden Fungicide)

Caution

DO NOT allow chemical containers or spray to get into drains, sewers, streams or ponds.

DO NOT feed grass clippings from treated areas to poultry or other animals.

Storage and Disposal

Store in the closed, original container in a cool, dry place out of the reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage.

Safety Directions

Poisonous if swallowed. May irritate the eyes or skin. Do not inhale dust. When preparing the product for use, wear rubber gloves. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each days use, wash gloves and contaminated clothing.

First Aid

If poisoning occurs, contact a doctor or Poisons Information Centre. If swallowed, and if more than 15 minutes from a hospital, induce vomiting, preferably using Ipecac Syrup APF.

Notice

Purchaser assumes all risk of use and handling where the product is not used in accordance with directions given.

© Trademark of Bayer Germany

© Copyright Bayer Australia Limited



Bayer Australia Limited
875 Pacific Highway Pymble NSW 2073
Telephone (02) 9391 6000

Marketed and recommended by
Arthur Yates & Co Limited
244 Horsley Road Milperra NSW 2214