

# SAFETY DATA SHEET

PRODUCT NAME **Imtrade Cyborg™ 25 EC Insecticide**

APVMA Product Code: 84822

## 1 - IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Supplier Name** **IMTRADE AUSTRALIA PTY LTD**  
**Address** 17 Ocean Street, Kwinana, Western Australia, AUSTRALIA, 6167  
**Telephone** 1800 171 799  
**Fax** 1800 171 788  
**Emergency** In a Transport Emergency Dial 000 – Police or Fire Brigade  
**Web site** <http://www.imtrade.com.au>  
**Product Use:** Agricultural insecticide for use as described on the product label.  
**Creation Date:** **September, 2015**  
**This version issued:** **First issue: September, 2018** and is valid for 5 years from this date.  
**Poisons Information Centre: Phone 13 1126 from anywhere in Australia**  
**Product type:** Beta-cyfluthrin is a pyrethroid derivative.

## SECTION 2 - HAZARDS IDENTIFICATION

### Statement of Hazardous Nature

This product is classified as: Xi, Irritating. T, Toxic. N, Dangerous to the environment. F, Flammable. Hazardous according to the criteria of SWA.

Dangerous according to Australian Dangerous Goods (ADG) Code, IATA and IMDG/IMSBC criteria.

**SUSMP Classification:** S6

**ADG Classification:** Class 3: Flammable liquids.

**UN Number:** 1993, FLAMMABLE LIQUID, N.O.S.



### GHS Signal word: **DANGER**

Flammable Liquids - Category 3  
Acute Toxicity Oral - Category 3  
Acute Toxicity Dermal - Category 4  
Skin Corrosion /Irritation - Category 2  
Serious Eye Damage/Eye Irritation - Category 2B  
Acute Toxicity Inhalation - Category 3  
Specific Target Organ Toxicity - Single Exposure - Category 3  
Specific Target Organ Toxicity - Single Exposure - Category 3  
Hazardous to Aquatic Environment Short Term/Chronic - Category 1

### HAZARD STATEMENTS:

H226: Flammable liquid and vapour.  
AUH066: Repeated exposure may cause skin dryness or cracking.  
H301: Toxic if swallowed.  
H312: Harmful in contact with skin.  
H315: Causes skin irritation.  
H320: Causes eye irritation.  
H331: Toxic if inhaled.  
H335: May cause respiratory irritation.  
H336: May cause drowsiness or dizziness.  
H410: Very toxic to aquatic life with long lasting effects.

## SAFETY DATA SHEET

**PRECAUTIONARY STATEMENTS:****PREVENTION**

- P102: Keep out of reach of children.  
 P210: Keep away from heat, sparks, open flames and hot surfaces. - No smoking.  
 P240: Ground/bond container and receiving equipment.  
 P241: Use explosion-proof electrical ventilating, lighting and other equipment.  
 P242: Use only non-sparking tools.  
 P243: Take precautionary measures against static discharge.  
 P261: Avoid breathing fumes, mists, vapours or spray.  
 P262: Do not get in eyes, on skin, or on clothing.  
 P264: Wash contacted areas thoroughly after handling.  
 P270: Do not eat, drink or smoke when using this product.  
 P271: Use only outdoors or in a well ventilated area.  
 P273: Avoid release to the environment.  
 P280: Wear protective gloves, protective clothing and eye or face protection.

**RESPONSE**

- P312: Call a POISON CENTRE or doctor if you feel unwell.  
 P362: Take off contaminated clothing and wash before reuse.  
 P301+P310: IF SWALLOWED: Immediately call a POISON CENTRE or doctor.  
 P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
 P302+P352: IF ON SKIN: Wash with plenty of soap and water.  
 P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P332+P313: If skin irritation occurs: Get medical advice.  
 P337+P313: If eye irritation persists: Get medical advice.  
 P391: Collect spillage.  
 P370+P378: In case of fire, use carbon dioxide, dry chemical, foam, water fog. Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal foam can be used.

**STORAGE**

- P410: Protect from sunlight.  
 P402+P404: Store in a dry place. Store in a closed container.  
 P403+P235: Store in a well-ventilated place. Keep cool.

**DISPOSAL**

- P501: Dispose of contents and containers as specified on the registered label.

**Emergency Overview**

**Physical Description & Colour:** Colourless to yellow-brown liquid.

**Odour:** Characteristic aromatic odour.

**Major Health Hazards:** toxic if swallowed, harmful by inhalation and in contact with skin, irritating to eyes and skin, repeated exposure may cause skin dryness or cracking, vapours may cause drowsiness and dizziness.

**SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredients	CAS No	Conc,%	TWA (mg/m <sup>3</sup> )	STEL (mg/m <sup>3</sup> )
Beta-cyfluthrin	68359-37-5	25g/L	not set	not set
Xylene	1330-20-7	Approx 90	350	655
Other non hazardous ingredients	secret	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

**SECTION 4 - FIRST AID MEASURES****General Information:**

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

**Inhalation:** If symptoms of poisoning become evident, contact a Poisons Information Centre, or call a doctor at once. Remove source of contamination or move victim to fresh air. If breathing is difficult, oxygen may be beneficial if

**SAFETY DATA SHEET**

administered by trained personnel, preferably on a doctor's advice. DO NOT allow victim to move about unnecessarily. Symptoms of pulmonary oedema can be delayed up to 48 hours after exposure.

**Skin Contact:** Quickly and gently blot away excess liquid. Wash gently and thoroughly with warm water (use non-abrasive soap if necessary) for 10-20 minutes or until product is removed. Under running water, remove contaminated clothing, shoes and leather goods (e.g. watchbands and belts) and completely decontaminate them before reuse or discard. If irritation persists, repeat flushing and seek medical attention.

**Eye Contact:** Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 15 minutes or until the product is removed, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention immediately. Take special care if exposed person is wearing contact lenses.

**Ingestion:** If swallowed, do NOT induce vomiting; rinse mouth thoroughly with water and contact a Poisons Information Centre, or call a doctor at once. Give activated charcoal if instructed.

---

## SECTION 5 - FIRE FIGHTING MEASURES

---

**Fire and Explosion Hazards:** The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. This product is classified as flammable. There is little risk of an explosion from this product if commercial quantities are involved in a fire. Any explosion will likely spread the fire to surrounding materials. Water spray may be used to cool drums involved in a fire, reducing the chances of an explosion. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids. Vapours from this product are heavier than air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures. They may also flash back considerable distances.

Fire decomposition products from this product are likely to be toxic and corrosive if inhaled. Take appropriate protective measures.

**Extinguishing Media:** In case of fire, use carbon dioxide, dry chemical, foam, water fog. Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal foam can be used. Try to contain spills, minimise spillage entering drains or water courses.

**Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade. There is a danger of a violent reaction or explosion if significant quantities of this product are involved in a fire. Recommended personal protective equipment is liquid-tight chemical protective clothing and breathing apparatus. Cool closed, undamaged containers exposed to fire with water spray.

**Flash point:** <30°C

**Upper Flammability Limit:** No data.

**Lower Flammability Limit:** No data.

**Autoignition temperature:** No data.

**Flammability Class:** Flammable Category 3 (GHS); Flammable (AS1940)

---

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

---

**Accidental release:** In the event of a major spill, prevent spillage from entering drains or water courses. Evacuate the spill area and deny entry to unnecessary and unprotected personnel. Immediately call the Fire Brigade. Wear full protective chemically resistant clothing including eye/face protection, gauntlets and self contained breathing apparatus. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include polyvinyl alcohol, Teflon, PE/EVAL. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned below (section 8). Otherwise, not normally necessary.

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Avoid using sawdust or other combustible material. Any electrical equipment should be non-sparking. Any equipment capable of building an electrostatic charge should be electrically grounded. Because of the toxicity of this product, special personal care should be taken in any cleanup operation. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

## SAFETY DATA SHEET

**SECTION 7 - HANDLING AND STORAGE**

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage:** This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this schedule of poison. Store in a cool, well ventilated area, and make sure that surrounding electrical devices and switches are suitable. Check containers periodically for leaks. Containers should be kept closed in order to minimise contamination and possible evaporation. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. If you keep more than 10000kg or L of Dangerous Goods of Packaging Group III, you may be required to license the premises or notify your Dangerous Goods authority. If you have any doubts, we suggest you contact your Dangerous Goods authority in order to clarify your obligations. Check packaging - there may be further storage instructions on the label.

**SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION**

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

<b>SWA Exposure Limits</b>	<b>TWA (mg/m<sup>3</sup>)</b>	<b>STEL (mg/m<sup>3</sup>)</b>
Xylene	350	655

The ADI for Beta-cyfluthrin is set at 0.01mg/kg/day. The corresponding NOEL is set at 1.5mg/kg/day. ADI means Acceptable Daily Intake; NOEL means No-observable-effect-level. Data from Australian ADI List, June 2014.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

**Ventilation:** This product should only be used in a well ventilated area. If natural ventilation is inadequate, use of a fan is suggested.

**Eye Protection:** Protective glasses or goggles should be worn when this product is being used. Failure to protect your eyes may cause them harm. Emergency eye wash facilities are also recommended in an area close to where this product is being used.

**Skin Protection:** Prevent skin contact by wearing impervious gloves, clothes and, preferably, apron. Make sure that all skin areas are covered. See below for suitable material types.

**Protective Material Types:** We suggest that protective clothing be made from the following materials: polyvinyl alcohol, Teflon, PE/EVAL.

**Respirator:** Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above. Otherwise, not normally necessary.

Eyebaths or eyewash stations and safety deluge showers should, if practical, be provided near to where this product is being handled commercially.

**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES:**

<b>Physical Description &amp; colour:</b>	Colourless to yellow-brown liquid.
<b>Odour:</b>	Characteristic aromatic odour.
<b>Boiling Point:</b>	Approx 138°C at 100kPa
<b>Freezing/Melting Point:</b>	No specific data. Liquid at normal temperatures.
<b>Volatiles:</b>	No specific data. Expected to be low at 100°C.
<b>Vapour Pressure:</b>	No data.
<b>Vapour Density:</b>	No data.
<b>Specific Gravity:</b>	0.90
<b>Water Solubility:</b>	Emulsifiable.
<b>pH:</b>	No data.
<b>Volatility:</b>	No data.
<b>Odour Threshold:</b>	No data.
<b>Evaporation Rate:</b>	No data.
<b>Coeff Oil/water Distribution:</b>	No data
<b>Autoignition temp:</b>	No data.

**SECTION 10 - STABILITY AND REACTIVITY**

**Reactivity:** This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

**SAFETY DATA SHEET**

**Conditions to Avoid:** This product should be kept in a cool place, preferably below 30°C. Containers should be kept dry. Keep away from sources of sparks or ignition. Keep isolated from combustible materials. Handle and open containers carefully. Any electrical equipment in the area of this product should be flame proofed. Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

**Incompatibilities:** oxidising agents.

**Fire Decomposition:** Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. May form hydrogen fluoride gas and other compounds of fluorine. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

**Polymerisation:** This product will not undergo polymerisation reactions.

---

## SECTION 11 - TOXICOLOGICAL INFORMATION

---

### Local Effects:

**Target Organs:** There is no data to hand indicating any particular target organs.

---

### Classification of Hazardous Ingredients

---

Ingredient	Risk Phrases
<b>Beta-cyfluthrin</b>	>=1%Conc<7%: T; R23/25
<ul style="list-style-type: none"> <li>• Acute Toxicity Oral- Category 2</li> <li>• Acute Toxicity Dermal - Category 3</li> <li>• Hazardous to the Aquatic Environment (Acute) - Category 1</li> <li>• Hazardous to the Aquatic Environment (Chronic) - Category 1</li> </ul>	
<b>Xylene</b>	Conc>=25%: Xn; R20/21; R37/38
<ul style="list-style-type: none"> <li>• Flammable Liquid - Category 3</li> <li>• Acute Toxicity Oral - Category 4</li> <li>• Acute Toxicity Dermal - Category 4</li> <li>• Specific Target Organ Toxicity (Single Exposure) - Category 3</li> <li>• Skin Irritation - Category 2</li> </ul>	

### Acute oral toxicity (Beta-cyfluthrin)

Rat, male (fasted) LD<sub>50</sub> 11 mg/kg body weight (water/Cremophor EL)

Rat, male (fasted) LD<sub>50</sub> 380 mg/kg body weight (PEG 400)

Rat, female (fasted) LD<sub>50</sub> 651 mg/kg body weight (PEG 400)

Mouse, male (fasted) LD<sub>50</sub> 91 mg/kg body weight

Mouse, female (fasted) LD<sub>50</sub> 165 mg/kg body weight

Dog, male (fasted) LD<sub>50</sub> > 5000 mg/kg body weight

Dog, female (fasted) LD<sub>50</sub> > 5000 mg/kg body weight

*Acute oral toxicity depends on the nature of the vehicle employed.*

### Acute dermal toxicity

The dermal toxicity of beta-cyfluthrin is very low (rat LD<sub>50</sub> > 5000 mg/kg body weight).

**Eye irritation:** The treatment produced slight irritation of the conjunctivae of New Zealand White rabbits. However, the changes were reversible within 2 days of application.

**Skin sensitisation:** No evidence of a skin sensitising potential has been found in the maximisation test on guinea pigs according to the Magnusson and Kligman protocol.

---

### Potential Health Effects

---

#### Inhalation:

**Short Term Exposure:** High vapour pressures may cause drowsiness and dizziness. Available data shows that this product is toxic, but further symptoms are not available.

**Long Term Exposure:** Vapours may cause drowsiness and dizziness.

#### Skin Contact:

**Short Term Exposure:** Available data shows that this product is harmful, but symptoms are not available. In addition this product causes skin numbness and is a skin irritant. Symptoms may include itchiness and reddening of contacted skin. Other symptoms may also become evident, but all should disappear once exposure has ceased.

**Long Term Exposure:** Repeated exposure may cause skin dryness or cracking.

#### Eye Contact:

**Short Term Exposure:** This product is an eye irritant. Symptoms may include stinging and reddening of eyes and watering which may become copious. Other symptoms may also become evident. If exposure is brief, symptoms should disappear once exposure has ceased. However, lengthy exposure or delayed treatment may cause permanent damage.

## SAFETY DATA SHEET

**Long Term Exposure:** No data for health effects associated with long term eye exposure.

#### **Ingestion:**

**Short Term Exposure:** Significant oral exposure is considered to be unlikely. Available data shows that this product is toxic, but further symptoms are not available. However, this product is an oral irritant. Symptoms may include burning sensation and reddening of skin in mouth and throat. Other symptoms may also become evident, but all should disappear once exposure has ceased.

**Long Term Exposure:** No data for health effects associated with long term ingestion.

#### **Carcinogen Status:**

**SWA:** No significant ingredient is classified as carcinogenic by SWA.

**NTP:** No significant ingredient is classified as carcinogenic by NTP.

**IARC:** Xylene is Class 3 - unclassifiable as to carcinogenicity to humans.

See the IARC website for further details. A web address has not been provided as addresses frequently change.

---

### **SECTION 12 - ECOLOGICAL INFORMATION**

---

Very toxic to aquatic organisms, may cause long-term adverse effects to the aquatic environment.

#### **For Beta-cyfluthrin:**

##### **Acute toxicity to Daphnia:**

The acute toxicity of beta-cyfluthrin technical to water fleas was determined under flow-through conditions. The 48-hour EC<sub>50</sub> value for *Daphnia magna* exposed to beta-cyfluthrin at 20°C was approximately 0.3 µg a.i./L.

##### **Effects on algal growth:**

The effects of beta-cyfluthrin technical on the growth of the green alga, *Scenedesmus subspicatus*, were determined in a 96-hour laboratory study under static test conditions using test concentrations of 1 and 10 µg a.i./L nominal concentration at 23°C. Because of the low water solubility of this compound it was impossible to test higher concentrations. The EC<sub>50</sub> for the growth rate was determined to be > 10µg a.i./L. The no-observed-effect-concentration was > 10 µg a.i./L. No toxic signs were observed at 10 µg a.i./L, the highest concentration tested.

##### **Effects on aquatic ecosystems**

In studies with beta-cyfluthrin in natural and artificial ponds a pronounced but transient depression of populations of crustaceans was observed. Due to the rapid disappearance of the compound from the water phase (low water solubility and extremely high adsorption to organic material), recovery of the crustacean population is also rapid. No adverse effects on flora and other fauna of the ecosystem, fish included, were observed.

##### **Effects on earthworms**

The acute toxicity of beta-cyfluthrin to earthworms was determined to be LC<sub>50</sub> >1000 mg/kg dry weight soil, i.e. beta-cyfluthrin can be regarded as non toxic to earthworms.

---

### **SECTION 13 - DISPOSAL CONSIDERATIONS**

---

**Disposal:** Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 <http://www.chemclear.com.au/> and for help with the disposal of empty drums, contact DrumMuster <http://www.drummuster.com.au/> where you will find contact details for your area.

---

### **SECTION 14 - TRANSPORT INFORMATION**

---

**Dangerous according to Australian Dangerous Goods (ADG) Code, IATA and IMDG/IMSBC criteria.**

**UN Number:** 1993, FLAMMABLE LIQUID, N.O.S.

**Hazchem Code:** •3Y

**Special Provisions:** 223, 274

**Limited quantities:** ADG 7 specifies a Limited Quantity value of 5 L for this class of product.

**Dangerous Goods Class:** Class 3: Flammable liquids.

**Packaging Group:** III

**Packaging Method:** P001, IBC03, LP01

Class 3 Flammable Liquids shall not be loaded in the same vehicle or packed in the same freight container with Classes 1 (Explosives), 2.1 (Flammable Gases where flammable liquids and flammable gases are both in bulk), 2.3 (Toxic Gases), 4.2 (Spontaneously Combustible Substances), 5.1 (Oxidising Agents), 5.2 (Organic Peroxides), 6 (Toxic Substances, except Flammable Liquid is nitromethane), and 7 (Radioactive Substances). They may however be loaded in the same vehicle or packed in the same freight container with Classes 2.1 (Flammable Gases except where the Flammable Liquids and Flammable Gases are in bulk), 2.2 (Non-Flammable Non-Toxic Gases), 4.1 (Flammable Solids), 4.3 (Dangerous When Wet Substances), 6 (Toxic Substances, where Flammable Liquid is nitromethane), 8 (Corrosive Substances), 9 (Miscellaneous Dangerous Goods), Foodstuffs or foodstuff empties.

## **SAFETY DATA SHEET**

---

**SECTION 15 - REGULATORY INFORMATION**

---

**AICS:** All of the significant ingredients in this formulation are compliant with NICNAS regulations.  
The following ingredients: Beta-cyfluthrin, Xylene, are mentioned in the SUSMP.

---

**SECTION 16 - OTHER INFORMATION**

---

**This SDS contains only safety-related information. For other data see product literature.**

**Acronyms:**

<b>ADG Code</b>	Australian Code for the Transport of Dangerous Goods by Road and Rail (7 <sup>th</sup> edition)
<b>AICS</b>	Australian Inventory of Chemical Substances
<b>SWA</b>	Safe Work Australia, formerly ASCC and NOHSC
<b>CAS number</b>	Chemical Abstracts Service Registry Number
<b>Hazchem Code</b>	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
<b>IARC</b>	International Agency for Research on Cancer
<b>NOS</b>	Not otherwise specified
<b>NTP</b>	National Toxicology Program (USA)
<b>R-Phrase</b>	Risk Phrase
<b>SUSMP</b>	Standard for the Uniform Scheduling of Medicines & Poisons
<b>UN Number</b>	United Nations Number

This SDS summarises our best knowledge of the health and safety hazard information on the product, and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace, including in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made the user should contact Imtrade Australia Pty Ltd, or in the event of an emergency, 000. Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

CYBORG™ is a Trademark of Imtrade Australia Pty Ltd

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (Feb 2016)

Copyright © Kilford & Kilford Pty Ltd, September, 2018.

<http://www.kilford.com.au/> Phone (02)9251 4532

End of Report

**SAFETY DATA SHEET**