

Infosafe No™ 3NUPP	Issue Date : February 2013	ISSUED by CRPCARE
--------------------	----------------------------	-------------------

Product Name **ASTRAL 250 EC Insecticide/Miticide**

Classified as hazardous

1. Identification

GHS Product Identifier	ASTRAL 250 EC Insecticide/Miticide
Product Code	5352
Product Type	Group 3A Insecticide
Company Name	Crop Care Australasia Pty Ltd (ABN 53 061 362 347)
Address	Unit 15/16 Metroplex Avenue Murarrie Queensland 4172 Australia
Telephone/Fax Number	Tel: +61 7 3909 2000 Fax: +61 7 3909 2010
Emergency phone number	1800 033 498 (24hr Australia)
Recommended use of the chemical and restrictions on use	Controls insect pests and mites of apricots, bananas, barley, canola, citrus, clover, cotton, cucurbits, faba beans, field peas, grapes, lucerne, lucerne seed crops, lupins, navy beans, nectarines, peaches, pears, plums, poppies, subterranean clover, sugarcane, sweet potatoes, tomatoes and wheat as specified in the Directions for Use table on the label.
Other Information	This MSDS describes, to the best of our knowledge, the properties of the concentrated product. The physical properties and some of the assessments do not apply to the properties of the product once it has been diluted for application. Acute health effects of the diluted product are likely to be much less severe.

2. Hazard Identification

GHS classification of the substance/mixture	Acute Toxicity - Oral: Category 3 Acute Toxicity - Inhalation: Category 4 Sensitization - Skin: Category 1A Carcinogenicity: Category 2 Aspiration Hazard: Category 1 STOT Single Exposure Category 3 (narcotic)
Signal Word (s)	DANGER
Hazard Statement (s)	Toxic if swallowed. Harmful if inhaled. May cause an allergic skin reaction. Suspected of causing cancer. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. Repeated exposure may cause skin dryness or cracking
General Precautionary Statement (s)	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use.
Pictogram (s)	Exclamation mark, Health hazard, Skull and crossbones



Precautionary statement – Prevention	P264 Wash hands and exposed skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P261 Avoid breathing spray. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear eye and face protection. P281 Use personal protective equipment as required.
Precautionary statement – Response	P308+P313 IF exposed or concerned: Get medical advice/attention. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P330 Rinse mouth. P331 Do NOT induce vomiting. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.



Safety Data Sheet

Infosafe No™ 3NUPP Issue Date : February 2013 ISSUED by CRPCARE

Product Name **ASTRAL 250 EC Insecticide/Miticide**

Classified as hazardous

P311 Call a POISON CENTER or doctor/physician.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P363 Wash contaminated clothing before reuse.
Poisons Schedule S6

Other Information

3. Composition/information on ingredients

Chemical Characterization	Liquid		
Ingredients	Name	CAS	Proportion
	Bifenthrin	82657-04-3	250 g/L
	Liquid Hydrocarbon	64742-94-5	640 g/L
	Other ingredients (considered non-hazardous)		0-10 %

4. First-aid measures

Inhalation Remove affected person to fresh air until recovered. If symptoms develop or persist, seek medical advice.

Ingestion Rinse mouth and then drink plenty of water.
If swallowed do NOT induce vomiting; seek medical advice immediately and show this container or label or contact the Poisons Information Centre on 13 11 26 (Aust). Make every effort to prevent vomit from entering the lungs by careful placement of the patient.

Skin Wash affected areas thoroughly with soap and water.
Remove contaminated clothing and launder before re-use.
If irritation persists, seek medical advice.

Eye contact If in eyes, hold eyelids open and wash with copious amounts of water for at least 15 minutes.
Seek medical advice.

Advice to Doctor Treat symptomatically.
If vomiting occurs, solvent present may cause pulmonary pneumonitis.
Exposure to bifenthrin can result in sensations of tingling especially in the face. The effects are transient and generally disappear in one to two days. Topical application of vitamin E cream is effective in reducing discomfort.

5. Fire-fighting measures

Suitable extinguishing media Water fog, foam, carbon dioxide or dry chemical.

Hazards from Combustion Products May emit hazardous smoke and fumes if involved in fires or exposed to extreme heat.

Special Protective Equipment for fire fighters Breathable air apparatus may have to be worn if material is involved in fires especially in confined spaces.

Hazchem Code 2X

Other Information STOP FIRE WATER FROM ENTERING DRAINS OR WATER BODIES.

6. Accidental release measures

Spills & Disposal Contain spill and absorb with clay, sand, soil or proprietary absorbent (such as vermiculite).
Collect spilled material and waste in sealable open-top type containers for disposal.

Personal Protection For appropriate personal protective equipment (PPE), refer Section 8.

Clean-up Methods - Large Spillages Place damaged containers in recovery bins (if available) and return to manufacturer.
If large liquid spills occur, attempt to recover as much spilt material from sumps and banded areas, as possible, before absorbing remaining material into vermiculite or other absorbent.

Infosafe No™ 3NUPP	Issue Date : February 2013	ISSUED by CRPCARE
--------------------	----------------------------	-------------------

Product Name **ASTRAL 250 EC Insecticide/Miticide**

Classified as hazardous

Environmental Precautions Prevent product or washings from entering drains, waterways or sewers.

7. Handling and storage

Conditions for safe storage, including any incompatibilities Store in the closed, original container in a cool, well ventilated area. Do not store for prolonged periods in direct sunlight. Keep container tightly sealed and do not store with seed, fertilisers or foodstuffs.

Other Information Always read the label and any attached leaflet before use.

8. Exposure controls/personal protection

Occupational exposure limit values The manufacturer of the solvent has recommended an occupational exposure limit of 100 mg/m³; 17ppm TWA, as total hydrocarbon. No exposure standards have been set for this product.

Appropriate engineering controls Handle in well ventilated areas, generally natural ventilation is adequate.

Personal Protective Equipment When opening the container, preparing product for use and using the prepared product, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), a washable hat, elbow-length PVC gloves and goggles. Re-entry period: Do not enter treated area until spray has dried.

Hygiene Measures After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash contaminated clothing and safety equipment.

Requirements Concerning Special Training Check State or Territory regulations that require people who use pesticides in their job or business to have training in the application of the materials.

9. Physical and chemical properties

Form Liquid

Appearance Clear brown coloured liquid.

Solubility in Water Forms an emulsion in water.

Specific Gravity 0.969

pH 5-6 (1% solution)

Vapour Pressure 0.0178 mPa @ 20°C for bifenthrin

Partition Coefficient: n-octanol/water Kow Log P is 6.6 for bifenthrin

Flash Point 66°C

Flammability Combustible Liquid (GHS). Combustible liquid Cl. (AS1940)

10. Stability and reactivity

Chemical Stability Stable under normal conditions.

Possibility of hazardous reactions Keep away from strong oxidising agents.

Hazardous Polymerization Hazardous polymerisation is not possible.

11. Toxicological Information

Acute Toxicity - Oral LD50 (rat) 54.5 mg/kg for bifenthrin

Acute Toxicity - Dermal LD50 (rat) >2000mg/kg

Ingestion Possible symptoms of exposure include: nausea, vomiting, central nervous system depression and a burning or itching sensation.

Inhalation Breathing in high concentrations of vapour can produce central nervous system depression, which can lead to loss of coordination, impaired judgement and if exposure is prolonged, unconsciousness. Breathing in high concentrations of aerosols of this material may have the

Infosafe No™ 3NUPP	Issue Date : February 2013	ISSUED by CRPCARE
--------------------	----------------------------	-------------------

Product Name **ASTRAL 250 EC Insecticide/Miticide**

Classified as hazardous

Skin	effects noted above and, in addition, cause nausea and irritation of the nose, throat and respiratory tract. Will irritate the skin. Prolonged contact with the concentrate can cause defatting of the skin and may result in dermatitis. Prolonged or repeated exposure may cause skin sensitisation. Prolonged contact with the concentrate may result in absorption of bifenthrin in harmful amounts. Exposure to bifenthrin can result in sensations of tingling especially in the face. The effects are transient and generally disappear in one to two days. Topical application of vitamin E cream is effective in reducing discomfort.
Eye	Will irritate the eyes.
Skin Sensitisation	Prolonged and repeated skin contact may result in skin sensitisation. Skin contact may produce skin sensations such as numbing, burning and tingling. These sensations are reversible and usually subside within 24 hours.
Carcinogenicity	An impurity present in the solvent has been found to cause tumors in laboratory studies. The active ingredient(s), bifenthrin is not considered carcinogenic.
Reproductive Toxicity	Data indicates no reproductive effects.
Chronic Effects	Based on available data, repeated exposures are not anticipated to cause additional significant adverse effects.
Serious eye damage/irritation	This product is a severe eye irritant.
Mutagenicity	Data indicates no mutagenic effects.
Other Information	The Australian Acceptable Daily Intake (ADI) for bifenthrin for a human is 0.01 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 1 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Comm. Dept. of Health and Ageing, Office of Chemical Safety, 'ADI List', June 2012).

12. Ecological information

Persistence and degradability	Strongly bound to soil.
Known Harmful Effects on the Environment	Bifenthrin products do not appear to pose any threat to birds. The product is a marine pollutant for sea transport.
Other Precautions	Dangerous to bees. Should not be applied while bees are actively foraging. Do not contaminate streams, rivers or waterways with the chemical or used containers.
Environmental Protection	Marine pollutant. Spray drift should be avoided, read the label for more information.
Acute Toxicity - Fish	The following is data for the active ingredient, bifenthrin. LC50 (96hr) for rainbow trout is 0.00026 mg/l. EC50 (48hr) for daphnia magna is 0.00011 mg/l.
Acute Toxicity - Daphnia	
Acute Toxicity - Other Organisms	The following data is for the active ingredient, bifenthrin. LD50 for bobwhite quail is 1800 mg/kg Toxic to bees. LD50 (contact) 0.01µg/bee.

13. Disposal considerations

Product Disposal	On site disposal of the concentrated product is not acceptable. Ideally, the product should be used for its intended purpose. If there is a need to dispose of the product, approach local authorities who hold periodic collections of unwanted chemicals (ChemClear®).
Container Disposal	Do not use this container for any other purpose. Triple or preferably pressure rinse inner bladder or containers before disposal. Add rinsings to the spray tank. If recycling, replace cap and



Safety Data Sheet

Infosafe No™ 3NUPP Issue Date : February 2013 ISSUED by CRPCARE

Product Name **ASTRAL 250 EC Insecticide/Miticide**

Classified as hazardous

return clean containers to recycler or designated collection point.

If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal at an approved waste management facility.

If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations.

DO NOT burn empty containers or product. drumMUSTER is the national program for the collection and recycling of empty, cleaned, non returnable crop production and on-farm animal health chemical containers. If the label on your container carries the drumMUSTER symbol, triple rinse the container, ring your local Council, and offer the container for collection in the program.

Returnable containers: empty contents fully into application equipment. Replace cap, close all valves and return to the point of supply for refill or storage.

14. Transport information

Transport Information	It is good practice not to transport agricultural chemical products with food, food related materials and animal feedstuffs.
U.N. Number	3352
UN proper shipping name	PYRETHROID PESTICIDE, LIQUID, TOXIC - (contains Bifenthrin)
Transport hazard class(es)	6.1
Hazchem Code	2X
Packaging Method	3.8.6.1
Packing Group	III
IERG Number	35
IMO Marine Pollutant	Marine Pollutant

15. Regulatory information

Poisons Schedule	S6
Other Information	This product is registered with the Australian Pesticides and Veterinary Medicines Authority (APVMA). APVMA product number: 68017.

16. Other Information

Date of preparation or last revision of SDS	26/02/2013	
Contact Person/Point Revisions Highlighted	Normal Hours: Mrs Kathleen Marsh	Phone: +61 3 9282 1000
	After Hours: Shift Supervisor	Phone: 1800 033 498
	First Issue	
	...End Of MSDS...	

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.