

Safety Data Sheet



Jaguar® Selective Herbicide

Version 1 / AUS
102000027891

Revision Date: 26.10.2017
Print Date: 26.10.2017

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Trade name Jaguar® Selective Herbicide
Product code (UVP) 81010587

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Cropscience Pty Ltd
ABN 87 000 226 022
Level 1, 8 Redfern Road
3123 Hawthorn East
Victoria
Australia

Telephone (03) 9248 6888
Telefax (03) 9248 6800
Responsible Department 1800 804 479 Technical Information Service
Website www.crop.bayer.com.au

1.4 Emergency telephone no.

Emergency telephone no. 1800 033 111 IXOM Operations Pty Ltd

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Australian GHS Regulation

Acute toxicity: Category 4
H302 Harmful if swallowed.

Acute toxicity: Category 4
H332 Harmful if inhaled.

Skin corrosion/irritation: Category 2
H315 Causes skin irritation.

Eye irritation: Category 2A
H319 Causes serious eye irritation.

Skin sensitisation: Category 1
H317 May cause an allergic skin reaction.

Carcinogenicity: Category 2
H351 Suspected of causing cancer.

Reproductive toxicity: Category 1B
H360 May damage fertility or the unborn child.

Specific target organ toxicity - single exposure: Category 3
H335 May cause respiratory irritation.

Safety Data Sheet



Jaguar® Selective Herbicide

Version 1 / AUS
102000027891

Revision Date: 26.10.2017
Print Date: 26.10.2017

Aspiration hazard: Category 1

H304 May be fatal if swallowed and enters airways.

Acute aquatic toxicity: Category 1

H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

Bromoxynil octanoate

Diflufenican

N-Methyl-2-pyrrolidone

Solvent Naphtha (petroleum), heavy aromatic

Signal word: Danger

Hazard statements

H302 Harmful if swallowed.

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

H335 May cause respiratory irritation.

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing mist/ spray.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ eye protection/ face protection.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician.

P330 Rinse mouth.

P331 Do NOT induce vomiting.

P302 + P352 IF ON SKIN: Wash with plenty of water/ soap.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor/physician if you feel unwell.

P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

+ P338 If eye irritation persists: Get medical advice/ attention.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.



Jaguar® Selective Herbicide

Version 1 / AUS
102000027891

Revision Date: 26.10.2017
Print Date: 26.10.2017

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

Bromoxynil/Diflufenican 250:25 g/l
Emulsifiable concentrate (EC)

Chemical name	CAS-No.	Concentration [%]
Bromoxynil octanoate	1689-99-2	34.00
Diflufenican	83164-33-4	2.30
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	>= 30.00 - <= 40.00
N-Methyl-2-pyrrolidone	872-50-4	>= 10.00 - <= 20.00
Naphthalene	91-20-3	< 4.00
2-Ethylhexan-1-ol	104-76-7	< 3.00
Other ingredients (non-hazardous) to 100%		

SECTION 4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.

4.1 Description of first aid measures

Inhalation	Move the victim to fresh air and keep at rest. Oxygen or artificial respiration if needed. If symptoms persist, call a physician.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Call a physician or poison control center immediately. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Risk of product entering the lungs on vomiting after ingestion. Rinse out mouth and give water in small sips to drink. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	Local: Sensitisation, Irritation, Systemic: Lethargy, Thirst, Anxiety, Hyperventilation, Tachycardia, Muscle rigidity, Nausea, Vomiting, Sweating, Salivation, Convulsions
-----------------	--

4.3 Indication of any immediate medical attention and special treatment needed

Risks	Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard.
--------------	---



Jaguar® Selective Herbicide

Version 1 / AUS
102000027891

Revision Date: 26.10.2017
Print Date: 26.10.2017

Treatment Watch for pulmonary edema, which may develop in serious cases of poisoning even after 24-48 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. In case of hyperthermia physical cooling is advisable; in case of muscle rigidity muscle relaxants and mechanical ventilation may support in counteracting hyperthermia. There is no specific antidote.

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

5.2 Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire., In the event of fire the following may be released: Hydrogen bromide (HBr), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Nitrogen oxides (NO_x), Carbon dioxide (CO₂), Carbon monoxide (CO)

5.3 Advice for firefighters

Special protective equipment for firefighters Wear self-contained breathing apparatus and protective suit.

Further information Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth. Do not allow run-off from fire fighting to enter drains or water courses.

Hazchem Code •3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Keep people away from and upwind of spill/leak. Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke. Use personal protective equipment.

6.2 Environmental precautions Retain and dispose of contaminated wash water. Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.



Jaguar® Selective Herbicide

Version 1 / AUS
102000027891

Revision Date: 26.10.2017
Print Date: 26.10.2017

Additional advice If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion Keep away from heat and sources of ignition. Vapours may form explosive mixture with air. Take measures to prevent the build up of electrostatic charge.

Hygiene measures When using, do not eat, drink or smoke. After each day's use, wash gloves, face shield or goggles and contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Keep out of the reach of children. Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from freezing. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Bromoxynil octanoate	1689-99-2	0.21 mg/m ³ (SK-SEN)		OES BCS*
Diflufenican	83164-33-4	5.5 mg/m ³ (TWA)		OES BCS*
N-Methyl-2-pyrrolidone	872-50-4	309 mg/m ³ /75 ppm (STEL)	12 2011	AU NOEL
N-Methyl-2-pyrrolidone	872-50-4	103 mg/m ³ /25 ppm (TWA)	12 2011	AU NOEL
N-Methyl-2-pyrrolidone	872-50-4	19 ppm (TWA)		OES BCS*
Naphthalene	91-20-3	79 mg/m ³ /15 ppm (STEL)	12 2011	AU NOEL
Naphthalene	91-20-3	52 mg/m ³ /10 ppm (TWA)	12 2011	AU NOEL
Naphthalene	91-20-3	10 ppm		OES BCS*

Safety Data Sheet



Jaguar® Selective Herbicide

Version 1 / AUS
102000027891

Revision Date: 26.10.2017
Print Date: 26.10.2017

		(TLV)		
--	--	-------	--	--

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Respiratory protection	Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent.
Hand protection	Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness of 0,4 mm). Wash when contaminated and dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.
Eye protection	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent) and faceshield (conforming to EN166, Field of Use = 3 or equivalent).
Skin and body protection	Wear standard coveralls and Category 3 Type 3 suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.
General protective measures	In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the above mentioned recommendations would apply.

Engineering Controls

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	Liquid, clear
Colour	light yellow to dark brown
Odour	aromatic
pH	ca. 4.2 at 10 % (23 °C) (deionized water)
Flash point	66 °C
Ignition temperature	> 200 °C The data refer to the solvent.
Upper explosion limit	7.00 %(V) The data refer to the solvent.
Lower explosion limit	0.6 %(V) The data refer to the solvent.
Density	ca. 1.09 g/cm ³ at 20 °C
Water solubility	emulsifiable

Safety Data Sheet



Jaguar® Selective Herbicide

Version 1 / AUS
102000027891

Revision Date: 26.10.2017
Print Date: 26.10.2017

Partition coefficient: n-octanol/water	Bromoxynil octanoate: log Pow: 5.4 Diflufenican: log Pow: 4.2 N-methyl-2-pyrrolidone: log Pow: -0.46 at 25 °C
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions known.

10.4 Conditions to avoid Elevated temperatures
Heat, flames and sparks.

10.5 Incompatible materials Strong acids, Strong bases, Oxidizing agents
Store only in the original container.

10.6 Hazardous decomposition products Thermal decomposition can lead to release of:
Hydrogen bromide (HBr)
Hydrogen cyanide (hydrocyanic acid)
Hydrogen fluoride
Oxides of carbon
Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) 1,113 mg/kg
Test conducted with a similar formulation.

Acute inhalation toxicity LC50 (Rat) 2.1 mg/l
Exposure time: 4 h
Irritating to respiratory system.
The information is derived from the properties of the individual components.

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg
Test conducted with a similar formulation.

Skin irritation No skin irritation (Rabbit)
Test conducted with a similar formulation.

Eye irritation Irritating to eyes (Rabbit)
Test conducted with a similar formulation.

Sensitisation Sensitising (Guinea pig)
The information is derived from the properties of the individual

Safety Data Sheet



Jaguar® Selective Herbicide

Version 1 / AUS
102000027891

Revision Date: 26.10.2017
Print Date: 26.10.2017

components.

Assessment mutagenicity

Bromoxynil octanoate was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Diflufenican was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

N-methyl-2-pyrrolidone was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Bromoxynil octanoate caused at high dose levels an increased incidence of tumours in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.

Diflufenican was not carcinogenic in lifetime feeding studies in rats and mice.

N-methyl-2-pyrrolidone was not carcinogenic in lifetime feeding studies in rats and mice.

Naphthalene caused an increased incidence of tumours after chronic inhalation of high vapour concentrations in the following organ: Respiratory Tract. The tumours seen with naphthalene were caused through a non-genotoxic mechanism, which is not relevant at low doses.

Assessment toxicity to reproduction

Bromoxynil octanoate did not cause reproductive toxicity in a two-generation study in rats.

Diflufenican did not cause reproductive toxicity in a two-generation study in rats.

N-methyl-2-pyrrolidone caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. N-methyl-2-pyrrolidone caused a reduced pup survival, a reduced litter size and a reduced pup weight.

Assessment developmental toxicity

Bromoxynil octanoate caused a delayed foetal growth, an increased incidence of non-specific malformations. Bromoxynil octanoate caused developmental toxicity only at dose levels toxic to the dams.

Diflufenican did not cause developmental toxicity in rats and rabbits.

N-methyl-2-pyrrolidone caused developmental toxicity only at dose levels toxic to the dams. N-methyl-2-pyrrolidone caused a reduced pup survival.

Assessment STOT Specific target organ toxicity – single exposure

Bromoxynil octanoate: Based on available data, the classification criteria are not met.

Diflufenican: Based on available data, the classification criteria are not met.

N-methyl-2-pyrrolidone: May cause respiratory irritation.

Assessment STOT Specific target organ toxicity – repeated exposure

Bromoxynil octanoate caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver. The observed effects do not appear to be relevant for humans.

Diflufenican did not cause specific target organ toxicity in experimental animal studies.

N-methyl-2-pyrrolidone caused specific target organ toxicity in experimental animal studies in the following organ(s): Testes.

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

Harmful if inhaled.

May cause skin irritation. Skin sensitiser

Causes eye irritation.

Harmful if swallowed.

Safety Data Sheet



Jaguar® Selective Herbicide

Version 1 / AUS
102000027891

Revision Date: 26.10.2017
Print Date: 26.10.2017

Early onset symptoms related to exposure

Refer to Section 4

Delayed health effects from exposure

Refer to Section 11

Exposure levels and health effects

Refer to Section 4

Interactive effects

Not known

When specific chemical data is not available

Not applicable

Mixture of chemicals

Refer to Section 2.1

Further information

No further toxicological information is available.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) > 0.109 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient diflufenican.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 0.046 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient bromoxynil octanoate.

EC50 (Daphnia magna (Water flea)) > 0.24 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient diflufenican.

Toxicity to aquatic plants

EC50 (Desmodesmus subspicatus (green algae)) 1 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient bromoxynil octanoate.

EC50 (Algae) > 10 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient diflufenican.

Toxicity to other organisms

LD50 (Colinus virginianus (Bobwhite quail)) > 2,150 mg/kg
The value mentioned relates to the active ingredient diflufenican.

LD50 (Anas platyrhynchos (Mallard duck)) > 4,000 mg/kg
The value mentioned relates to the active ingredient diflufenican.

LD50 (Anas platyrhynchos (Mallard duck)) 2,350 mg/kg
The value mentioned relates to the active ingredient bromoxynil



Jaguar® Selective Herbicide

Version 1 / AUS
102000027891

Revision Date: 26.10.2017
Print Date: 26.10.2017

octanoate.

LD50 (*Colinus virginianus* (Bobwhite quail)) 170 mg/kg
The value mentioned relates to the active ingredient bromoxynil octanoate.

12.2 Persistence and degradability

Biodegradability
Bromoxynil octanoate:
Not rapidly biodegradable
Diflufenican:
Not rapidly biodegradable
N-methyl-2-pyrrolidone:
rapidly biodegradable

Koc
Bromoxynil octanoate: Koc: 639
Diflufenican: Koc: 3417

12.3 Bioaccumulative potential

Bioaccumulation
Bromoxynil octanoate: Bioconcentration factor (BCF) 230
Does not bioaccumulate.
Diflufenican: Bioconcentration factor (BCF) 1,596
Does not bioaccumulate.
N-methyl-2-pyrrolidone: Bioconcentration factor (BCF) 3.16
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil
Bromoxynil octanoate: Slightly mobile in soils
Diflufenican: Slightly mobile in soils
N-methyl-2-pyrrolidone: Highly mobile in soils

12.5 Other adverse effects

Additional ecological information
No other effects to be mentioned.

SECTION 13. DISPOSAL CONSIDERATIONS

Refillable containers:

If tamper evident seals are broken prior to initial use then the integrity of the contents cannot be assured. Empty container by pumping through dry-break connection system. Do not attempt to breach the valve system or the filling point, or contaminate the container with water or other products. Ensure that the coupler, pump, meter and hoses are disconnected, triple rinsed and drained after each use. When empty, or contents no longer required, return the container to the point of purchase. This container remains the property of Bayer CropScience Pty Ltd.

Metal drums and plastic containers:

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

Do not reuse container for any other purpose.

Safety Data Sheet



Jaguar® Selective Herbicide

Version 1 / AUS
102000027891

Revision Date: 26.10.2017
Print Date: 26.10.2017

SECTION 14. TRANSPORT INFORMATION

ADG

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BROMOXYNIL OCTANOATE SOLUTION)
Hazchem Code	•3Z

According to AU01, Environmentally Hazardous Substances in packagings, IBC or any other receptacle not exceeding 500 kg or 500 L are not subject to the ADG Code.

IMDG

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Marine pollutant	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BROMOXYNIL OCTANOATE SOLUTION)

IATA

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Environm. Hazardous Mark	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BROMOXYNIL OCTANOATE SOLUTION)

SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994
Australian Pesticides and Veterinary Medicines Authority approval number: 40383

SUSMP classification (Poison Schedule)

Schedule 6 (Standard for the Uniform Scheduling of Medicines and Poisons)

SECTION 16. OTHER INFORMATION

Trademark information Jaguar® is a Registered Trademark of the Bayer Group.

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Safety Data Sheet



Jaguar® Selective Herbicide

Version 1 / AUS
102000027891

Revision Date: 26.10.2017
Print Date: 26.10.2017

	Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)
CAS-Nr.	Chemical Abstracts Service number
CEILING	Ceiling Limit Value
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
OES BCS	OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SK-SEN	Skin sensitiser
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TWA	TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be

Safety Data Sheet



Jaguar® Selective Herbicide

Version 1 / AUS
102000027891

Revision Date: 26.10.2017
Print Date: 26.10.2017

made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--