

Nufarm

Material Safety Data Sheet

Page: 1 of 5

Product Name BROMICIDE 200 Selective Herbicide

Classified as hazardous

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name BROMICIDE 200 Selective Herbicide

Product Code 0235

Product Type Group C Herbicide

Company Name NUFARM AUSTRALIA LIMITED. (ABN 80 004 377 780)

Address 103-105 Pipe Road Laverton North

Victoria 3026 Australia
Emergency Tel. 1800 033 498 (24hr Australia)

Telephone/Fax Tel: +61 3 9282-1000 Number Fax: +61 3 9282-1001

Recommended Use For the control of weeds in wheat, oats, barley, cereal rye and triticale

(alone or undersown, linseed, clover and lucerne pastures, turf fallow, non-crop, roadsides and rights-of-way as per the Directions for Use table on

the label.

Other Information This MSDS describes, to the best of our knowledge, the properties of the

concentrated product. The physical properties and some of the assessments do not apply to the properties of the product once it has been diluted for application. Acute health effects of the diluted product are likely to be

much less severe.

2. HAZARDS IDENTIFICATION

Hazard Classified as hazardous

Classification HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS.

Hazard classification according to the criteria of NOHSC.

Dangerous goods classification according to the Australia Dangerous Goods

Code.

Risk Phrase(s) Classified as hazardous

R22 Harmful if swallowed. R23 Toxic by inhalation.

R43 May cause sensitization by skin contact. R63 Possible risk of harm to the unborn child. R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness and cracking.

R67 Vapours may cause drowsiness and dizziness

Safety Phrase(s) S1/2 Keep locked up and out of reach of children.

S13 Keep away from food, drink and animal feeding stuffs.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection. S45 In case of accident or if you feel unwell seek medical advice immediately

S51 Use only in well ventilated areas.

S62 If swallowed, do not induce vomiting; seek medical advice immediately and

show this container or label.

Other Information Poisons Schedule S6

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Liquid

Characterization

Ingredients Name CAS Proportion

Bromoxynil 1689-99-2 200 g/L

present as the

n-octanoyl ester

Liquid 64742-94-5 616 g/L Hydrocarbon Other ingredients <10%

(considered
non-hazardous)

4. FIRST AID MEASURES

Inhalation Remove affected person to fresh air until recovered.

Print Date: 10/12/2008 CS: 1.4.21

5 Page: 2 of

CS: 1.4.21 Infosafe No™ NUOCZ Issue Date : December 2008 ISSUED by NUFARM

Product Name BROMICIDE 200 Selective Herbicide

Classified as hazardous

Obtain medical advice.

If swallowed do NOT induce vomiting; seek medical advice immediately and show Ingestion this container or label or contact the Poisons Information Centre on 13 11 26

(Aust). Make every effort to prevent vomit from entering the lungs by careful

placement of the patient.

The above first aid instructions are mandated by the Commonwealth Department

of Health and Ageing via the National Drugs and Poisons Schedule. These instructions are suitable for ingestion of spray solution and small amounts of

concentrate; however, if SUBSTANTIAL AMOUNTS of the concentrate have been swallowed (more than about 15ml) AND if medical assistance is more than 30 minutes away, the induction of vomiting should be CONSIDERED, preferably based on MEDICAL ADVICE if a physician can be contacted by phone. All care must be taken to prevent vomit from being inhaled. Do not give anything by mouth to a

semi-conscious or unconscious person.

Skin Wash affected areas thoroughly with soap and water.

Remove contaminated clothing and launder before re-use.

If irritation persists, seek medical advice.

If in eyes, hold eyelids open and wash with copious amounts of water for at Eye

least 15 minutes.

If irritation persists consult a doctor.

If poisoning occurs, contact a doctor or the Poisons Information Centre **First Aid Facilities**

(Australia) on 13 11 26.

Advice to Doctor Treat symptomatically.

If vomiting occurs, solvent present may cause pulmonary pneumonitis.

5. FIRE FIGHTING MEASURES

Water fog, foam, carbon dioxide or dry chemical.

especially in confined spaces.

Extinguishing Media

Combustible liquid at high temperatures. Hazards from

If involved in a fire, it will emit oxides of carbon and nitrogen, hydrogen Combustion chloride, hydrogen bromide and possibly other compounds of bromine, chlorine **Products**

and nitrogen. Breathable air apparatus may have to be worn if material is involved in fires

Special Protective

Equipment for fire

fighters **Specific Hazards**

STOP FIRE WATER FROM ENTERING DRAINS OR WATER BODIES. Other Information

6. ACCIDENTAL RELEASE MEASURES

Contain spill and absorb with clay, sand, soil or proprietary absorbent (such Spills & Disposal

as vermiculite).

Collect spilled material and waste in sealable open-top type containers for

disposal.

7. HANDLING AND STORAGE

Precautions for Safe For personal protective equipment (PPE) and hygiene advice, refer Section 8.

Handling

Conditions for Safe Store in the closed, original container in a cool, well ventilated area.

Do not store for prolonged periods in direct sunlight. Storage

Always read the label and any attached leaflet before use. **Other Information**

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

No exposure standards have been set for this product or the active National Exposure

ingredients. Standards

The manufacturer of the solvent has recommended an occupational exposure

limit of 100 mg/m3; 17ppm TWA, as total hydrocarbon.

Engineering Controls

Handle in well ventilated areas, generally natural ventilation is adequate.

When preparing and using the product wear cotton overalls buttoned to the neck **Personal Protective** and wrist and a washable hat, elbow-length PVC gloves and face shield. **Equipment**

Hygiene Measures After use and before eating, drinking or smoking, wash hands, arms and face

thoroughly with soap and water.

Print Date: 10/12/2008 CS: 1.4.21



Page: 3 of 5

Product Name BROMICIDE 200 Selective Herbicide

Classified as hazardous

Requirements Concerning Special Training After each day's use, wash contaminated clothing and safety equipment. NSW regulations require that people who use pesticides in their job or business must have training in the application of the materials.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Liquid

Appearance Amber Liquid

Odour Hydrocarbon odour

Boiling Point 178 - 209°C (for solvent)

Solubility in Water Forms an emulsion in water.

Specific Gravity 1.030

Vapour Pressure 0.19 mPa @ 25°C for bromoxynil octanoate

Volatile Component ~60%

Octanol/Water

Kow Log P is 5.4 for bromoxynil octanoate

Partition Coefficient

Flash Point

68°C

Flammability Combustible liquid C1.

Auto-Ignition Not determined

Temperature

Flammable Limits - 0.6% for solvent

Lower

Flammable Limits - 7.0% for solvent

Upper

10. STABILITY AND REACTIVITY

Chemical Stability Stable under normal conditions.

 ${\bf Hazardous} \; {\bf Reactions} \quad \hbox{\tt Keep away from strong oxidising agents, may react violently.}$

Hazardous Hazardous polymerisation is not possible.

Polymerization

11. TOXICOLOGICAL INFORMATION

Inhalation Symptoms of exposure by inhalation are similar to those described for

ingestion.

Ingestion Possible symptoms of exposure include: headache, nausea, dizziness and

weakness.

If aspirated into the lung, e.g. from vomiting, the presence of solvent may

result in chemical pneumonitis or other lung damage.

Skin May irritate the skin.

Prolonged contact with the concentrate can cause defatting of the skin and may

result in dermatitis.

Eye May irritate the eyes.

Chronic Effects Chronic Overexposure: Weight loss and damage to liver and kidneys may be

expected if exposure is excessive.

Reproductive Toxicity

Bromoxynil octanoate has been assigned R63 on the basis of studies, in rats, rabbits and mice which show reduced ossification and increased incidence of

supernumerary ribs at doses (range 5-15 mg/kg/day) which are not toxic

maternally.

Supernumerary ribs are seen in control animals and are often seen in reproductive toxicity studies. The ribs disappear during subsequent

development with rats, but not with mice. The significance of supernumerary ribs as an indicator of developmental toxicity and extrapolation to other

species remain problematical. (1)

Acute Toxicity - Oral LD50 (rat) 238 mg/kg for bromoxynil octanoate

Print Date: 10/12/2008 CS: 1.4.21



5 Page: 4 of

CS: 1.4.21 Infosafe No™ NUOCZ Issue Date : December 2008 ISSUED by NUFARM

Product Name BROMICIDE 200 Selective Herbicide

Classified as hazardous

LD50 (rat) >2000 mg/kg for bromoxynil octanoate **Acute Toxicity -**

Dermal

LC50 (rat) (4hr) 0.72 mg/l for bromoxynil octanoate Acute Toxicity -

Inhalation

The product is an eye irritant. **Eve Irritation** Mild to moderate skin irritant. **Skin Irritation Skin Sensitisation** This product is a skin sensitiser.

The Australian Acceptable Daily Intake (ADI) for bromoxynil for a human is Other Information

0.003 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 0.3 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Comm. Dept. of Health and Ageing Office of Chemical

Safety, 'ADI List', September 2007).

12. ECOLOGICAL INFORMATION

Average soil half life of bromoxynil is 7 days. Persistence /

Degradability

Harmful to fish and other aquatic organisms. **Known Harmful**

Effects on the **Environment**

Other Precautions Do not spray in high winds.

Do not contaminate dams, waterways or sewers with this product or the

containers which have held this product.

Marine pollutant. **Environ. Protection**

Spray drift can cause damage, read the label for more information. **Acute Toxicity - Fish**

The following is data for the active ingredient, bromoxynil octanoate.

Toxic to fish. LC50 (96hr) for rainbow trout is 0.041 mg/l. LC50 (48hr) for daphnia is 0.046 mg/l for bromoxynil octanoate.

Acute Toxicity -

Daphnia

Acute Toxicity -Bees: Not toxic to bees. LD50 >100 μ g/bee.

Other Organisms

13. DISPOSAL CONSIDERATIONS

On site disposal of the concentrated product is not acceptable. **Product Disposal**

Ideally, the product should be used for its intended purpose. If there is a need to dispose of the product, approach local authorities who hold periodic

collections of unwanted chemicals (ChemClear®).

Container Disposal Do not use this container for any other purpose.

Triple rinse containers, add rinsate to the spray tank, then offer the

container for recycling/reconditioning, or puncture top, sides and bottom and

dispose of in landfill in accordance with local regulations.

drumMUSTER is the national program for the collection and recycling of empty, cleaned, non returnable crop production and on-farm animal health chemical containers. If the label on your container carries the drumMuster symbol, triple rinse the container, ring your local Council, and offer the container

for collection in the program.

Returnable containers: empty contents fully into application equipment. Replace cap, close all valves and return to the point of supply for refill or

storage.

If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable

vegetation and tree roots. Empty containers and product should not be burnt.

14. TRANSPORT INFORMATION

Not classified as Dangerous Goods, according to the Australian Code for the Transport Information

Transport of Dangerous Goods by Road and Rail.

Exempt from classification as a Dangerous Good in packs less than 3,000 kg or Storage and

L as per ADG7, SP no. AU01. **Transport**

For bulk shipments as Class 9, use UN 3082, HazChem code •3Z.

UN Number (Sea

Transport)

Print Date: 10/12/2008 CS: 1.4.21



CS: 1.4.21

5 of Page:

CS: 1.4.21 Infosafe No™ NUOCZ Issue Date : December 2008 ISSUED by NUFARM

Product Name BROMICIDE 200 Selective Herbicide

Classified as hazardous

IMO Class/Packing

Class 9; Packing Group III

Group

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. **IMO Proper**

(contains Bromoxynil octanoate) **Shipping Name**

15. REGULATORY INFORMATION

Poisons Schedule

POISON Packaging &

KEEP OUT OF REACH OF CHILDREN Labelling

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Hazard Category Toxic, Irritant

All of the components in this product are listed on the Australian Inventory AICS (Australia)

of Chemical Substances.

16. OTHER INFORMATION

Revised 10/12/2008 Date of preparation

or last revision of

MSDS

Normal Hours: Mr Volker Maier Phone: +61 3 9282 1000 Contact After Hours: Shift Supervisor Phone: 1800 033 498 Person/Point

(1) Krieger ed. (2001, Handbook of Pesticide Toxicology, Second Edition Vol.2 Literature

Agents - Academic Press References

The MSDS was reviewed. Various changes were made to the information. Revisions

In particular, see changes to R & S phrases. Highlighted

...End Of MSDS...

© Copyright ACOHS Pty Ltd
Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed on this site is the intellectual property of Acohs Pty Ltd.
Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed on this site is the intellectual property of Acohs Pty Ltd.
The compilation of MSDS's displayed on this site is the intellectual property of Acohs Pty Ltd.
Copyring of any MSDS displayed on this site is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed on this site cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.

Print Date: 10/12/2008 CS: 1.4.21