

SAFETY DATA SHEET



Dow AgroSciences

Emergency Phone: 1800-033-882 (24 hrs)
+61 3 9663 2130 (24 hrs)
Dow AgroSciences Australia Ltd.
Frenchs Forest NSW 2086

LONTREL™ 750 SG HERBICIDE

Effective Date: 1 March 2012
Product Code: 77553

1. PRODUCT AND COMPANY IDENTIFICATION:

PRODUCT: Lontrel™ 750 SG Herbicide

PURPOSE: Broadleaf herbicide

COMPANY IDENTIFICATION:

Dow AgroSciences Australia Ltd.
ABN 24 003 771 659
Level 5, 20 Rodborough Road,
Frenchs Forest NSW 2086

Customer Service Toll Free Number:
1800 700 096

(Mon-Fri, 8am–5pm EST)

Emergency Telephone Numbers:

Australia: 1800 033 882

Global: +61 3 9663 2130

(24 hours) (EMERGENCIES ONLY)

Transport Emergency Only Dial 000

2. HAZARDOUS IDENTIFICATIONS:

EMERGENCY OVERVIEW

Not classified as hazardous according to the criteria of NOHSC

Not Classified as Dangerous Goods

RISK PHRASES:

None allocated.

SAFETY PHRASES:

S25: Avoid contact with eyes.

S35: This material and its container must be disposed of in a safe way.

S61: Avoid released to the environment. Refer to special instructions (see section 6, 7, 13).

3. COMPOSITION/INFORMATION ON INGREDIENTS:

Ingredient	CAS #	Content
Clopyralid Potassium Salt	58509-83-4	75.0%
Balance not contributing to hazard		25.00%

4. FIRST AID:

Consult the Poisons Information Centre (131126) or a doctor in every case of suspected chemical poisoning. Never give fluids or induce vomiting if a patient is unconscious or convulsing regardless of cause of injury. If breathing difficulties occur seek medical attention immediately.

EYE: Flush eyes thoroughly with water for several minutes. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. If effects occur, consult a physician, preferably an ophthalmologist.

SKIN: Wash skin with plenty of water.

INGESTION: Call the Poisons Information Centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poisons Information Centre or doctor. Never give anything by mouth to an unconscious person.

INHALATION: Move person to fresh air; if effects occur, consult a physician.

NOTE TO PHYSICIAN: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. FIRE FIGHTING MEASURES:

FLASH POINT: Not flammable (granule)

COMBUSTIBLE: Not combustible

FLAMMABLE LIMITS

LFL: Not applicable

UFL: Not applicable

EXTINGUISHING MEDIA: Water fog, foam, CO₂, dry chemical

SAFETY DATA SHEET



Dow AgroSciences

Emergency Phone: 1800-033-882 (24 hrs)
+61 3 9663 2130 (24 hrs)
Dow AgroSciences Australia Ltd.
Frenchs Forest NSW 2086

LONTREL™ 750 SG HERBICIDE

Effective Date: 1 March 2012
Product Code: 77553

FIRE AND EXPLOSION HAZARDS: May produce hydrogen chloride, chlorinated pyridines, oxides of nitrogen and oxides of carbon. Can react violently with aluminum above 110°C when water is present. Avoid contact with aluminum.

FIRE-FIGHTING EQUIPMENT: Wear positive pressure self-contained breathing apparatus and full protective clothing.

HAZCHEM: 2X

6. ACCIDENTAL RELEASE MEASURES:

ACTION TO TAKE FOR SPILLS/LEAKS: Do not touch or walk through spilled material. Wear gloves, overall and boots. Stop further spill occurring and prevent entry into waterways and drains. **Small spills:** In case of spill on floor or paved surfaces sweep up and place in drums for disposal at a licensed local authority landfill. Spill residues may be cleaned using water and detergent. Contain and absorb wash water. Seek advice from the SDS, product label or Dow AgroSciences regarding disposal. **Large spills:** Report large spills to Dow AgroSciences Emergency Services at 1800-033-882.

7. HANDLING AND STORAGE:

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

HANDLING: Keep out of reach of children. Causes eye irritation. Avoid contact with eyes. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

STORAGE: Store in tightly closed original container in a cool, dry well-ventilated area out of direct sunlight when not in use. Do not store with food, feedstuffs, fertilizers and seeds. See product label for further handling/storage precautions relative to the end use of this product. Reduce stacking height where local conditions can affect packaging strength.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION:

EXPOSURE GUIDELINES: 3,6-Dichloropicolinic acid (Clopyralid): Dow AgroSciences Industrial Hygiene Guide is 10 mg/m³.

ENGINEERING CONTROLS: Provide general and/or local exhaust ventilation to control airborne levels below the exposure guidelines.

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

EYE/FACE PROTECTION: Use chemical goggles. Eye wash fountain should be located in immediate work area.

SKIN PROTECTION: No precautions other than clean body-covering clothing should be needed. Use gloves chemically resistant to this material.

RESPIRATORY PROTECTION: Atmospheric levels should be maintained below the exposure guideline. When respiratory protection is required for certain operations, use an approved air-purifying respirator. In dusty atmospheres, use an approved particulate respirator.

APPLICATORS AND ALL OTHER HANDLERS: Refer to the product label for personal protective clothing and equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE: Odourless off-white granules

FLASHPOINT: Does not ignite before melting, with decomposition, at 280-290°C

BULK DENSITY: 0.72 g/mL (loose)
0.79 g/mL (compacted)

EXPLOSIVE PROPERTIES: Not explosive

OXIDISING PROPERTIES: Non-oxidising

pH, 1% AQUEOUS DISPERSION: 6.9

VAPOUR PRESSURE: 133 mPa at 24°C (clopyralid acid)

10. STABILITY AND REACTIVITY:

STABILITY: Decomposes in fire.

INCOMPATIBILITY: (specific materials to avoid) Can react violently with aluminum above 110°C when water is present. Avoid contact with aluminum.

HAZARDOUS DECOMPOSITION PRODUCTS: Hydrogen chloride, nitrogen oxides under fire conditions. Chlorinated pyridines.

HAZARDOUS POLYMERIZATION: Not known to occur.

SAFETY DATA SHEET



Dow AgroSciences

Emergency Phone: 1800-033-882 (24 hrs)
+61 3 9663 2130 (24 hrs)
Dow AgroSciences Australia Ltd.
Frenchs Forest NSW 2086

LONTREL™ 750 SG HERBICIDE

Effective Date: 1 March 2012
Product Code: 77553

11. TOXICOLOGICAL INFORMATION:

POTENTIAL HEALTH EFFECTS: This section includes possible adverse effects, which could occur if this material is not handled in the recommended manner.

EYE: May cause slight eye irritation. May cause slight corneal injury.

SKIN: Essentially non-irritating to skin. Prolonged skin contact is unlikely to result in absorption of harmful amounts. The LD₅₀ for a similar material for skin absorption in rabbits is >2,000 mg/kg. Did not cause allergic skin reactions when tested in guinea pigs.

INGESTION: Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury. The oral LD₅₀ for a similar material for rats is >3,500 mg/kg.

INHALATION: No adverse effects are anticipated from single exposure to dust.

SYSTEMIC (OTHER TARGET ORGAN) EFFECTS: For clopyralid, in animals, effects have been reported on the following organs: kidney and liver. Observations in animals include lethargy.

CANCER INFORMATION: Clopyralid did not cause cancer in laboratory animals.

TERATOLOGY (BIRTH DEFECTS): For a similar material, did not cause birth defects or other effects in the foetus even at doses which caused toxic effects in the mother.

REPRODUCTIVE EFFECTS: For a similar material, in animal studies, has been shown not to interfere with reproduction.

MUTAGENICITY: For a similar material, in-vitro and animal genetic toxicity studies were negative.

12. ECOLOGICAL INFORMATION:

ENVIRONMENTAL DATA:

MOVEMENT & PARTITIONING: Highly mobile in soil. Bioconcentration potential is low (BCF <100 or Log Pow <3).

DEGRADATION & PERSISTENCE: Moderate to medium persistence in soil. Biodegradation under aerobic laboratory conditions is below detectable limits (BOD₂₀ or BOD₂₈/ThOD <2.5%).

ECOTOXICOLOGY: Material is practically non-toxic to aquatic organisms on an acute basis (LC₅₀ or EC₅₀ is >100 mg/L in most sensitive species). Material is slightly toxic to birds on an acute basis (LC₅₀ between 501 and 2000 mg/kg). Acute contact LD₅₀ in honey bee (*Apis mellifera*) is >100 µg/bee. Acute oral LD₅₀ in honey bee (*Apis mellifera*) is >100 µg/bee. The LC₅₀ in earthworm (*Eisenia foetida*) is >1000 mg/kg.

13. DISPOSAL CONSIDERATIONS:

DISPOSAL METHOD: If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION:

Not classified as dangerous goods

15. REGULATORY INFORMATION:

APVMA APPROVAL NUMBER: 52261

POISON SCHEDULE: S5

SAFETY DATA SHEET



Dow AgroSciences

Emergency Phone: 1800-033-882 (24 hrs)
+61 3 9663 2130 (24 hrs)
Dow AgroSciences Australia Ltd.
Frenchs Forest NSW 2086

LONTREL™ 750 SG HERBICIDE

Effective Date: 1 March 2012
Product Code: 77553

16. OTHER INFORMATION:

Glossary

ACGIH: American Conference of Governmental Industrial Hygienists.

Advisory Committee on Chemicals scheduling: replaces the National Drugs and Poisons Scheduling Committee. Scheduling is a classification system that controls how medicines and chemicals are accessible to consumers

BCF: Bioconcentration Factor - a measure for the characterization of the accumulation of a chemical in an organism. It is defined as the concentration of a chemical in an organism (plants, microorganisms, animals) divided by the concentration in a reference compartment (e.g. food, surrounding water).

BOD: Biochemical oxygen demand. The amount of oxygen required by aerobic microorganisms to decompose the organic matter in a sample of water, such as that polluted by sewage. It is used as a measure of the degree of water pollution. Also called biological oxygen demand.

Dow AgroSciences Industrial Hygiene Guideline: An internal company standard based on an 8 hour TWA.

EC₅₀: median effective concentration. Statistically derived concentration of a substance in an environmental medium expected to produce a certain effect in 50% of test organisms in a given population under a defined set of conditions.

Explosive Limits: The range of concentrations (% by volume in air) of a flammable gas or vapour that can result in an explosion for ignition in a confined space.

K_{oc}: the organic carbon partition coefficient (mL soil water /g organic carbon).

K_{ow}: See P_{ow}

LC₅₀: Lethal Concentration 50%. A concentration of chemical in air or water that will kill 50% of the test organisms.

LD₅₀: Lethal Dose-50%. The doses of a chemical that will kill 50% of the test animals receiving it.

NIOSH: American national Institute of Occupational Safety and Health, a federal agency which conducts research on occupational safety and health questions and recommends new standards.

NOHSC: National Occupational Health and Safety Commission of Australia now Safe Work Australia.

OSHA: American Occupational Safety and Health Administration.

PEL: Permissible Exposure Level, a maximum allowable exposure level by law.

pH: Measure of how acidic or alkaline a material is using a 1 - 14 scale. pH 1 is strongly acidic and pH 14 strongly alkaline.

Polymerisation: a chemical reaction in which small molecules (monomers) combine to form much larger molecules (polymers). A hazardous polymerisation reaction is one that occurs at a fast rate and releases large amounts of energy.

P_{ow}: The octanol-water partition coefficient is the ratio of the concentration of a chemical in octanol and in water at equilibrium

and at a specified temperature. Octanol is an organic solvent that is used as a surrogate for natural organic matter. This parameter is used in many environmental studies to help determine the fate of chemicals in the environment.

Safe Work Australia: independent statutory agency with primary responsibility to improve work health and safety and workers' compensation arrangements across Australia. Previously Australian Safety and Compensation Council.

STEL: Short-Term Exposure Limit. A term used to indicate the maximum average concentration allowed for a continuous 15 minute exposure period.

TLV: Threshold Limit Value, an exposure limit set by a competent authority

TWA: Time Weighted Average. The average concentration of a chemical in air over the total exposure time - usually an 8-hour workday.

References

AS/NZS 1715-1994 Selection Use and Maintenance of Respiratory Protective Devices.

ASNZS 1716 - 1994 Respiratory protective devices.

AS/NZS 2161.10 - 2005 Occupational protective gloves - Part 10.1: Protective gloves against chemicals and micro-organisms.

Australian Dangerous Goods Code

International Maritime Dangerous Goods Code.

International Air Transport Association (IATA) Dangerous Goods Regulation

Safe Work Australia Hazardous Substances Information System.

VERSION TRACKING

Replaces version dated: 15 March 2012

Sections amended: 14, 16

Product code: EF-1315

FOR FURTHER PRODUCT INFORMATION CALL DOW AGROSCIENCES CUSTOMER SERVICE REPRESENTATIVES TOLL FREE 1800 700 096 DURING BUSINESS HOURS.

Dow AgroSciences (Australia) Ltd. urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above.

However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped.

Since conditions for use of the product are not under the

SAFETY DATA SHEET



Dow AgroSciences

Emergency Phone: 1800-033-882 (24 hrs)
+61 3 9663 2130 (24 hrs)
Dow AgroSciences Australia Ltd.
Frenchs Forest NSW 2086

LONTREL™ 750 SG HERBICIDE

Effective Date: 1 March 2012
Product Code: 77553

control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.

12, © Dow AgroSciences Australia Ltd 2012