

MATERIAL SAFETY DATA SHEET

COMMAND® 4 EC HERBICIDE; COMMAND® 480 g/L EC HERBICIDE



MSDS Ref. No.: 81777-89-1-8

Date Approved: 08/23/2005

Revision No.: 17

This document has been prepared to meet the requirements of the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200; the EC directive, 2001/58/EC and other regulatory requirements. The information contained herein is for the concentrate as packaged, unless otherwise noted.

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: COMMAND® 4 EC HERBICIDE; COMMAND® 480 g/L EC HERBICIDE

PRODUCT CODE: 618

ACTIVE INGREDIENT(S): Clomazone

CHEMICAL FAMILY: Herbicide

MOLECULAR FORMULA: $C_{12}H_{14}ClNO_2$ (clomazone)

SYNONYMS: FMC 57020; 2-(2-chlorophenyl)methyl-4,4-dimethyl-3-isoxazolidinone; IUPAC: 2-(2-chlorobenzyl)-4,4-dimethyl-1,2-oxazolidin-3-one; 2-(2-chlorobenzyl)-4,4-dimethylisoxazolidin-3-one

ALTERNATE PRODUCT NAME(S): Command 48 EC; Command 480 EC; Gamit® 480 CE; Magister™; Merit™ EC

MANUFACTURER

FMC CORPORATION
Agricultural Products Group
1735 Market Street
Philadelphia, PA 19103
(215) 299 6000 (General Information)

EMERGENCY TELEPHONE NUMBERS

(800) 331-3148 (FMC - U.S.A. & Canada)
(716) 735-3765 (FMC - Reverse charges)

For leak, fire, spill, or accident emergencies, call:
(800) 424-9300 (CHEMTREC - U.S.A. & Canada)
(703) 527-3887 (CHEMTREC - All Other Countries)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

- Straw yellow liquid with an aromatic solvent odor.
- Moderately combustible. May support combustion if heated above the product's flash point (see Section 9, "Physical and Chemical Properties" below).
- Thermal decomposition and burning may form toxic by-products.

- For large exposures or fire, wear personal protective equipment.
- Slightly to moderately toxic to fish and aquatic organisms. Keep out of drains and water courses.
- Moderately irritating to the eyes.

POTENTIAL HEALTH EFFECTS: Effects from overexposure result from either swallowing, inhaling or coming into contact with the eyes or skin. Symptoms of overexposure include decreased activity, tearing eyes, bleeding from the nose and incoordination.

MEDICAL CONDITIONS AGGRAVATED: None presently known.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Wt.%	EC No.	EC Class
Clomazone	81777-89-1	46.7	None	R20/22-R52; S2-46-29
Aromatic Hydrocarbons	64742-95-6	<25	265-199-0	R10-37-51/53-65-66-67; S23-24-43A-57-60-62
1,2,4-trimethylbenzene	95-63-6	<13.5	202-436-9	R10-20-36/37/38-51/53; S2-26-61
Surfactant Blend		<7	None	Not classified
Xylene	1330-20-7	<1.3	215-535-7	R10-20/21-38; S2-25
1-butanol	71-36-3	<0.6	200-751-6	R10-22-37/38-41-67; S2- 7/9-13-26-37/39-46
Cumene	98-82-8	<0.6	202-704-5	R10-37-51/53-65; S2-24- 37-61-62
Ethylbenzene	100-41-4	<0.2	202-849-4	R11-20; S2-16-24/25-29

4. FIRST AID MEASURES

EYES: Flush with water for at least 15 minutes. If irritation occurs and persists, contact a medical doctor.

SKIN: Wash with plenty of soap and water. Get medical attention if irritation occurs and persists.

INGESTION: Do not induce vomiting and do not give liquids of any kind to the person. Never give anything by mouth to an unconscious person. See a medical doctor immediately.

INHALATION: Remove to fresh air. If breathing difficulty or discomfort occurs and persists, contact a medical doctor.

NOTES TO MEDICAL DOCTOR: This product has low oral, dermal and inhalation toxicity. It is moderately irritating to the eyes and slightly irritating to the skin. Direct contact with eyes may produce corneal damage, especially if not washed out immediately. Inert ingredients contain xylene-range aromatic solvents which may produce a chemical pneumonitis; therefore, vomiting is not recommended, and lavage requires intubation. Activated charcoal and cathartics will assist gastrointestinal tract evacuation.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Foam, CO₂ or dry chemical. Soft stream water fog only if necessary. Contain all runoff.

FIRE / EXPLOSION HAZARDS: Moderately combustible. When heated above the flash point, this material releases vapors which, when mixed with air, can burn or be explosive.

FIRE FIGHTING PROCEDURES: Isolate fire area. Evacuate downwind. Wear full protective clothing and self-contained breathing apparatus. Do not breathe smoke, gases or vapors generated.

6. ACCIDENTAL RELEASE MEASURES

RELEASE NOTES: Isolate and post spill area. Wear protective clothing and personal protective equipment as prescribed in Section 8, "Exposure Controls/Personal Protection". Keep unprotected persons and animals out of the area.

Keep material out of lakes, streams, ponds and sewer drains. Dike to confine spill and absorb with a non-combustible absorbent such as clay, sand or soil. Vacuum, shovel or pump waste into a drum and label contents for disposal.

To clean and neutralize tools and equipment, wash with a 20% solution of potassium hydroxide in methanol. Follow by washing with strong soap and rinsing with water, and add both solutions to the drums of waste already collected.

To clean and neutralize spill areas, spray the area with a 20% solution of potassium hydroxide in methanol. Cover the treated area with plastic and let stand for 24 hours. Remove the covering and place in a drum for later disposal. Wash the area, three times, with a strong soap and rinse with water. If spill occurs on a wooden surface, repeat the entire process again. Absorb, as above, any excess liquid and add to the drums of waste already collected. Dispose of drummed waste according to the method outlined in Section 13, "Disposal Considerations".

7. HANDLING AND STORAGE

HANDLING AND STORAGE: Store in a cool, dry, well-ventilated place. Do not use or store near heat, open flame or hot surfaces. Store in original containers only. Keep out of reach of children and animals. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

Chemical Name	ACGIH	OSHA	Supplier
Aromatic Hydrocarbons			18 ppm
1,2,4-trimethylbenzene		25 ppm (PEL)	
Xylene	150 ppm (STEL)	100 ppm (PEL)	
1-butanol	20 ppm (TWA) (ceiling)	100 ppm (TWA) (ceiling) 50 ppm (PEL) (ceiling)	
Cumene	50 ppm (TWA)	50 ppm (PEL) (skin)	
Ethylbenzene	100 ppm (TWA) 434 mg/m ³ (TWA) 543 mg/m ³ (STEL) 125 ppm (STEL)	100 ppm (PEL) 434 mg/m ³ (PEL)	

ENGINEERING CONTROLS: Use local exhaust at all process locations where vapor or mist may be emitted. Ventilate all transport vehicles prior to unloading.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: For splash, mist or spray exposure, wear chemical protective goggles or a face shield.

RESPIRATORY: For splash, mist or spray exposures wear, as a minimum, a properly fitted half-face or full-face air-purifying respirator which is approved for pesticides (U.S. NIOSH/MSHA, EU CEN or comparable certification organization). Respirator use and selection must be based on airborne concentrations.

PROTECTIVE CLOTHING: Depending upon concentrations encountered, wear coveralls or long-sleeved uniform and head covering. For larger exposures as in the case of spills, wear full body cover barrier suit, such as a PVC suit. Leather items - such as shoes, belts and

watchbands - that become contaminated should be removed and destroyed. Launder all work clothing before reuse (separately from household laundry).

GLOVES: Wear chemical protective gloves made of materials such as neoprene. Thoroughly wash the outside of gloves with soap and water prior to removal. Inspect regularly for leaks.

WORK HYGIENIC PRACTICES: Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking or using tobacco. Shower at the end of the workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

ODOR:	Aromatic solvent
APPEARANCE:	Straw yellow liquid
DENSITY / WEIGHT PER VOLUME:	8.57 lb/gal. (1021 - 1024 g/L)
FLASH POINT:	40 °C (104 °F) (TCC)
MOLECULAR WEIGHT:	239.7 (clomazone)
SOLUBILITY IN WATER:	Emulsifies
SPECIFIC GRAVITY:	1.021 - 1.024 (water = 1)

10. STABILITY AND REACTIVITY

CONDITIONS TO AVOID:	Excessive heat and fire.
STABILITY:	Stable
POLYMERIZATION:	Will not occur
HAZARDOUS DECOMPOSITION PRODUCTS:	Carbon monoxide and/or carbon dioxide, oxides of nitrogen, chlorine and hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: Moderately irritating (rabbit)

SKIN EFFECTS: Slightly irritating (rabbit)

DERMAL LD₅₀: > 2,000 mg/kg (rabbit)

ORAL LD₅₀: 1,406 mg/kg (rat)

INHALATION LC₅₀: 4.47 mg/l (4 h) (rat)

ACUTE EFFECTS FROM OVEREXPOSURE: This product has low oral, dermal and inhalation toxicity. It is moderately irritating to the eyes and slightly irritating to the skin. Large dosages of clomazone ingested by laboratory animals produced signs of toxicity including ataxia, decreased activity, oral discharge, lacrimation, bloody tears, and nasal discharge. Inhalation of aromatic hydrocarbon vapors may cause dizziness, disturbances in vision, drowsiness, respiratory irritation, and eye, skin and mucous membrane irritation. Vomiting after ingestion of this product may cause aspiration of aromatic hydrocarbons into the lungs, which may result in fatal pulmonary edema. Exposure to butanol vapors may produce headaches, drowsiness and irritation of the nose and throat. Excessive exposures to butanol liquid or vapors may result in contact dermatitis and irritation of the mucous membranes.

CHRONIC EFFECTS FROM OVEREXPOSURE: No data available for the formulation. In studies with laboratory animals, clomazone did not cause reproductive toxicity, teratogenicity, or carcinogenicity. Liver enlargement and elevated cholesterol levels are often noted in laboratory animals that have ingested large doses of clomazone during their lifespan. An overall absence of genotoxicity has been demonstrated in tests of mutagenicity, DNA damage and chromosome aberrations. Chronic exposure to aromatic hydrocarbons may cause headaches, dizziness, loss of sensations or feelings (such as numbness), and liver and kidney damage. Inhalation of xylene vapors at high doses has also resulted in an increased incidence of malformations and decreases in fetal weight in laboratory animals. Damage from xylene may be potentiated by alcohol. Disturbances in hearing and balance have been reported in workers exposed to butanol vapors. Under the conditions of 2-year inhalation studies, conducted by the National Toxicology Program (NTP), there was clear evidence of carcinogenic activity of ethylbenzene in male rats based on increased incidences of renal tubule neoplasms. The incidences of testicular adenoma were also increased. There was some evidence of carcinogenic activity in female rats based on increased incidences of renal tubule adenomas. There was some evidence of carcinogenic activity in male mice based on increased incidences of alveolar/bronchiolar neoplasm. There was some evidence of carcinogenic activity in female mice based on increased incidences of hepatocellular neoplasms. Studies conducted by the International Agency for Research on Cancer (IARC) showed that there is inadequate evidence in humans for the carcinogenicity of ethylbenzene and that there is sufficient evidence in experimental animals; therefore, the overall evaluation shows that ethylbenzene is possibly carcinogenic to humans (Group 2B).

CARCINOGENICITY:

Chemical Name	IARC	NTP	OSHA	Other
Ethylbenzene	Listed	Listed	Not listed	(ACGIH) Not listed

12. ECOLOGICAL INFORMATION

Unless otherwise indicated, the data presented below are for the active ingredient.

ENVIRONMENTAL DATA: Clomazone has a moderate rate of degradation in soil (half-life = 24 days), and is stable to hydrolysis over a wide range of pH. The bioconcentration potential for clomazone is low, with a Log Pow of 2.5, and a measured bioconcentration factor (BCF) of 27 - 40. Field studies showed that clomazone does not significantly leach below 15 cm in soil and is, therefore, not expected to enter groundwater.

ECOTOXICOLOGICAL INFORMATION: Clomazone technical:
 Freshwater fish: 96-hour LC₅₀ = 19 (Rainbow trout) (slightly toxic)
 Freshwater fish: 96-hour LC₅₀ = 34 (Bluegill sunfish) (slightly toxic)

Estuarine invertebrates: 96-hour LC_{50} = 8.9 mg/L (Pink shrimp) (moderately toxic)
Estuarine fish: LC_{50} = 6.3 (Atlantic silverside, moderately toxic) - 41 mg/L (Sheepshead minnow, slightly toxic)
Estuarine invertebrate: LC_{50} = 0.57 mg/L (Mysid) (highly toxic)
Waterfowl / Upland game birds: Oral LD_{50} >2510 mg/kg; Dietary LC_{50} >5620 ppm (low toxicity)
Care should be taken to avoid contamination of the aquatic environment.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Open dumping or burning of this material or its packaging is prohibited. If spilled material cannot be disposed of by use according to label instructions, an acceptable method of disposal is to incinerate in accordance with local, state and national environmental laws, rules, standards and regulations. However, because acceptable methods of disposal may vary by location and regulatory requirements may change, the appropriate agencies should be contacted prior to disposal.

EMPTY CONTAINER: Non-returnable containers that held this material should be cleaned, prior to disposal, by triple rinsing. Containers which held this material may be cleaned by being triple-rinsed, and recycled, with the rinsate being incinerated. Do not cut or weld metal containers. Vapors that form may create an explosion hazard.

14. TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (DOT)

PACKAGING TYPE:	Non-Bulk
ADDITIONAL INFORMATION:	This product is reclassified as a Combustible Liquid and, as such, is not subject to the hazardous materials regulations.
PACKAGING TYPE:	Bulk
PROPER SHIPPING NAME:	Combustible liquid, n.o.s.
TECHNICAL NAME(S):	Aromatic hydrocarbons
PRIMARY HAZARD CLASS / DIVISION:	Combustible liquid
UN/NA NUMBER:	NA 1993
PACKING GROUP:	III
PLACARD(S):	Combustible, 1993, 3
MARKING(S):	1993
REPORTABLE QUANTITY (RQ):	xylene

INTERNATIONAL MARITIME DANGEROUS GOODS (IMDG)

PACKAGING TYPE:	Non-Bulk
PROPER SHIPPING NAME:	Flammable liquid, n.o.s.
TECHNICAL NAME(S):	Aromatic hydrocarbons
PRIMARY HAZARD CLASS / DIVISION:	3
UN/NA NUMBER:	UN 1993
PACKING GROUP:	III
LABEL(S):	Flammable liquid, 3
PLACARD(S):	Flammable, 1993, 3
MARKING(S):	Flammable liquid, n.o.s. (aromatic hydrocarbons), UN1993
ADDITIONAL INFORMATION:	EmS Number: F-E, S-E Flash Point: 40°C

ADR - EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD

PACKAGING TYPE:	Non-Bulk
PROPER SHIPPING NAME:	Flammable liquid, n.o.s.
TECHNICAL NAME(S):	Aromatic hydrocarbons
PRIMARY HAZARD CLASS / DIVISION:	3
CLASSIFICATION CODE:	F1
PACKING GROUP:	III
MARINE POLLUTANT:	Clomazone
LABEL(S):	Flammable liquid, 3
PLACARD(S):	Flammable, 1993, 3
MARKING(S):	1993, Flammable liquid, n.o.s., (aromatic hydrocarbons, clomazone 46.7%) and Marine Pollutant
ADDITIONAL INFORMATION:	Road or Rail: ADR NOTES: Clomazone is toxic to algae

INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) / INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA)

PACKAGING TYPE:	Non-Bulk
------------------------	----------

PROPER SHIPPING NAME: Flammable liquid, n.o.s. (aromatic hydrocarbons)
PRIMARY HAZARD CLASS / DIVISION: 3
UN/NA NUMBER: UN1993
PACKING GROUP: III
LIMITED QUANTITY: Y309 / 10 L
LIMITED QUANTITY: PASSENGER / CARGO: 309 / 60 L
LIMITED QUANTITY: CARGO: 310 / 220 L

OTHER INFORMATION:

HARMONIZED SYSTEM
Import to the U.S.A.: 3808.30.1500
Export from the U.S.A.: 3808.30.0000

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355, APPENDIX A):
Not listed

SECTION 311 HAZARD CATEGORIES (40 CFR 370):
Immediate, Delayed, Fire

SECTION 312 THRESHOLD PLANNING QUANTITY (40 CFR 370):
The Threshold Planning Quantity (TPQ) for this product, if treated as a mixture, is 10,000 lbs; however, this product contains the following ingredients with a TPQ of less than 10,000 lbs.:
None

SECTION 313 REPORTABLE INGREDIENTS (40 CFR 372):
This product contains the following ingredients subject to Section 313 reporting requirements:
1,2,4-trimethylbenzene, Xylene (mixed isomers), Ethylbenzene, 1-butanol

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT)

CERCLA DESIGNATION & REPORTABLE QUANTITIES (RQ) (40 CFR 302.4):
Listed

<u>Chemical Name</u>	<u>RQ</u>
Xylene	100 lb
1-butanol	5,000 lb
Cumene	5,000 lb
Ethylbenzene	1,000 lb

FEDERAL INSECTICIDE FUNGICIDE RODENTICIDE ACT

U.S. EPA Signal Word: WARNING

INTERNATIONAL LISTINGS

Australian Hazard Code: 3XE

HAZARD, RISK AND SAFETY PHRASE DESCRIPTIONS:

Clomazone:

EC Symbols:	Xn	(Harmful)
EC Risk Phrases:	R20/22	(Harmful by inhalation and if swallowed.)
	R52	(Harmful to aquatic organisms.)
EC Safety Phrases:	S2	(Keep out of the reach of children.)
	S46	(If swallowed, seek medical advice immediately and show this container or label.)
	S29	(Do not empty into drains.)

Notes For Preparation:

CLASSIFICATION: Mandatory labeling (self-classification) of hazardous substances: applicable

Additional Information:

Prescribed phrase on label: Follow instructions' use to avoid risk to man and the environment.

Aromatic Hydrocarbons, (Index #649-356-00-4):

EC Symbols:	Xn	(Harmful)
	T	(Toxic)

EC Risk Phrases: R10 (Flammable)
R37 (Irritating to respiratory system.)
R51/53 (Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.)
R65 (Harmful: may cause lung damage if swallowed.)
R66 (Repeated exposure may cause skin dryness or cracking.)
R67 (Vapors may cause drowsiness and dizziness.)

EC Safety Phrases: S23 (Do not breathe gas, fumes, vapor, or spray)
S24 (Avoid contact with skin.)
S43A (In case of fire use sand, earth, chemical powder or foam.)
S57 (Use appropriate container to avoid environmental contamination.)
S60 (This material and its container must be disposed of as hazardous waste)
S62 (If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.)

Notes For Preparation:

Nota H applies to the product or one or more of its components. Annex 1
Nota P of Annex 1 applies to the product or one or more of its components.

1,2,4-trimethylbenzene, (Index #601-043-00-3):

EC Symbols: Xi (Irritant)
Xn (Harmful)
N (Dangerous for the environment)

EC Risk Phrases: R10 (Flammable)
R20 (Harmful by inhalation.)
R36/37/38 (Irritating to eyes, respiratory system and skin.)
R51 (Toxic to aquatic organisms.)
R53 (May cause long-term adverse effects in the aquatic environment.)

EC Safety Phrases: S2 (Keep out of the reach of children.)
S26 (In case of contact with eyes, rinse immediately with plenty of water and seek medical advice)
S61 (Avoid release to the environment. Refer to special instructions/safety data sheets.)

Xylene, (Index #601-022-00-9):

EC Symbols: Xi (Irritant)
Xn (Harmful)

EC Risk Phrases: R10 (Flammable)
R20 (Harmful by inhalation.)
R21 (Harmful in contact with skin.)
R38 (Irritating to skin)

EC Safety Phrases: S2 (Keep out of the reach of children.)
S25 (Avoid contact with eyes.)

1-butanol, (Index #603-004-00-6):

EC Symbols: Xi (Irritant)
Xn (Harmful)

EC Risk Phrases: R10 (Flammable)
R22 (Harmful if swallowed.)
R37/38 (Irritating to respiratory system and to skin.)
R41 (Risk of serious damage to eyes.)
R67 (Vapors may cause drowsiness and dizziness.)

EC Safety Phrases: S2 (Keep out of the reach of children.)
S7/9 (Keep container tightly closed and in a well-ventilated place.)
S13 (Keep away from food, drink and animal feeding stuffs.)
S26 (In case of contact with eyes, rinse immediately with plenty of water and seek medical advice)
S37/39 (Wear suitable gloves and eye/face protection.)
S46 (If swallowed, seek medical advice immediately and show this container or label.)

Cumene, (Index #601-024-00-X):

EC Symbols: Xi (Irritant)
Xn (Harmful)
N (Dangerous for the environment)

EC Risk Phrases: R10 (Flammable)
R37 (Irritating to respiratory system.)
R51 (Toxic to aquatic organisms.)
R53 (May cause long-term adverse effects in the aquatic environment.)
R65 (Harmful: may cause lung damage if swallowed.)

EC Safety Phrases: S2 (Keep out of the reach of children.)
S24 (Avoid contact with skin.)
S37 (Wear suitable gloves.)
S61 (Avoid release to the environment. Refer to special instructions/safety data sheets.)
S62 (If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.)

Ethylbenzene, (Index #601-023-00-4):

EC Symbols:	F	(Highly Flammable)
	Xn	(Harmful)
EC Risk Phrases:	R11	(Highly flammable)
	R20	(Harmful by inhalation.)
EC Safety Phrases:	S2	(Keep out of the reach of children.)
	S16	(Keep away from sources of ignition - No Smoking.)
	S24	(Avoid contact with skin.)
	S25	(Avoid contact with eyes.)
	S29	(Do not empty into drains.)

16. OTHER INFORMATION

REVISION SUMMARY:

This MSDS replaces Revision #16, dated November 02, 2004.

Changes in information are as follows:

Section 1 (Product and Company Identification)

Section 3 (Composition / Information on Ingredients)

Section 15 (Regulatory Information)

Section 16 (Other Information)

Command, Magister, Merit and FMC Logo - FMC Trademarks

© 2005 FMC Corporation. All Rights Reserved.

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.