



## Infinito® SC Fungicide

Version 0 / AUS  
102000011064

1/11  
Revision Date: 14.12.2016  
Print Date: 14.12.2016

### SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

#### 1.1 Product identifier

**Trade name** Infinito® SC Fungicide  
**Product code (UVP)** 06373046

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Fungicide

#### 1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer Cropscience Pty Ltd  
ABN 87 000 226 022  
Level 1, 8 Redfern Road  
3123 Hawthorn East  
Victoria  
Australia

**Telephone** (03) 9248 6888

**Telefax** (03) 9248 6800

**Responsible Department** 1800 804 479 Technical Information Service

**Website** [www.crop.bayer.com.au](http://www.crop.bayer.com.au)

#### 1.4 Emergency telephone no.

**Emergency telephone no.** 1800 033 111 IXOM Operations Pty Ltd

### SECTION 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Classification in accordance with Australian GHS Regulation

Skin sensitisation: Category 1  
H317 May cause an allergic skin reaction.

Acute aquatic toxicity: Category 1  
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1  
H410 Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Hazard label for supply/use required.

##### Hazardous components which must be listed on the label:

Propamocarb hydrochloride  
Fluopicolide

**Signal word:** Warning

##### Hazard statements

H317 May cause an allergic skin reaction.



**Infito® SC Fungicide**

Version 0 / AUS  
102000011064

2/11  
Revision Date: 14.12.2016  
Print Date: 14.12.2016

**Precautionary statements**

- P261 Avoid breathing mist and spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P302 + P352 IF ON SKIN: Wash with plenty of water/ soap.
- P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
- P363 Wash contaminated clothing before reuse.
- P501 Dispose of contents/container in accordance with local regulation.

**2.3 Other hazards**

No other hazards known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Chemical nature**

Propamocarb hydrochloride/Fluopicolide 625:62.5 g/l  
Chemical nature Suspension concentrate (=flowable concentrate)(SC)

Chemical Name	CAS-No.	Concentration [%]
Propamocarb hydrochloride	25606-41-1	55.30
Fluopicolide	239110-15-7	5.53
Other ingredients (non-hazardous) to 100%		

**SECTION 4. FIRST AID MEASURES**

**If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.**

**4.1 Description of first aid measures**

- General advice** Move out of dangerous area. Remove contaminated clothing immediately and dispose of safely. Place and transport victim in stable position (lying sideways).
- Inhalation** Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
- Skin contact** Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
- Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
- Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.

**4.2 Most important symptoms and effects, both acute and delayed**

**Symptoms** If large amounts are ingested, the following symptoms may occur:



**Infinito® SC Fungicide**

Version 0 / AUS  
102000011064

3/11  
Revision Date: 14.12.2016  
Print Date: 14.12.2016

Lethargy, Ataxia, Convulsions

Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).

**4.3 Indication of any immediate medical attention and special treatment needed**

**Risks** This product, although being a carbamate, is NOT a cholinesterase inhibitor.

**Treatment** Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote. Contraindication: atropine.

**SECTION 5. FIRE FIGHTING MEASURES**

**5.1 Extinguishing media**

**Suitable** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Unsuitable** High volume water jet

**5.2 Special hazards arising from the substance or mixture** In the event of fire the following may be released: Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Nitrogen oxides (NOx)

**5.3 Advice for firefighters**

**Special protective equipment for firefighters** In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

**Hazchem Code** •3Z

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures**

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water.

**6.3 Methods and materials for containment and cleaning up**

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.



**Infinito® SC Fungicide**

Version 0 / AUS  
102000011064

4/11  
Revision Date: 14.12.2016  
Print Date: 14.12.2016

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

**SECTION 7. HANDLING AND STORAGE**

**7.1 Precautions for safe handling**

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

**Advice on protection against fire and explosion** No special precautions required.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Shower or bathe at the end of working. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from frost.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Propamocarb hydrochloride	25606-41-1	1.1 mg/m <sup>3</sup> (TWA)		OES BCS*
Fluopicolide	239110-15-7	2.2 mg/m <sup>3</sup> (TWA)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

**8.2 Exposure controls**

**Respiratory protection** Respiratory protection is not required under anticipated circumstances of exposure.  
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection** Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.  
Wash gloves when contaminated. Dispose of when contaminated



**Infinito® SC Fungicide**

Version 0 / AUS  
102000011064

5/11  
Revision Date: 14.12.2016  
Print Date: 14.12.2016

inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

**Eye protection** Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection** Wear standard coveralls and Category 3 Type 4 suit.  
If there is a risk of significant exposure, consider a higher protective type suit.  
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.  
If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

**General protective measures** In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the above mentioned recommendations would apply.

**Engineering Controls**

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

<b>Form</b>	suspension
<b>Colour</b>	beige
<b>Odour</b>	ester-like
<b>Flash point</b>	Not relevant; aqueous solution
<b>Ignition temperature</b>	420 °C
<b>Density</b>	ca. 1.13 g/cm <sup>3</sup> at 20 °C
<b>Water solubility</b>	dispersible
<b>Partition coefficient: n-octanol/water</b>	Propamocarb hydrochloride: log Pow: -1.2 Fluopicolide: log Pow: 2.9 at pH 7
<b>Viscosity, dynamic</b>	221 mPaxs at 20 °C Velocity gradient 20 /s
<b>Surface tension</b>	31 mN/m at 20 °C Determined as a 1% solution in distilled water.
<b>Oxidizing properties</b>	No oxidizing properties
<b>Explosivity</b>	Not explosive 92/69/EEC, A.14 / OECD 113



## Infinito® SC Fungicide

Version 0 / AUS  
102000011064

6/11  
Revision Date: 14.12.2016  
Print Date: 14.12.2016

**9.2 Other information** Further safety related physical-chemical data are not known.

### SECTION 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

**Thermal decomposition** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** Store only in the original container.

**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

**Acute oral toxicity** LD50 (Rat) > 2,500 mg/kg

**Acute inhalation toxicity** LC50 (Rat) > 3.195 mg/l  
Exposure time: 4 h  
Highest attainable concentration.  
Determined in the form of a respirable aerosol.

**Acute dermal toxicity** LD50 (Rat) > 4,000 mg/kg

**Skin irritation** No skin irritation (Rabbit)

**Eye irritation** No eye irritation (Rabbit)

**Sensitisation** Sensitising (Mouse)  
OECD Test Guideline 429, local lymph node assay (LLNA)

#### Assessment mutagenicity

Propamocarb hydrochloride was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Fluopicolide was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Propamocarb hydrochloride was not carcinogenic in lifetime feeding studies in rats and mice. Fluopicolide caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.



## Infito® SC Fungicide

Version 0 / AUS  
102000011064

7/11  
Revision Date: 14.12.2016  
Print Date: 14.12.2016

### Assessment toxicity to reproduction

Propamocarb hydrochloride did not cause reproductive toxicity in a two-generation study in rats.  
Fluopicolide did not cause reproductive toxicity in a two-generation study in rats.

### Assessment developmental toxicity

Propamocarb hydrochloride caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Propamocarb hydrochloride are related to maternal toxicity.  
Fluopicolide did not cause developmental toxicity in rats and rabbits.

### Assessment STOT Specific target organ toxicity – repeated exposure

Propamocarb hydrochloride did not cause specific target organ toxicity in experimental animal studies.  
Fluopicolide did not cause specific target organ toxicity in experimental animal studies.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Information on likely routes of exposure

May be harmful if inhaled.  
May cause skin irritation. Skin sensitiser.  
May cause eye irritation.  
Harmful if swallowed.

### Early onset symptoms related to exposure

Refer to Section 4

### Delayed health effects from exposure

Refer to Section 11

### Exposure levels and health effects

Refer to Section 4

### Interactive effects

Not known

### When specific chemical data is not available

Not applicable

### Mixture of chemicals

Refer to Section 2.1

### Further information

No further toxicological information is available.

## SECTION 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 6.6 mg/l  
Exposure time: 96 h

**Toxicity to aquatic invertebrates** LC50 (Daphnia magna (Water flea)) > 100 mg/l  
Exposure time: 48 h



**Infinito® SC Fungicide**

Version 0 / AUS  
102000011064

8/11  
Revision Date: 14.12.2016  
Print Date: 14.12.2016

**Toxicity to aquatic plants**      EC50 (Raphidocelis subcapitata (freshwater green alga)) > 100 mg/l  
Growth rate; Exposure time: 72 h  
  
EC50 (Navicula pelliculosa (Freshwater diatom)) 0.63 mg/l  
Growth rate; Exposure time: 72 h

**12.2 Persistence and degradability**

**Biodegradability**                      Propamocarb hydrochloride:  
rapidly biodegradable  
Fluopicolide:  
Not rapidly biodegradable

**Koc**    Propamocarb hydrochloride: Koc: 719  
Fluopicolide: Koc: 321

**12.3 Bioaccumulative potential**

**Bioaccumulation**                      Propamocarb hydrochloride:  
Does not bioaccumulate.  
Fluopicolide: Bioconcentration factor (BCF) 121  
Does not bioaccumulate.

**12.4 Mobility in soil**

**Mobility in soil**                          Propamocarb hydrochloride: Slightly mobile in soils  
Fluopicolide: Moderately mobile in soils

**12.5 Other adverse effects**

**Additional ecological information**      No other effects to be mentioned.

**SECTION 13. DISPOSAL CONSIDERATIONS**

Refillable containers:  
If tamper evident seals are broken prior to initial use then the integrity of the contents cannot be assured. Empty container by pumping through dry-break connection system. Do not attempt to breach the valve system or the filling point, or contaminate the container with water or other products. Ensure that the coupler, pump, meter and hoses are disconnected, triple rinsed and drained after each use. When empty, or contents no longer required, return the container to the point of purchase. This container remains the property of Bayer CropScience Pty Ltd.  
Metal drums and plastic containers:  
Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.  
Do not reuse container for any other purpose.

**SECTION 14. TRANSPORT INFORMATION**

**ADG**  
UN number                                      **3082**  
Transport hazard class(es)                **9**



# Safety Data Sheet



## Infinito® SC Fungicide

Version 0 / AUS  
102000011064

9/11  
Revision Date: 14.12.2016  
Print Date: 14.12.2016

Subsidiary Risk	None
Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUOPICOLIDE SOLUTION)
Hazchem Code	•3Z

According to AU01, Environmentally Hazardous Substances in packagings, IBC or any other receptacle not exceeding 500 kg or 500 L are not subject to the ADG Code.

### IMDG

UN number	<b>3082</b>
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Marine pollutant	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUOPICOLIDE SOLUTION)

### IATA

UN number	<b>3082</b>
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Environm. Hazardous Mark	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUOPICOLIDE SOLUTION )

## SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994  
Australian Pesticides and Veterinary Medicines Authority approval number: 80625

### SUSMP classification (Poison Schedule)

Schedule 5 (Standard for the Uniform Scheduling of Medicines and Poisons)

## SECTION 16. OTHER INFORMATION

**Trademark information** Infinito® is a Registered Trademark of the Bayer Group.

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is



## Infinito® SC Fungicide

Version 0 / AUS  
102000011064

10/11  
Revision Date: 14.12.2016  
Print Date: 14.12.2016

sent to our customers and is also available on request.

### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)
CAS-Nr.	Chemical Abstracts Service number
CEILING	Ceiling Limit Value
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
OES BCS	OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SK-SEN	Skin sensitiser
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TWA	TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

# Safety Data Sheet



## Infinito® SC Fungicide

Version 0 / AUS  
102000011064

11/11  
Revision Date: 14.12.2016  
Print Date: 14.12.2016

---

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

END OF SDS