

MATERIAL SAFETY DATA SHEET

Page: 1 of 6
This revision issued: April, 2009

Section 1 - Identification of Chemical Product and Company



Sipcam Pacific Australia Pty. Ltd.

A.B.N. 94 073 176 888

Level 1

191 Malop Street

Geelong, Victoria, 3220

Phone: (03)5223 3746 (business hours)

Trade Name: Targa[®] bolt 200 Herbicide
Product Code: 61862
Substance: Quizalofop is a 4-aryloxyphenoxy propionic acid derivative.
Product Use: Agricultural herbicide for use as described on the product label.
Creation Date: March, 2009
Revision Date: April, 2009

Section 2 - Hazards Identification

Statement of Hazardous Nature

This product is classified as: Xn, Harmful. Xi, Irritating. Hazardous according to the criteria of ASCC.

Not subject to the ADG Code when transported by Road or Rail in containers up to 500L. (ADG 7, Special Provision AU01).

Risk Phrases: R65, R36/38. Harmful: May cause lung damage if swallowed. Irritating to eyes and skin.

Safety Phrases: S23, S26, S28, S46, S62, S24/25, S36/37/39. Do not breathe vapours or spray mists. In case of contact with eyes, rinse immediately with plenty of water and contact a doctor or Poisons Information Centre. After contact with skin, wash immediately with plenty of soap and water. If swallowed, contact a doctor or Poisons Information Centre immediately and show this MSDS or label. If swallowed, do not induce vomiting; seek medical advice immediately and show this MSDS. Avoid contact with skin and eyes. Wear suitable protective clothing, gloves and eye/face protection.

SUSDP Classification: S6

ADG Classification: Class 9: Miscellaneous Dangerous Goods. (Only in packages above 500L)

UN Number: 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Emergency Overview

Physical Description & colour: Dark amber coloured liquid.

Odour: Faint paint-like odour.

Major Health Hazards: Pure Quizalofop-p-ethyl is harmful by oral exposure. The reported oral LD₅₀ values of the compound are 1210 to 1670 mg/kg in male rats, and 1182 to 1480 mg/kg in female rats. Mice are only slightly less susceptible to the compound. Quizalofop-p-ethyl has reported LD₅₀ values of 1753 to 2350 mg/kg in male mice and 1805 to 2360 mg/kg in female mice. This product is irritating to eyes and skin, if aspirated, may cause lung damage.

Potential Health Effects

Inhalation:

Short term exposure: Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

Long Term exposure: No data for health effects associated with long term inhalation.

Skin Contact:

Short term exposure: Available data indicates that this product is a skin irritant. Symptoms may include itchiness and reddening of contacted skin. Other symptoms may also become evident, but all should disappear once exposure has ceased.

Long Term exposure: No data for health effects associated with long term skin exposure.

Eye Contact:

Short term exposure: This product is an eye irritant. Symptoms may include stinging and reddening of eyes and watering which may become copious. Other symptoms may also become evident. If exposure is brief, symptoms

MATERIAL SAFETY DATA SHEET

Product Name: Targa®bolt 200 Herbicide

Page: 2 of 6

This revision issued: April, 2009

should disappear once exposure has ceased. However, lengthy exposure or delayed treatment may cause permanent damage.

Long Term exposure: No data for health effects associated with long term eye exposure.

Ingestion:

Short term exposure: Significant oral exposure is considered to be unlikely. Because of the low viscosity of this product, it may directly enter the lungs if swallowed, or if subsequently vomited. Once in the lungs, it is very difficult to remove and can cause severe injury or death. However, this product is an oral irritant. Symptoms may include burning sensation and reddening of skin in mouth and throat. Other symptoms may also become evident, but all should disappear once exposure has ceased.

Long Term exposure: No data for health effects associated with long term ingestion.

Carcinogen Status:

ASCC: No significant ingredient is classified as carcinogenic by ASCC.

NTP: No significant ingredient is classified as carcinogenic by NTP.

IARC: No significant ingredient is classified as carcinogenic by IARC.

Section 3 - Composition/Information on Ingredients

Ingredients	CAS No	Conc,%	TWA (mg/m ³)	STEL (mg/m ³)
Quizalofop-p-ethyl	100646-51-3	200g/L	not set	not set
N-Methyl-2-pyrrolidone	872-50-4	150g/L	103	309
Liquid hydrocarbon	64742-94-5	590g/L	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The ASCC TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4 - First Aid Measures

General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this MSDS with you when you call.

Inhalation: No first aid measures normally required. However, if inhalation has occurred, and irritation has developed, remove to fresh air and observe until recovered. If irritation becomes painful or persists more than about 30 minutes, seek medical advice.

Skin Contact: Wash gently and thoroughly with warm water (use non-abrasive soap if necessary) for 10-20 minutes or until product is removed. Under running water, remove contaminated clothing, shoes and leather goods (e.g. watchbands and belts) and completely decontaminate them before reuse or discard. If irritation persists, repeat flushing and seek medical attention.

Eye Contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 minutes or until the product is removed, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention immediately. Take special care if exposed person is wearing contact lenses.

Ingestion: If swallowed, do NOT induce vomiting. Wash mouth with water and contact a Poisons Information Centre, or call a doctor.

Section 5 - Fire Fighting Measures

Fire and Explosion Hazards: This product is classified as a C1 combustible product. There is little risk of an explosion from this product if commercial quantities are involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Extinguishing Media: Suitable extinguishing media are carbon dioxide, dry chemical, foam, water fog. Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal foam can be used. Try to contain spills, minimise spillage entering drains or water courses.

Fire Fighting: If a significant quantity of this product is involved in a fire, call the fire brigade. There is little danger of a violent reaction or explosion if significant quantities of this product are involved in a fire. Recommended personal protective equipment is full fire kit and breathing apparatus.

Flash point: >61°C

MATERIAL SAFETY DATA SHEET

Product Name: Targa®bolt 200 Herbicide

Page: 3 of 6

This revision issued: April, 2009

Upper Flammability Limit: No data.
Lower Flammability Limit: No data.
Autoignition temperature: No data.
Flammability Class: C1

Section 6 - Accidental Release Measures

Accidental release: In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective clothing including eye/face protection. All skin areas should be covered. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include rubber. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned below (section 8). Otherwise, not normally necessary.

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Because of the environmentally hazardous nature of this product, special care should be taken to restrict release to waterways or drains. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this MSDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

Section 7 - Handling and Storage

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this MSDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this schedule of poison. Check packaging - there may be further storage instructions on the label.

Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Industrial Clothing: **AS2919**, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

ASCC Exposure limits	TWA (mg/m³)	STEL (mg/m³)
N-Methyl-2-pyrrolidone	103	309

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: This product should only be used in a well ventilated area. If natural ventilation is inadequate, use of a fan is suggested.

Eye Protection: Protective glasses or goggles should be worn when this product is being used. Failure to protect your eyes may cause them harm. Emergency eye wash facilities are also recommended in an area close to where this product is being used.

Skin Protection: Prevent skin contact by wearing impervious gloves, clothes and, preferably, apron. Make sure that all skin areas are covered. See below for suitable material types.

Protective Material Types: We suggest that protective clothing be made from the following materials: rubber.

Respirator: Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above. Otherwise, not normally necessary.

Eyebaths or eyewash stations and safety deluge showers should be provided near to where this product is being used.

MATERIAL SAFETY DATA SHEET

Product Name: Targa®bolt 200 Herbicide

Page: 4 of 6

This revision issued: April, 2009

Section 9 - Physical and Chemical Properties:

Physical Description & colour:	Dark amber coloured liquid.
Odour:	Faint paint-like odour.
Boiling Point:	Not available.
Freezing/Melting Point:	No specific data. Liquid at normal temperatures.
Volatiles:	No data.
Vapour Pressure:	No data.
Vapour Density:	>1
Specific Gravity:	1.06 approx
Water Solubility:	Dispersible.
pH:	No data.
Volatility:	No data.
Odour Threshold:	No data.
Evaporation Rate:	No data.
Coeff Oil/water distribution:	No data
Autoignition temp:	No data.

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

Incompatibilities: strong acids, strong bases, oxidising agents.

Fire Decomposition: Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. Hydrogen chloride gas, other compounds of chlorine. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

Polymerisation: This product will not undergo polymerisation reactions.

Section 11 - Toxicological Information

There is no data to hand indicating any particular target organs.

Toxicity: Acute toxicity: Pure Quizalofop-p-ethyl is harmful by oral exposure. The reported oral LD₅₀ values of the compound are 1210 to 1670 mg/kg in male rats, and 1182 to 1480 mg/kg in female rats. Mice are only slightly less susceptible to the compound. Quizalofop-p-ethyl has reported LD₅₀ values of 1753 to 2350 mg/kg in male mice and 1805 to 2360 mg/kg in female mice. For a formulated product, the reported oral LD₅₀ values are 6600 mg/kg in male rats and 5700 in female rats. Exposure of the skin of rabbits to the compound indicated that the compound is not harmful by this route. The acute percutaneous (absorbed through the skin) LD₅₀ for quizalofop-p-ethyl in mice, rats, and rabbits is greater than 2000 mg/kg. For the formulated product, the reported dermal LD₅₀ in rabbits is greater than 5000 mg/kg. Quizalofop-p-ethyl is slightly to practically nontoxic via inhalation, both in technical form and formulation. Reported 4-hour inhalation LC₅₀s values are 5.8 mg/L for technical quizalofop-p-ethyl and 75 mg/L for formulated product in rats. Quizalofop-p-ethyl is nonirritating to the skin and only slightly irritating to the eyes in rabbits. It is nonsensitizing to the skin of guinea pigs. The formulated product, however, is severely irritating to rabbit eyes.

Chronic toxicity: In a 1-year feeding study on dogs, doses of up to 10 mg/kg/day (the highest dose tested in that study) caused no observed effects. In a 90-day feeding study in rats, doses of 6.4 mg/kg/day and higher produced liver lesions and increased liver weight. In a 2-year study of rats, doses of 5 mg/kg/day produced no observed effects.

Reproductive effects: Data from reproductive studies indicated only decreased body weight gains, and did not report findings of impaired reproductive function in test animals. A 6-month study in dogs found atrophy of the semeniferous tubules at doses of 2.5 mg/kg/day, but was unclear whether this was extensive enough to result in impaired reproductive function. These data are insufficient to draw conclusions regarding the likely reproductive effects of quizalofop-p-ethyl in animals, but suggest that effects on human reproduction are unlikely under normal circumstances.

Teratogenic effects: In a two-generational study in rats, doses of 2.5 mg/kg/day and higher produced increased liver weights in offspring. No teratogenic effects were observed in another study in rats at doses of up to 300 mg/kg/day (the highest doses tested) over an unspecified period, although maternal decreases in body weight, food consumption, and corpora lutea were observed at doses of 100 mg/kg/day. These data suggest that teratogenic or developmental effects are unlikely in humans.

Mutagenic effects: The results of many assays for mutagenicity and genotoxicity of quizalofop-p-ethyl show no mutagenic or genotoxic activity. Quizalofop-p-ethyl was not found to be mutagenic in the Ames assay, either with or

MATERIAL SAFETY DATA SHEET

Product Name: Targa®bolt 200 Herbicide

Page: 5 of 6

This revision issued: April, 2009

without metabolic activation, nor was mutagenic activity seen in Chinese hamster ovary cell culture tests. Assays for chromosome structural aberrations and alterations in DNA damage repair capacity were also negative.

Carcinogenic effects: In an 18-month carcinogenicity study on mice, increased liver weights, changes in blood chemistry, and some changes in liver tissue structure were detected, but no carcinogenic or tumour-causing activity was reported. This study suggests that this compound is not carcinogenic.

Organ toxicity: Available data show that the target organ in test animals has consistently been the liver in rats and dogs. It is possible that testes may be a target organ in some species; e.g. dogs.

Fate in humans and animals: Quizalofop-p appears to be rapidly broken down in mammals. More than

Classification of Hazardous Ingredients

Ingredient	Risk Phrases
N-methyl-2-pyrrolidone	Conc>=10%: Xi; R36/38
Liquid Hydrocarbon	Conc>=10%: Xn; R65

Section 12 - Ecological Information

Insufficient data to be sure of status.

Effects on birds: Quizalofop-p-ethyl is practically nontoxic to birds. The reported 8-day feeding (dietary) LC₅₀ is greater than 5000 ppm in bobwhite quail and mallard ducks. The reported LD₅₀ for quizalofop-p-ethyl is greater than 2000 mg/kg in mallard ducks.

Effects on aquatic organisms: Quizalofop-p-ethyl is highly to very highly toxic to fish. Reported 96-hour LC₅₀ values are 10.7 mg/L in rainbow trout and 0.46 to 2.8 mg/L in bluegill sunfish.

Effects on other organisms: Quizalofop-p-ethyl is practically nontoxic to bees, with a 48-hour contact LD₅₀ of greater than 100 mg/bee.

Environmental Fate:

Breakdown in soil and groundwater: Quizalofop-p-ethyl is moderately persistent in soils, with a reported half-life of 60 days. It may be more rapidly broken down in soil with high microbial activity. It is moderately to strongly sorbed to soils, and studies indicate very low soil mobility. It should not leach significantly into water.

Breakdown in water: No data are currently available.

Breakdown in vegetation: No data are available regarding the breakdown of the compound; however, it is absorbed from the leaf surface and translocated throughout the plant. It accumulates in the active growing regions of stems and roots.

Section 13 - Disposal Considerations

Disposal: Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 <http://www.chemclear.com.au/> and for help with the disposal of empty drums, contact DrumMuster <http://www.drummuster.com.au/> where you will find contact details for your area.

Section 14 - Transport Information

Not subject to the ADG Code when transported by Road or Rail in containers up to 500L. (ADG 7, Special Provision AU01).

ADG Code: 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Only in packages above 500L).

Hazchem Code: 3Z

Special Provisions: 179, 274, AU01

Limited quantities: ADG 7 specifies a Limited Quantity value of 5 L for this class of product.

Dangerous Goods Class: Class 9: Miscellaneous Dangerous Goods.

Packaging Group: III

Packaging Method: P001, IBC03, LP01

Class 9 Miscellaneous Dangerous Goods shall not be loaded in the same vehicle or packed in the same freight container with Dangerous Goods of Class 1 (Explosives).

Section 15 - Regulatory Information

AICS: All of the significant ingredients in this formulation are compliant with NICNAS regulations.

The following ingredients: Quizalofop-p-ethyl, N-Methyl-2-pyrrolidone, Liquid hydrocarbon, are mentioned in the SUSDP.

MATERIAL SAFETY DATA SHEET

Product Name: Targa®bolt 200 Herbicide

Page: 6 of 6

This revision issued: April, 2009

Section 16 - Other Information

This MSDS contains only safety-related information. For other data see product literature.

Acronyms:

ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail (7 th edition)
AICS	Australian Inventory of Chemical Substances
ASCC	Office of the Australian Safety and Compensation Council
CAS number	Chemical Abstracts Service Registry Number
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
IARC	International Agency for Research on Cancer
NOS	Not otherwise specified
NTP	National Toxicology Program (USA)
R-Phrase	Risk Phrase
SUSDP	Standard for the Uniform Scheduling of Drugs & Poisons
UN Number	United Nations Number

Contact Points:

AUSTRALIA

Police and Fire Brigade:	Dial	000
If ineffective:	Dial	1100 (Exchange)
For emergency response:	Dial	1800 033 111
National Poisons Information Centre:	Dial	13 1126 (from anywhere in Australia)

Please read all labels carefully before using product.

The Material Safety Data Sheet (MSDS) augments the label and should not be used in place of regulatory approved product labels which are attached to or accompanying the product container. This MSDS provides important health, safety and environmental information for personnel that are manufacturing, distributing, transporting and storing the product, including emergency responders and other product handlers. The label provides information specifically for product users.

This MSDS is prepared in accord with the ASCC document "National Code of Practice for the Preparation of Material Safety Data Sheets" 2nd Edition [NOHSC:2011(2003)]
Copyright © Kilford & Kilford Pty Ltd, April, 2009.

<http://www.kilford.com.au/> Phone (02)9251 4532