# **Material Safety Data Sheet**

Sipcam Pacific Australia Pty. Ltd.

A.C.N. 073 176 888

Suite 11, 23 – 31 Gheringhap Street Geelong Victoria, 3220

# Sipcam Simazine 900 WDG Herbicide

Not classified as hazardous according to the criteria of Worksafe Australia.

# **I IDENTIFICATION**

Product Name: Simazine 900 WDG

Other Names: None.
Product Code: None.
UN No: None allocated

Hazchem Code: None allocated

Dangerous Goods Class: None allocated

Sub Risk Class: None allocated Packaging Group: None allocated Poison Schedule: Not scheduled.

Chemical Family: Blend of ingredients (see below). Active ingredient is a substituted triazine.

<u>Uses:</u> Herbicide for the control of weeds in orchards, vineyards, asparagus, field lupins, berry fruits, gladioli, hops, almonds and non-agricultural situations, in certain states. See label for details.

# **Physical Appearance & Properties**

Appearance & Odour: White granulated solid. Mild, non-specific odour.

Melting/softening point: No specific data. Solid at normal temperatures.

Boiling point and vapour pressure: No specific data.

Volatile materials: No specific data. Expected to be low at 100°C.

Flashpoint: Does not burn.
Specific gravity: 0.4 approx
Solubility in water: Dispersable.

Corrosiveness: Not corrosive.

Ingredients Worksafe Exposure Limits **Chemical Entity** STEL, mg/m<sup>3</sup> Proportion, % TWA, mg/m<sup>3</sup> CAS No Simazine 122-34-9 90 not set not set Other non hazardous ingredients to 100 not set not set

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

### II HEALTH HAZARD DATA

#### **Health Effects:**

No specific data is available for the product for chronic exposure symptoms. The ingredients are not listed as carcinogenic in Worksafe's document "Exposure Standards for Atmospheric Contaminants in the Occupational Environment" (May 1995).

#### **Acute Effects:**

<u>Swallowed:</u> Data suggests that this product should present no significant problems to typical persons in normal use. <u>Eye:</u> This product is mildly irritating to the eyes. It is likely to cause mild discomfort such as watering and redness of the eyes. However, this should quickly disappear once exposure is over.

<u>Skin:</u> This product is mildly irritating to skin. However, it is unlikely to cause more than minor discomfort or effects such as itchiness, occasional small blisters or slight skin reddening.

Issued by: Sipcam Pacific Australia Pty Ltd
Phone: (03)5255 5555
Page 1 of 1
Product: Simazine 500 Flowable
Issued: May, 2001

#### MATERIAL SAFETY DATA SHEET

<u>Inhalation:</u> Data suggests that this product should present no significant problems to typical persons in normal use.

LD<sub>50</sub> Oral (Rat) >5000mg/kg

LD<sub>50</sub> Oral (Mouse) >5000mg/kg

LD<sub>50</sub> Dermal (Rat) >2000mg/kg

LC<sub>50</sub> Inhalation (Rat) >5.5mg/L/4hr

#### First Aid:

Ipecac Syrup APF should be available in the area where product is used, or in a nearby unlocked medicine cabinet. If poisoning occurs, contact a Doctor or Poisons Information Centre. Phone 13 1126 from anywhere in Australia. If swallowed, and if more than 15 minutes from a hospital, induce vomiting, preferably using Ipecac Syrup APF. <a href="Eyes: If product gets">Eyes: If product gets in eyes, wash material from them with running water. If they begin watering or reddening, take special care in washing thoroughly.</a>

<u>Skin:</u> If product gets on skin, thoroughly wash contacted areas. No further measures should normally be required unless irritation is noticed. If irritation persists, seek medical attention.

<u>Inhalation:</u> No first aid measures normally required. However, if vapours or mists have been inhaled, and irritation has developed, remove to fresh air and observe until recovered. If irritation becomes painful or persists more than about 30 minutes, seek medical advice.

Advice to Doctor: Treat symptomatically. Note the nature of this product.

#### III PRECAUTIONS FOR USE

# **Exposure Standards:**

A time weighted average (TWA) has been established for Ethylene glycol, present in significant quantities in this product. This value is 60 (vapour)mg/m³. The corresponding STEL level is 120mg/m³. The STEL (Short Term Exposure Limit) is an exposure value that should not be exceeded for more than 15 minutes and should not be repeated for more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The exposure value at the TWA is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. See ingredients section on page 1 of this data sheet. The ADI (Acceptable Daily Intake) for Simazine is set at 0.005mg/kg/day. The corresponding NOEL (No-observable-effect-level) is set at 0.5mg/kg/day. Values taken from Australian ADI List, May 1998.

# **Engineering Controls:**

In industrial situations, concentration values below the TWA value should be maintained. Values may be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify the process or environment to reduce the problem.

#### **Personal Protection:**

<u>Respiratory Protection:</u> It is usually safe to not use a dust mask or respirator protection on account of this product. However, if the product is being used in dusty or confined conditions, use of a mask or respirator may be preferred. For help in selecting suitable equipment, consult AS/NZS 1715.

<u>Protective Gloves:</u> Impermeable protective gloves should be worn when you are using this product, to prevent irritation. For help in selecting suitable equipment, consult AS 2161.

<u>Eye Protection:</u> Protective eyewear is suggested when using this product. It is always prudent to use protective eyewear. Consult AS1336 and AS/NZS 1337 for advice on Industrial Eye Protection.

<u>Clothing:</u> Clean overalls or protective clothing should be worn, preferably with an apron. Consult AS2919 for advice on Industrial Clothing.

<u>Safety Boots:</u> Wearing safety boots in industrial situations is advisory. Consult AS/NZS2210 for advice on Occupational Protective Footwear.

Always wash hands before smoking, eating or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

## IV SAFE HANDLING INFORMATION

### Storage & Transport

No special storage and transport requirements. This product has no UN classification. Not a Scheduled Poison. Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames, and make sure that the product does not come into contact with substances listed under "Materials to avoid" below.

#### Spills & Disposals

Minor spills do not normally need any special cleanup measures. In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. Sweep up and shovel or collect

Issued by: Sipcam Pacific Australia Pty Ltd
Phone: (03)5255 5555
Page 2 of 2
Product: Simazine 500 Flowable
Issued: May, 2001

## MATERIAL SAFETY DATA SHEET

recoverable product into labelled containers for recycling or salvage. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this MSDS and the label, instructions on the label prevail. Dispose of only in accord with all regulations.

# Fire & Explosion Hazard

There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Flashpoint: Does not burn.

Flammability limits: Not applicable. This product does not burn.

<u>Extinguishing Media:</u> This product does not burn. Use extinguishing media suited to the materials that are burning. <u>Special Fire Fighting procedures:</u> Immediately evacuate the area of unnecessary personnel. When fighting fires involving significant quantities of this product, wear safety boots, non-flammable overalls, gloves, hat, goggles and respirator. All skin areas should be covered.

<u>Unusual Fire & Explosion Hazards:</u> Fire decomposition products from this product may form toxic and corrosive mixtures in confined spaces. Likely to decompose only after heating to dryness followed by further strong heating. <u>Stability:</u> This product is unlikely to spontaneously decompose.

Polymerisation: This product is unlikely to spontaneously polymerise.

<u>Decomposition Products:</u> Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Nitrogen, and under some circumstances, oxides of nitrogen. Hydrogen chloride gas, chlorides, and in some circumstances, phosgene which is a toxic gas. Water.

Materials to avoid: No particular incompatibilities.

## V OTHER INFORMATION

This MSDS is prepared in accord with the Worksafe Australia document "National Code of Practice for the Preparation of Material Safety Data Sheets", 1994.

Contact Points: AUSTRALIA
Police and Fire Brigade: Dial 000

If ineffective: Dial 1100 (Exchange) For emergency response: Dial 1800 033 111

National Poisons Information Centre: Dial 13 1126 (from anywhere in Australia)

# Please read all labels carefully before using product.

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company. The responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

This MSDS prepared by Kilford & Kilford Pty Ltd February, 1999. Copyright © Kilford & Kilford Pty Ltd, 1999 Phone (02)9516 2079

Issued by: Sipcam Pacific Australia Pty Ltd
Phone: (03)5255 5555
Page 3 of 3
Product: Simazine 500 Flowable
Issued: May, 2001