Page: 1 of 5

Infosafe No.

3NU4V I

Issue Date : April 2007

ISSUED by CRPCARE

Product Name : GRANDO 600 Herbicide

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name	GRANDO 600 Herbicide
Product Code	0510
Product Type	Group I Herbicide
Company Name	Crop Care Australasia Pty Ltd (ABN 53 061 362 347)
Address	Unit 15/16 Metroplex Avenue Murarrie Queensland 4172 Australia
Emergency Tel.	1800 033 498
Telephone/Fax Number	Tel: (07) 3909 2000 Fax: (07) 3909 2010
Recommended Use	For the control of various woody and broadleaf weeds as specified in the Directions for Use table on the label.
Other Information	This MSDS describes, to the best of our knowledge, the properties of the concentrated product. The physical properties and some of the assessments do not apply to the properties of the product once it has been diluted for application. Acute health effects of the diluted product are likely to be much less severe.

2. HAZARDS IDENTIFICATION

Hazard Classification	HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS. Hazard classification according to the criteria of NOHSC. Dangerous goods classification according to the Australia Dangerous Goods Code.
Risk Phrase(s)	R22 Harmful if swallowed. R36 Irritating to eyes. R43 May cause sensitization by skin contact.
Safety Phrase(s)	S13 Keep away from food,drink and animal feeding stuffs. S2 Keep out of reach of children. S24/25 Avoid contact with skin and eyes. S46 If swallowed, seek medical advice immediately and show this container or label.
Other Information	Poisons Schedule S6

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical	Liquid			
Characterization Ingredients	<u>Name</u> <u>CAS</u>		<u>Proportion</u>	
	Triclopyr (present as the butoxyethyl ester)	64700-56-7	600 g/L	
	Butyl diglycol	112-34-5	10-30 %	
	Other non-hazardous ingredients		Balance	

4. FIRST AID MEASURES

Inhalation	Remove affected person to fresh air until recovered. If symptoms develop or persist, seek medical advice.
Ingestion	If swallowed do NOT induce vomiting; seek medical advice immediately and show this container or label or contact the Poisons Information Centre on 13 11 26 (Aust). Make every effort to prevent vomit from entering the lungs by careful placement of the patient. The above first aid instructions are mandated by the Commonwealth Department of Health and Ageing via the National Drugs and Poisons Schedule. These instructions are suitable for ingestion of spray solution and small amounts of concentrate; however, if SUBSTANTIAL AMOUNTS of the concentrate have been swallowed (more than about 10ml) AND if medical assistance is more than 30

Page: 2 of 5

Infosafe No.	3NU4V	Issue Date : April 2007	ISSUED by CRPCARE
--------------	-------	-------------------------	-------------------

Product Name : GRANDO 600 Herbicide

	minutes away, the induction of vomiting should be CONSIDERED, preferably based on MEDICAL ADVICE if a physician can be contacted by phone. All care must be taken to prevent vomit from being inhaled. Do not give anything by mouth to a semi-conscious or unconscious person.
Skin	Remove contaminated clothing and launder before re-use. Wash affected areas thoroughly with soap and water. Seek medical advice, but only after the exposed skin has been thoroughly washed.
Eye	If in eyes, hold eyelids open and wash with copious amounts of water for at least 15 minutes. Seek medical advice.
First Aid Facilities	If poisoning occurs, contact a doctor or the Poisons Information Centre (Australia) on 13 11 26.
Advice to Doctor	Treat symptomatically.

5. FIRE FIGHTING MEASURES

Water fog, foam, carbon dioxide or dry chemical.		
If involved in a fire, it will emit oxides of carbon, oxides of nitrogen,		
hydrogen chloride and possibly phosgene.		
Breathable air apparatus may have to be worn if material is involved in fires		
especially in confined spaces.		
2X		
If exposed to fire, keep container cool by spraying with water. If possible, remove other containers from the area of fire. STOP FIRE WATER FROM ENTERING DRAINS OR WATER BODIES.		

6. ACCIDENTAL RELEASE MEASURES

Spills & Disposal	Contain spill and absorb with clay, sand, soil or proprietary absorbent (such as vermiculite).
	Collect spilled material and waste in sealable open-top type containers for disposal.
Personal Protection	For appropriate personal protective equipment (PPE), refer Section 8.

7. HANDLING AND STORAGE

Precautions for Safe Handling	Do NOT contaminate dams, rivers or streams, or any other water bodies with chemical or used containers.		
Conditions for Safe Storage	Store in the closed, original container in a dry, cool well ventilated area out of direct sunlight. Keep container tightly sealed and do not store with seed, fertilisers or foodstuffs.		
Tank Cleaning	See label for detailed information on cleaning of spray equipment.		
Other Information	Always read the label and any attached leaflet before use.		

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure Standards	No exposure standards have been set for this product or the active ingredients.	
Engineering	Handle in well ventilated areas, generally natural ventilation is adequate.	
Controls		
Personal Protective Equipment	It is good practice to wear suitable personal protective equipment (PPE). When opening the container, preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length rubber gloves and face shield or goggles.	
Hygiene Measures	After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.	

Page: 3 of 5

Infosafe No.

3NU4V

Issue Date : April 2007

ISSUED by CRPCARE

Product Name : GRANDO 600 Herbicide

After each day's use, wash contaminated clothing and safety equipment.Requirements
Concerning Special
TrainingNSW regulations require that people who use pesticides in their job or
business must have training in the application of the materials. By 1st
September, 2005 all users must have received such training.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	Liquid
Appearance	Amber liquid
Solubility in Water	Disperses in water.
Specific Gravity	1.21
Vapour Pressure	0.48 mPa (triclopyr butoxyethyl ester)
KOC	
Flash Point	106°C
Flammability	Combustible liquid C1.

10. STABILITY AND REACTIVITY

Chemical Stability	Stable under normal conditions.
Hazardous Reactions	Keep away from strong oxidising agents.
Hazardous Polymerization	Hazardous polymerisation is not possible.

11. TOXICOLOGICAL INFORMATION

III I OMICOLOG	ACAE INFORMATION			
Toxicology Information	No harmful effects are expected if the precautions on the label and this MSDS are followed.			
Inhalation	High vapour concentrations of the solvent while handling the concentrate are irritating to the eyes and the respiratory tract.			
Ingestion	Ingestion of the concentrate in relatively large amounts can result in headache, nausea, lethargy, motor weakness and incoordination.			
Skin	May irritate the skin. May cause sensitisation by prolonged skin contact.			
Eye	Will irritate the eyes.			
Chronic Effects	Based on available data, repeated exposures are not anticipated to cause additional significant adverse effects.			
Mutagenicity	Data indicates no mutagenic effects.			
Carcinogenicity	Triclopyr has been assessed in animals and some data exists that triclopyr is a substance which causes some concern for humans owing to possible carcinogenic effects from long term exposure, but in respect of which the available information is not adequate for making a satisfactory assessment.			
Acute Toxicity - Oral	LD50 (rat) 803 mg/kg for triclopyr butoxyethyl ester			
Acute Toxicity - Dermal	LD50 (rabbit) >2000 mg/kg for triclopyr butoxyethyl ester			
Acute Toxicity - Inhalation	LC50 (rat) (4hr) >4.8 mg/l for triclopyr butoxyethyl ester			
Eye Irritation	Moderate eye irritant.			
Skin Irritation	Mild to moderate skin irritant.			
Skin Sensitisation	Prolonged and repeated skin contact may result in skin sensitisation.			
Other Information	The Australian Acceptable Daily Intake (ADI) for triclopyr for a human is 0.005 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 0.5 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Comm. Dept. of Health and Ageing, 'ADI List', TGA, December 2004).			

12. ECOLOGICAL INFORMATION

Page: 4 of 5

Infosafe No.	3NU4V	Issue Date : April 2007	ISSUED by CRPCARE
Product Name :	GRANDO (500 Herbicide	

Persistence / Degradability	Triclopyr butoxyethyl ester is rapidly hydrolysed to triclopyr acid in soil and water. Triclopyr acid is degraded by microbial action and photodecomposition. Triclopyr acid, in soil, has a half-life of approximately forty days, depending on soil and climatic conditions. In water, triclopyr acid will decompose rapidly with a half-life of one to two days. Minimal leaching of triclopyr acid may occur in light soils under high rainfall conditions. Contamination of ground water by triclopyr is highly unlikely. If used according to the label, Grando 600 will not be harmful to the environment.
Other Precautions	Do not contaminate dams, waterways or sewers with this product or the containers which have held this product.
Environ. Protection	Spray drift can cause damage, read the label for more information.
Acute Toxicity - Fish	The following is data for the active ingredient, triclopyr as the butoxyethyl ester. LC50 (96 hr) for the most sensitive species tested is 0.31 mg/l.
Acute Toxicity - Daphnia	LC50 (48 hr) for daphnia is 0.66 mg/l for triclopyr butoxyethyl ester.
Acute Toxicity - Algae	EC50 (48hr) for algae 0.193 mg/l.
Acute Toxicity - Other Organisms	Bees: Not toxic to bees. LD50 for triclopyr is >100 µg/bee. LD50 for bobwhite quail is 735 mg/kg for triclopyr butoxyethyl ester

13. DISPOSAL CONSIDERATIONS

Product Disposal On site disposal of the concentrated product is not acceptable. Ideally, the product should be used for its intended purpose. If there is a need to dispose of the product, approach local authorities who hold periodic collections of unwanted chemicals (ChemClear®). **Container Disposal** Do not use this container for any other purpose. Triple rinse containers, add rinsate to the spray tank, then offer the container for recycling/reconditioning, or puncture top, sides and bottom and dispose of in landfill in accordance with local regulations. drumMUSTER is the national program for the collection and recycling of empty, cleaned, non returnable crop production and on-farm animal health chemical containers. If the label on your container carries the drumMuster symbol, triple rinse the container, ring your local Council, and offer the container for collection in the program. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

14. TRANSPORT INFORMATION

U.N. Number	None Allocated
Proper Shipping Name	None Allocated
DG Class	None Allocated
Hazchem Code	2X
Packing Group	None Allocated
Storage and Transport	Considered non dangerous for transport by the Australian Code for the Transport of Dangerous Goods by Road and Rail.
UN Number (Sea Transport)	3082
IMO Class/Packing Group	Class 9;
IMO Marine Pollutant	Marine Pollutant
IMO Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains Triclopyr)
15 DECLU ATO	

15. REGULATORY INFORMATION

Page: 5 of 5

Infosafe No. 3NU4V

Issue Date : April 2007

ISSUED by CRPCARE

Product Name : GRANDO 600 Herbicide

Poisons Schedule	S6
Packaging & Labelling	POISON KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING
Hazard Category	Harmful,Irritant
AICS (Australia)	All of the components in this product are listed on the Australian Inventory of Chemical Substances.

16. OTHER INFORMATION

Contact Person/Point	Normal Hours: Mr Volker Maier Phone: (03) 9282 1000 After Hours: Shift Supervisor Phone: 1800 033 498	
Literature References	EFSA Scientific Report (2005) 56, 1-103 conclusion on the peer review o triclopyr.	f
Revisions Highlighted	The MSDS was reviewed. Minor changes were made to the information. Flashpoint added into Section 9. End Of MSDS	